

# Location Detail

Search Criteria: NOB/SIC: ;Address 1: ;City: ;Zip: ;FIPS Code: ;Location #: ;Citation Status: &lt;Choose&gt;; Ins Co: MD Uninsured; Status: Active; Order Results by: Location Name; Then Order by: Address

**Location:** 25057 Macey's Corner Exxon (Sunoco) **Location ID:** 3972800  
**Address:** 518 Ritchie Hwy - Severna Park, MD 21146-2925 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** 25057 Macey's Corner Exxon (Sunoco)  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	999999999	016672	ICE	2011	09/19/2021	Recurring Cert	Active	Garage

**Total Objects at this Location:** 1

**Location:** 26266 Chesapeake Exxon (Sunoco) **Location ID:** 3972790  
**Address:** 2101 West St - Annapolis, MD 21401-3052 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165059V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000063254		Brunner	1985	09/19/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

---

**Location:** 3 Brothers Italian Restaurant (Arc3) **Location ID:** 3963603  
**Address:** 1139 Annapolis Rd - Odenton, MD 21113-1633 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164619V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000129402		CHART	2001	07/11/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** 5 Guys Burgers & Fries (Arc3) **Location ID:** 3963444  
**Address:** 4131 Mountain Rd - Pasadena, MD 21122-4455 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164442V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000002468		Taylor-Wharton	1989	07/10/2021	Recurring Cert	Active	Outside Rear
<b>Total Objects at this Location:</b>				1							

---

**Location:** 5 Guys Burgers & Fries (Arc3) **Location ID:** 3956957  
**Address:** 7690 Dorchester Blvd - Hanover, MD 21076-1926 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165093V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000020179		Taylor-Wharton	1994	06/13/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** 650 Building  
**Address:** 650 Ritchie Hwy - Severna Park, MD 21146-3916  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 718968  
**Phone:** 301-649-5500  
**NOB/SIC:** Holding and other investment offices  
**Primary Contact:** Nelson Lara - Phone: 301-649-5000 - Cell: 240-608-0147 - Email: nlara@drimc.com  
**Billing Contact:** Nelson Lara - 1370 Lamberton Dr Silver Spring, MD 20902-3422 - Phone: 301-649-5000 - Cell: 240-608-0147 - Email: nlara@drimc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133555H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000202312		Lochinvar	2007	11/01/2022	Recurring Cert	Active	Boiler Room
MD133556H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000202310		Lochinvar	2007	11/01/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 2

**Location:** 7 Eleven (NuCo2) # 308876  
**Address:** 730 E College Pkwy - Annapolis, MD 21409-5688  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3628021  
**Phone:**  
**NOB/SIC:** Miscellaneous Food Stores  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165794V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000054519		MVE Inc	1996	07/11/2021	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 1

**Location:** 7 Eleven (NuCo2) # 313389  
**Address:** 1350 Odenton Rd - Odenton, MD 21113-1691  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3628059  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143573V	A701970	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000211075	31005549	CHART	2010	11/04/2021	Recurring Cert	Active	store room

**Total Objects at this Location:** 1

**Location:** 7 Eleven (NuCo2) # 313611 **Location ID:** 3628157  
**Address:** 7701 Quarterfield Rd - Glen Burnie, MD 21061-4427 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164421V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000048819		Taylor	1999	07/18/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** 7-Eleven - 11533 **Location ID:** 3215957  
**Address:** 7753 Baltimore Annapolis Blvd - Glen Burnie, MD 21060-7655 **Phone:** 410-768-6989  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous Retail Stores, NEC  
**Primary Contact:** 7-Eleven - 11533  
**Billing Contact:** Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143585V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028571		Minnesota Valley	1989	11/23/2021	Recurring Cert	Active	Back Room

**Total Objects at this Location:** 1

**Location:** 7-Eleven - 23753 **Location ID:** 3181323  
**Address:** 4000 Ritchie Hwy - Brooklyn, MD 21225-2702 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous Retail Stores, NEC  
**Primary Contact:** 7-Eleven - 23753  
**Billing Contact:** Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142895V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031424		Minnesota Valley	1996	11/23/2021	Recurring Cert	Active	Back Room

**Total Objects at this Location:** 1

---

**Location:** 7-Eleven - 32228  
**Address:** 1044 Rt.3 North - Gambrills, MD 21054  
**County:** Anne Arundel  
**Primary Contact:** 7-Eleven - 32228  
**Billing Contact:** Kent Nay - 1722 Routh St Dallas, TX 75201-2535 - Phone: 703-286-9540 - Email: knay01@7-11.com

**Location ID:** 3208682  
**Phone:**  
**NOB/SIC:** Miscellaneous Retail Stores, NEC

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143576V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000024038		Taylor-Wharton	1995	07/16/2021	Recurring Cert	Active	Back Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** 7-Eleven - 34279  
**Address:** 1595 W Nursery Rd - Linthicum Heights, MD 21090-2206  
**County:** Anne Arundel  
**Primary Contact:** 7-Eleven - 34279  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

**Location ID:** 3215399  
**Phone:**  
**NOB/SIC:** Miscellaneous Retail Stores, NEC

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159873V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011707		MVE	2001	12/22/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Acme Bar & Grill (Arc3)  
**Address:** 163 Main St - Annapolis, MD 21401-2000  
**County:** Anne Arundel  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965242  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165921V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111883		MVE Inc	1999	07/29/2021	Recurring Cert	Active	Upstairs Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Acura of Laurel **Location ID:** 721083  
**Address:** 3506 Laurel Fort Meade Rd - Laurel, MD 20724-2006 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Sam Karlin - Phone: 301-498-3322 - Cell: 301-575-1745 - Email: skarlin@tischerauto.com  
**Billing Contact:** Sam Karlin - 3510 Laurel Fort Meade Rd Laurel, MD 20724-2006 - Phone: 301-498-3322 - Cell: 301-575-1745 - Email: skarlin@tischerauto.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162980V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000830876		Steel Fab	2016	12/17/2022	Recurring Cert	Active	ACURA SHOP
<b>Total Objects at this Location:</b>				1							

**Location:** Adam's The Place for Ribs (Arc3) **Location ID:** 3965290  
**Address:** 169 Mayo Rd - Edgewater, MD 21037-1804 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165032V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000140836		CHART	2002	07/29/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Adams Automotive **Location ID:** 702091  
**Address:** 1797 West St - Annapolis, MD 21401-3246 **Phone:** 410-263-2341  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Adams Automotive - Phone: 410-263-2341  
**Billing Contact:** - 1797 West St Annapolis, MD 21401-3246 - Phone: 410-263-2341

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD071333V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000957626		Kargard	1979	07/23/2021	Recurring Cert	Active	Outside Shed
MD091194V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000059531		Steel Fab	1993	07/23/2021	Recurring Cert	Active	Jeep Shop

Total Objects at this Location: 2

**Location:** Admiral Corporate Center  
**Address:** 130 Admiral Cochrane Drive - Annapolis, MD 21401-7368  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715371  
**Phone:** 410-280-1450  
**NOB/SIC:** Business Services, NEC  
**Primary Contact:** Admiral Corporate Center c/o - Phone: 410-280-1450  
**Billing Contact:** Admiral Corporate Center c/o - 60 West St Ste 204 Annapolis, MD 21401-2480 - Phone: 410-280-1450

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146722H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	000230343		AHRI	2012	06/03/2021	Recurring Cert	Active	Blrm

Total Objects at this Location: 1

**Location:** Aggregate Industries  
**Address:** 1268 Cronson Blvd - Crofton, MD 21114-2043  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 709424  
**Phone:**  
**NOB/SIC:** Clay Refractories  
**Primary Contact:** Kevin Koon - Phone: 301-882-1400 - Email: greg.sessa@aggregate-us.com  
**Billing Contact:** Kevin Koon - 6401 Triangle Dr Ste 400 Greenbelt, MD 20770 - Phone: 301-882-1400 - Email: greg.sessa@aggregate-us.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD008175H	#1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	84	Weil-McLain	1975	09/23/2020	Recurring Cert	Active	Maint Shop Loft
MD065761H	#1	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000064970	L-83873	Cleaver Brooks	1987	09/23/2020	Recurring Cert	Active	Main Boiler Room
MD074437V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000760747		Buckeye	1987	09/23/2020	Recurring Cert	Active	Weld Shop Outside
MD132252V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000772776		Manchester	2007	09/23/2020	Recurring Cert	Active	Maint. Shop
MD132253H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	00000	Dunkirk	2007	09/11/2020	Recurring Cert	Active	Weld/paint shop

Total Objects at this Location: 5

**Location:** Aggreko  
**Address:** 124 N Langley Rd - Glen Burnie, MD 21060-6539  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715940  
**Phone:** 443-618-3502  
**NOB/SIC:** Plumbing, Heating, and Air-Conditioning  
**Primary Contact:** John Cochran - Phone: 443-618-3502 - Email: john.cochran@aggreko.com  
**Billing Contact:** - 4607 West Admiral Doyle Drive Central Support-AP New Iberia, LA 70560 - Phone: 877-876-6659

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097294V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000154950		Iamco	1988	01/21/2022	Recurring Cert	Active	Shop
MD097295H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1	Weil-McLain	1985	01/21/2022	Recurring Cert	Active	Blr Room
MD123856V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000935979		Melben	2000	01/21/2022	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				3							

**Location:** Alibi's (Arc3)  
**Address:** 7935 Elizabeth Rd - Pasadena, MD 21122-2311  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963322  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165098V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000149536		CHART	2003	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							



---

**Location:** All American Steakhouse (Arc3) **Location ID:** 3965285  
**Address:** 139 Mitchells Chance Rd - Edgewater, MD 21037-2773 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165042V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000149480		CHART	2003	07/29/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** All American Steakhouse (Arc3) **Location ID:** 3968288  
**Address:** 1502 Annapolis Rd - Odenton, MD 21113-1001 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166406V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000080484		Taylor-Wharton	2005	08/30/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** All Tires **Location ID:** 3965895  
**Address:** 3581 Laurel Fort Meade Rd - Laurel, MD 20724-2910 **Phone:** 240-786-7115  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** All Tires  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163921V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000391753		Sanborn	2018	08/07/2021	Recurring Cert	Active	Tire Shop
<b>Total Objects at this Location:</b>				1							

---

**Location:** Aloft Hotel (BWI)  
**Address:** 1741 W Nursery Rd - Linthicum Heights, MD 21090-2906  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Aloft Hotel (BWI)  
**Billing Contact:**

**Location ID:** 2881498  
**Phone:** 410-691-6969  
**NOB/SIC:** Hotels and Motels

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136678H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000C21782		A O Smith	2008	01/16/2023	Recurring Cert	Active	Equipment Room
MD136679H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000C21783		A O Smith	2008	01/16/2023	Recurring Cert	Active	Equipment Room

**Total Objects at this Location:** 2

**Location:** Annapolis Car Wash Holdings Inc  
**Address:** 1913 Crownsville Rd - Annapolis, MD 21401-6450  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Hyung Lee - Phone: 410-266-1360  
**Billing Contact:** Hyung Lee - 1913 Crownsville Rd Annapolis, MD 21401-6450 - Phone: 410-266-1362

**Location ID:** 2208994  
**Phone:**  
**NOB/SIC:** Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128111V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000085421		Buckeye	1988	05/07/2021	Recurring Cert	Active	back rm

**Total Objects at this Location:** 1

**Location:** Annapolis City/Harbor House  
**Address:** 920 Madison St - Annapolis, MD 21403-2234  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Dale Parker - Phone: 443-482-3026 - Cell: 410-953-9570 - Email: dparker@hacamd.org  
**Billing Contact:** Dale Parker - 1217 Madison St Annapolis, MD 21403-2203 - Phone: 443-482-3026 - Cell: 410-953-9570 - Email: dparker@hacamd.org

**Location ID:** 3048261  
**Phone:**  
**NOB/SIC:** Hotels and Motels

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140437H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000129931		A O Smith	2008	01/20/2022	Recurring Cert	Active	Bldg 920

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 210 F)								

**Total Objects at this Location:** 1

**Location:** Annapolis Roads Apartments  
**Address:** 1008 Tallwood Rd - Annapolis, MD 21403-5318  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

**Location ID:** 702863  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149022H	1	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2013	09/25/2021	Recurring Cert	Active	1008TALLWOOD
MD149023H	2	Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA		Weil-McLain	2013	09/25/2021	Recurring Cert	Active	1008TALLWOOD

**Total Objects at this Location:** 2

**Location:** Annapolis Roads Apartments  
**Address:** 1014 Tallwood Rd - Annapolis, MD 21403-5320  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

**Location ID:** 702864  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139187H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000000188		Bock TTI	2010	08/19/2021	Recurring Cert	Active	1014TALLWOOD
MD147106H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2011	08/19/2021	Recurring Cert	Active	1014TALLWOOD

**Total Objects at this Location:** 2

---

**Location:** Annapolis Roads Apartments  
**Address:** 1050 Eaglewood Rd - Annapolis, MD 21403-5523  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

**Location ID:** 702865  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD083593H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000027136	158809	Jet Glass	1992	08/19/2021	Recurring Cert	Active	1050 EAGLEWOOD

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments  
**Address:** 1052 Eaglewood Rd - Annapolis, MD 21403-5524  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

**Location ID:** 702866  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147149H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000095549	110549	Bradford White	2012	08/19/2021	Recurring Cert	Active	1052EAGLEWOOD

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments  
**Address:** 1054 Eaglewood Rd - Annapolis, MD 21403-5525  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

**Location ID:** 985819  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147151H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000123456		Bradford White	2011	08/19/2021	Recurring Cert	Active	1054 EAGLEWOOD

**Total Objects at this Location:** 1

---

---

**Location:** Annapolis Roads Apartments **Location ID:** 702868  
**Address:** 1056 Eaglewood Rd - Annapolis, MD 21403-5526 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD103232H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000042200		Jet Glass	1997	08/19/2021	Recurring Cert	Active	1056 EAGLEWOOD

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 702861  
**Address:** 1101 Lake Heron Dr - Annapolis, MD 21403-5527 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139188H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090022		Bradford White	2010	08/19/2021	Recurring Cert	Active	1101LAKEHERR

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 702869  
**Address:** 1103 Lake Heron Dr - Annapolis, MD 21403-5528 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD117544H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000057142		Bradford White	2002	08/19/2021	Recurring Cert	Active	1103LAKEHERR

**Total Objects at this Location:** 1

---

---

**Location:** Annapolis Roads Apartments **Location ID:** 702870  
**Address:** 1105 Lake Heron Dr - Annapolis, MD 21403-5529 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090745H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000036555	506655	Jet Glass	1995	08/19/2021	Recurring Cert	Active	1105LAKEHERR

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 702862  
**Address:** 1107 Lake Heron Dr - Annapolis, MD 21403-5530 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122837H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000070780		Bradford White	2005	08/19/2021	Recurring Cert	Active	1107LAKEHERR

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 985814  
**Address:** 1109 Lake Heron Dr - Annapolis, MD 21403-5531 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147150H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100818		Bradford White	2012	08/19/2021	Recurring Cert	Active	1109LAKEHERR

**Total Objects at this Location:** 1

---

---

**Location:** Annapolis Roads Apartments **Location ID:** 702871  
**Address:** 1111 Lake Heron Dr - Annapolis, MD 21403-5532 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apartments  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140772H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000092697		Bradford White	2010	08/19/2021	Recurring Cert	Active	1111LAKEHERR

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 702872  
**Address:** 1112 Lake Heron Dr - Annapolis, MD 21403-5533 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090246H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000035656		Jet Glass	1995	08/19/2021	Recurring Cert	Active	1112LAKEHERR

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments **Location ID:** 702867  
**Address:** 1114 Lake Heron Dr - Annapolis, MD 21403-5534 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122804H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000081450		State Industries	2003	08/19/2021	Recurring Cert	Active	1114 LAKE HE

**Total Objects at this Location:** 1

---

**Location:** Annapolis Roads Apartments  
**Address:** 1204 Oak Hill PI - Annapolis, MD 21403-3595  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 702873  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Annapolis Roads Apts - Phone: 410-263-4787/410-269-6909  
**Billing Contact:** - 1 Eaglewood Rd Annapolis, MD 21403-5540 - Phone: 410-263-4787/410-269-6909

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123869H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000434249		Bock Energy	2005	08/19/2021	Recurring Cert	Active	1204 Oak Hill PI
MD128410H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2007	08/19/2021	Recurring Cert	Active	1204 OAKHILL

**Total Objects at this Location:** 2

**Location:** Annapolis Sakura Japanese Steakhouse (Arc3)  
**Address:** 2625 Housley Rd Ste E - Annapolis, MD 21401-7021  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3968284  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165942V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000135205		CHART	2001	08/30/2021	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 1

**Location:** Annapolis Smokehouse (Arc3)  
**Address:** 107 Hillsmere Dr - Annapolis, MD 21403-3920  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965264  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165052V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000050511		Taylor-Wharton	2000	07/29/2021	Recurring Cert	Active	Outside



**Total Objects at this Location:** 1

**Location:** Annapolis Yacht Club (Arc3) **Location ID:** 3965257  
**Address:** 12 Dock St - Annapolis, MD 21401-1802 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165929V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000320084		CHART	2018	07/29/2021	Recurring Cert	Active	Outside Garbage Area

**Total Objects at this Location:** 1

**Location:** Anne Arundel Urology **Location ID:** 3011345  
**Address:** 600 Ridgely Ave Ste 130 - Annapolis, MD 21401-1045 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Offices and Clinics of Doctors of Medicine  
**Primary Contact:** Anne Arundel Urology  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140109		Electric (NOT HLW)	S - Power- Sterilizing (Steam > 15 psig)	000029694	39694	Electro-Steam	2010	12/29/2021	Recurring Cert	Active	Sterilization Room
MD140110V		Autoclave	V - Process- Sterilizing	000041564	0182115- SAWU	Amsco	1982	10/06/2021	Recurring Cert	Active	Sterilizer Room

**Total Objects at this Location:** 2

**Location:** Antwerpen Volkswagen **Location ID:** 729543  
**Address:** 8065 Ritchie Hwy - Pasadena, MD 21122-1092 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** John Schilling - Phone: 410-760-6300 - Cell: 443-270-5478 - Email: jschilling@antwerpenauto.com  
**Billing Contact:** John Schilling - 8065 Ritchie Hwy Pasadena, MD 21122-1092 - Phone: 410-760-6300 - Cell: 443-270-5478 - Email: jschilling@antwerpenauto.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066964V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000088933		Manchester	1981	03/11/2021	Recurring Cert	Active	Service Building

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066965V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000877717		Wood	1986	03/11/2021	Recurring Cert	Active	Body Shop
MD122841V	2	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000224468		Manchester	2004	03/11/2021	Recurring Cert	Active	Service Building
MD126658V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000572666		Manchester	2001	03/11/2021	Recurring Cert	Active	Body Shop

**Total Objects at this Location:** 4

**Location:** Aquahart Exxon  
**Address:** 720 Aquahart Rd - Glen Burnie, MD 21061-3968  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Gil Sher - Phone: 410-236-3888 - Email: gsher9@gmail.com  
**Billing Contact:** Gil Sher - 720 Aquahart Rd Glen Burnie, MD 21061-3968 - Phone: 410-236-3888 - Email: gsher9@gmail.com

**Location ID:** 713386  
**Phone:** 410-761-5970  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118580V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000246103		Manchester	2003	09/29/2022	Recurring Cert	Active	Outback Shed

**Total Objects at this Location:** 1

**Location:** Arbys  
**Address:** 8103 Ritchie Hwy - Pasadena, MD 21122-3905  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Arbys  
**Billing Contact:**

**Location ID:** 3628804  
**Phone:** 410-424-2293  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164039V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000196562	CCNUF080222	CHART	2008	06/14/2021	Recurring Cert	Active	Beverage Carbonation

**Total Objects at this Location:** 1

**Location:** Arbys **Location ID:** 3628831  
**Address:** 8375 Mapes Rd - Fort Meade, MD 20755 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156119V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000029940	468-047-MJ	Taylor-Wharton	1996	07/11/2021	Recurring Cert	Active	Back Room
<b>Total Objects at this Location:</b>				1							

**Location:** Arbys (NuCO2) **Location ID:** 3628802  
**Address:** 5 Mayo Rd - Edgewater, MD 21037-1805 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NUCO2 Regulatory & Compliance - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153767V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000090334		Taylor-Wharton	2008	03/23/2022	Recurring Cert	Active	Pantry
<b>Total Objects at this Location:</b>				1							

**Location:** Arkadia Surfaces **Location ID:** 3839993  
**Address:** 1981 Moreland Pkwy Bldg 4A - Annapolis, MD 21401-3459 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Arkadia Surfaces  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159893V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000861122		Steel Fab	2017	02/06/2022	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							

**Location:** Armadillo's (Arc3) **Location ID:** 3965255  
**Address:** 132 Dock St - Annapolis, MD 21401-1803 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165932V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139732		CHART	2002	07/29/2021	Recurring Cert	Active	Outside 2nd Floor
<b>Total Objects at this Location:</b>				1							

**Location:** Arundel Ambulatory Surgery Center **Location ID:** 3674767  
**Address:** 621 Ridgely Ave Ste 401 - Annapolis, MD 21401-1099 **Phone:** 410-224-2811  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Medical and Surgical Hospitals  
**Primary Contact:** Cheryl Deters - Phone: 410-224-2811 - Email: cdeters@qqscmd.com  
**Billing Contact:** Donna Reid - 621 Ridgely Ave Ste 401 Annapolis, MD 21401-1099 - Phone: 410-224-2811 - Email: dmreid@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153221		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000005071	45071	Chromalox	2013	02/01/2022	Recurring Cert	Active	Sterilization Room
MD153222V		Autoclave	V - Process-Sterilizing	000012345	0114003	Steris Corp	2014	02/01/2022	Recurring Cert	Active	Sterilization Room
<b>Total Objects at this Location:</b>				2							

**Location:** Arundel Exxon **Location ID:** 3919598  
**Address:** 7043 Arundel Mills Cir - Hanover, MD 21076-1387 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Arundel Exxon  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162238H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000259196		Raypak	2002	12/04/2020	Recurring Cert	Active	Car Wash

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162239V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000235920		Trinity	2002	01/10/2021	Recurring Cert	Active	Car Wash

**Total Objects at this Location:** 2

**Location:** Arundel House of Hope Inc.  
**Address:** 6401 Ritchie Hwy - Glen Burnie, MD 21061-1608  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Arundel House of Hope Inc. - Phone: 410-863-7235  
**Billing Contact:** - 514 Crain Hwy N Ste K Glen Burnie, MD 21061-3037 - Phone: 410-863-7235

**Location ID:** 987643  
**Phone:** 410-609-1224  
**NOB/SIC:** Business Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146564H		Other w/comment	H - Hot Water Heat (Water <= 160 psig, 250 F)	000004900		Slant Fin	2011	07/15/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Asbury Town Neck United Methodist Church  
**Address:** 429 Asbury Dr - Severna Park, MD 21146-1373  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Carla Flemings - Phone: 410-647-3461 - Email: jcflemings@verizon.net  
**Billing Contact:**

**Location ID:** 703173  
**Phone:** 410-647-3461  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080311H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1990	11/02/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

---

**Location:** Ashley Apartments  
**Address:** 3450 Andrew Ct - Laurel, MD 20724-2373  
**County:** Anne Arundel  
**Primary Contact:** Tom Hall - Phone: 301-951-8300 - Cell: 301-520-7063  
**Billing Contact:** Tom Hall - 5616 Carvel St Churchton, MD 20733-9783 - Phone: 301-951-8300 - Cell: 301-520-7063 - Email: dhall@dreyfuss.net

**Location ID:** 709247  
**Phone:** 301-520-7063  
**NOB/SIC:** Operators of Apartment Buildings

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016155H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000297773	L56027	Cleaver Brooks	1973	12/03/2021	Recurring Cert	Active	Boiler Room 3452

**Total Objects at this Location:** 1

---

**Location:** Ashley Apartments  
**Address:** 3452 Andrew Ct - Laurel, MD 20724-2360  
**County:** Anne Arundel  
**Primary Contact:** Tom Hall - Phone: 301-951-8300 - Cell: 301-520-7063  
**Billing Contact:** Tom Hall - 5616 Carvel St Churchton, MD 20733-9783 - Phone: 301-951-8300 - Cell: 301-520-7063 - Email: dhall@dreyfuss.net

**Location ID:** 709248  
**Phone:** 301-520-7063  
**NOB/SIC:** Operators of Apartment Buildings

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD016156H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000029768		Cleaver Brooks	1973	12/03/2021	Recurring Cert	Active	3452 BLRM
MD029981V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067238		Richmond	1973	12/03/2021	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 2

---

**Location:** Ashley Apartments  
**Address:** 3472 Andrew Ct - Laurel, MD 20724-2373  
**County:** Anne Arundel  
**Primary Contact:** Tom Hall - Phone: 301-951-8300 - Cell: 301-520-7063 - Email: thall@dreyfuss.net  
**Billing Contact:** Tom Hall - 5616 Carvel St Churchton, MD 20733-9783 - Phone: 301-951-8300 - Cell: 301-520-7063 - Email: dhall@dreyfuss.net

**Location ID:** 3469350  
**Phone:** 301-520-7063  
**NOB/SIC:** Operators of Apartment Buildings

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147431V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033473		York	2000	12/03/2021	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Back Creek Books & Antiques  
**Address:** 194 Main St - Annapolis, MD 21401-2007  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3769098  
**Phone:** 410-626-1363  
**NOB/SIC:**  
**Primary Contact:** Lenore Lerner - Phone: 410-269-0928  
**Billing Contact:** Lenore Lerner - 7101 Bay Front Dr Apt 615 Annapolis, MD 21403-3756 - Phone: 410-269-0928

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158399H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	211600371	Columbia	2016	08/14/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Bagels And (Arc3)  
**Address:** 2019 West St - Annapolis, MD 21401-3365  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965176  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165789V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000007408		Taylor-Wharton	1991	07/29/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Baltimore City/DPW/Patapsco WWTP  
**Address:** 3501 Asiatic Ave - Baltimore, MD 21226-1507  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 720919  
**Phone:** 410-396-2800  
**NOB/SIC:** Sewerage Systems  
**Primary Contact:** Robert Jackson - Phone: 410-396-2887  
**Billing Contact:** Velma Boykins-Early - 401 E Fayette St Ste 700 Baltimore, MD 21202-3419 - Phone: 410-396-5115/1072/ 410-347-2023 - Email: Velma.boykins-early@baltimorecity.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165080H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI		HB Smith	2018	11/14/2021	Recurring Cert	Active	SPB-BLRM
MD165081H		Water Heater (HLW)	H - Hot Water Heat (Water <=	000043286		R B I	2017	04/23/2021	Recurring Cert	Active	SPB 201

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 250 F)								
MD165082H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000044638		R B I	2018	04/23/2021	Recurring Cert	Active	SPB 201
<b>Total Objects at this Location:</b>				3							

**Location:** Baltimore Washington Medical Center (Arc3) **Location ID:** 3963311  
**Address:** 301 Hospital Dr - Glen Burnie, MD 21061-5803 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Medical and Surgical Hospitals  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164429V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132555		CHART	2001	07/10/2021	Recurring Cert	Active	Outside loading dock
<b>Total Objects at this Location:</b>				1							

**Location:** Bank Of America **Location ID:** 703814  
**Address:** 10 Church Cir - Annapolis, MD 21401-1944 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Central Reserve Depository Institutions, NEC  
**Primary Contact:** Bank Of America  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072001V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000223875	2	Melben	1989	10/26/2021	Recurring Cert	Active	Pent House
MD128419H		Vertical Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014338		A O Smith	2006	10/26/2021	Recurring Cert	Active	Penthouse
<b>Total Objects at this Location:</b>				2							



---

**Location:** Bavarian Brauhaus (Arc3) **Location ID:** 3961836  
**Address:** 7304 Parkway Dr - Hanover, MD 21076-1167 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165089V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139751		CHART	2002	06/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Bay Hills Deli (Arc3) **Location ID:** 3963496  
**Address:** 1272 Bay Dale Dr - Arnold, MD 21012-2325 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165035V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128986		CHART	2001	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Beefalo Bobs (Arc3) **Location ID:** 3963319  
**Address:** 8015 Fort Smallwood Rd - Curtis Bay, MD 21226-1911 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164456V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000298803		CHART	2017	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

<b>Location:</b> Benfield Shell Service Center <b>Address:</b> 537 Benfield Rd - Severna Park, MD 21146-2521 <b>County:</b> Anne Arundel <b>FIPS:</b> 24003 <b>Primary Contact:</b> Ron Thompson - Phone: 301-932-3679 - Cell: 240-434-3686 - Email: RThompson@twgi.net <b>Billing Contact:</b> Ron Thompson - 102 Centennial St La Plata, MD 20646-5967 - Phone: 301-932-3679 - Cell: 240-434-3686 - Email: RThompson@twgi.net	<b>Location ID:</b> 704303 <b>Phone:</b> <b>NOB/SIC:</b> Automotive dealers and gasoline service stations
---	---

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092698V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000486834		Buckeye	1984	10/21/2021	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							

<b>Location:</b> Bergmans Cleaners <b>Address:</b> 7304 Parkway Dr Ste C - Hanover, MD 21076-1167 <b>County:</b> Anne Arundel <b>FIPS:</b> 24003 <b>Primary Contact:</b> Bergmans Cleaners - Phone: 4107120600 <b>Billing Contact:</b> - 7304 Parkway Dr Ste C Hanover, MD 21076-1167 - Phone: 4107120600	<b>Location ID:</b> 704364 <b>Phone:</b> <b>NOB/SIC:</b> Garment Pressing, and Agents for Laundries and Drycleaners
---	---

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004309		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000074196		Fulton	1995	01/04/2021	Recurring Cert	Active	BLRM
MD125898V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000306025		Trinity	2003	10/26/2021	Recurring Cert	Active	BLRM
<b>Total Objects at this Location:</b>				2							

<b>Location:</b> Best Western Annapolis <b>Address:</b> 2520 Riva Rd - Annapolis, MD 21401-7405 <b>County:</b> Anne Arundel <b>FIPS:</b> 24003 <b>Primary Contact:</b> James Ross - Phone: 410-224-2800 <b>Billing Contact:</b> James Ross - 2520 Riva Rd Annapolis, MD 21401-7405 - Phone: 410-224-2800	<b>Location ID:</b> 708681 <b>Phone:</b> <b>NOB/SIC:</b> Hotels, rooming houses, camps, and other lodging places
--	--

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165084H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000C51905		A O Smith	2019	11/19/2021	Recurring Cert	Active	Pool Room

**Total Objects at this Location:** 1

**Location:** Bitumar USA  
**Address:** 6000 Pennington Ave - Curtis Bay, MD 21226-1627  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 703791  
**Phone:** 410-354-9550  
**NOB/SIC:** Petroleum and coal products  
**Primary Contact:** Kevin Reed - Phone: 410-354-9550 x110 - Email: kevin.reed@bitumar.com  
**Billing Contact:** Kevin Reed - 6000 Pennington Ave Curtis Bay, MD 21226-1627 - Phone: 410-354-9550 x110 - Email: kevin.reed@bitumar.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163856V		Other w/comment	V - Storage (NOT Cryogenic)	000508748		Morganton	2015	09/12/2022	Recurring Cert	Active	LAB

**Total Objects at this Location:** 1

**Location:** BMW of Annapolis  
**Address:** 25 Old Mill Bottom Rd N - Annapolis, MD 21409-5431  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 726348  
**Phone:** 410-349-2141  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Bob Hoffman - Phone: 410-349-2141  
**Billing Contact:** Bob Hoffman - 25 Old Mill Bottom Rd N Annapolis, MD 21409-5431 - Phone: 410-349-2141

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143560V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000658949		Steel Fab	2011	05/20/2022	Recurring Cert	Active	service building shed
MD154726V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000408497		Morganton	2014	05/20/2022	Recurring Cert	Active	Sprinkler Room Mini Bldg
MD166902V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000892476		Steel Fab	2018	08/12/2022	Recurring Cert	Active	Outside Shed

**Total Objects at this Location:** 3

**Location:** Boatyard Bar & Grill (Arc3) **Location ID:** 3965259  
**Address:** 400 4th St - Annapolis, MD 21403-2504 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166843V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000134102		CHART	2001	07/29/2021	Recurring Cert	Active	Outside Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Bob Bell Ford **Location ID:** 704788  
**Address:** 7125 Ritchie Hwy - Glen Burnie, MD 21061-2903 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Rick Bolewski - Phone: 410-766-3600x4023 - Email: rbolewski@bobbell.com  
**Billing Contact:** Rick Bolewski - 7125 Ritchie Hwy Glen Burnie, MD 21061-2903 - Phone: 410-766-3600x4023 - Email: rbolewski@bobbell.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD057031V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000269108		Buckeye	1980	02/23/2022	Recurring Cert	Active	HYUNDAI SHOP
MD057032V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000410841		Buckeye	1983	02/23/2022	Recurring Cert	Active	HYUNDAI SHOP
MD122103V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000378668		Steel Fab	2005	02/23/2022	Recurring Cert	Active	FORD REPAIR
MD128355V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000456281		Steel Fab	2006	02/23/2022	Recurring Cert	Active	FORD REPAIR
MD134834V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000191825		Manchester	2007	02/23/2022	Recurring Cert	Active	FORD REPAIR
<b>Total Objects at this Location:</b>				5							

**Location:** Bob Bell Ford Eastern Body Shop  
**Address:** 7110 Ritchie Hwy - Glen Burnie, MD 21061-2904  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bob Bell Ford Eastern Body Shop  
**Billing Contact:**

**Location ID:** 3850059  
**Phone:** 410-786-3600  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159891V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001554946		Manchester	2015	01/29/2022	Recurring Cert	Active	BODY SHOP AIR COMP. RM.

**Total Objects at this Location:** 1

**Location:** Bobs All Makes Auto Repairs  
**Address:** 4415 Mountain Rd - Pasadena, MD 21122-4521  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Zaheer Khan - Phone: 410-255-0078  
**Billing Contact:**

**Location ID:** 729235  
**Phone:** 410-255-0078  
**NOB/SIC:** Automotive Transmission Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD093865V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000168942		Iamco	1989	01/27/2022	Recurring Cert	Active	Garage

**Total Objects at this Location:** 1

**Location:** Bobs Automotive  
**Address:** 7324 Ritchie Hwy - Glen Burnie, MD 21061-3165  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bobs Automotive  
**Billing Contact:** Tom Giannone - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-647-6400 x378 - Email: Tom.giannone@monro.com

**Location ID:** 710251  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166908V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001986121		Manchester	2018	07/20/2022	Recurring Cert	Active	BLRM
MD166909V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000033093		aircom	2012	07/20/2022	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 2

**Location:** Boulevard Collision, Inc. **Location ID:** 704893  
**Address:** 1797 Dorsey Rd - Hanover, MD 21076-1175 **Phone:** 410-796-7555  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops  
**Primary Contact:** William R. Wall Jr. - Phone: 410-796-7555 - Email: blvdcollision@verizon.net  
**Billing Contact:** William R. Wall Jr. - 1797 Dorsey Rd Hanover, MD 21076-1175 - Phone: 410-796-7555 - Email: blvdcollision@verizon.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104116V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000093405		Stoytown Tk	1997	02/01/2021	Recurring Cert	Active	Shed
MD122102H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	02/11/2021	Recurring Cert	Active	Boiler Room Office Building
MD150004V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001539287		Manchester	2014	02/11/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 3

**Location:** BP Service Center - 604021 **Location ID:** 705215  
**Address:** 3581 Fort Meade Rd - Laurel, MD 20724-2910 **Phone:** 301-498-111  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Petroleum Marketing Group - Phone: 703-496-1053  
**Billing Contact:** - 2359 Research Ct Woodbridge, VA 22192-4632 - Phone: 703-496-1053

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146581V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000293661	304292	Morganton	2013	06/23/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Brandon Shores Gen Sta/ Raven Power  
**Address:** 2030 Brandon Shores Rd - Curtis Bay, MD 21226-1748  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 705009  
**Phone:**  
**NOB/SIC:** Electric Services  
**Primary Contact:** Jose Galvis - Phone: 410.787.5173 - Cell: 443.835.0403 - Email: jose.galvis@TalenEnergy.com  
**Billing Contact:** Joseph Lavia - 2030 Brandon Shores Rd Curtis Bay, MD 21226-1748 - Phone: 410-787-5479 - Email: joseph.lavia@talenenergy.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD143077H	#1	Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000019663	00000	Lochinvar	2011	03/28/2022	Recurring Cert	Active	Warehouse Boiler Room
<b>Total Objects at this Location:</b>				1							

**Location:** Brian Boru Restaurant  
**Address:** 489 Ritchie Hwy - Severna Park, MD 21146-2944  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2156389  
**Phone:**  
**NOB/SIC:** Drinking Places (Alcoholic Beverages)  
**Primary Contact:** Anthony Clarke - Phone: (410) 263-8333 - Cell: (443) 822-1606  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146851H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000171162	171162	A O Smith	2012	04/24/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

**Location:** Brice House  
**Address:** 42 East St - Annapolis, MD 21401-1731  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2656086  
**Phone:** 410-267-7619  
**NOB/SIC:** Educational services  
**Primary Contact:** Historic Annapolis - Phone: 410-267-7619 - Email: info@annapolis.org  
**Billing Contact:** - 18 Pinkney St Annapolis, MD 21401-1763 - Phone: 410-267-7619 - Email: info@annapolis.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149134H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	0005699	SlantFin	1994	07/25/2022	Recurring Cert	Active	basement blr. room
MD149135H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	5697	SlantFin	1994	07/25/2022	Recurring Cert	Active	basement blr. room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149136H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CA	5698	SlantFin	1994	07/25/2022	Recurring Cert	Active	basement blr. room
<b>Total Objects at this Location:</b>				3							

**Location:** Brio Annapolis (NuCo2) # 284772 **Location ID:** 3629160  
**Address:** 305 Sail PI - Annapolis, MD 21401-3054 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152209V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027705		Minn Valley	1989	09/22/2021	Recurring Cert	Active	outside LD
<b>Total Objects at this Location:</b>				1							

**Location:** Brio Tuscan Grill **Location ID:** 2482808  
**Address:** 305 Sail PI - Annapolis, MD 21401-3054 **Phone:** 410-571-5660  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Cailey Stratton - Phone: 407-208-2473 - Cell: 734-591-5600 - Email: cailey@liquorlicensepros.com  
**Billing Contact:** Cailey Stratton - 118 W McKey St Ocoee, FL 34761-2615 - Phone: 407-208-2473 - Cell: 734-591-5600 - Email: cailey@liquorlicensepros.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159303H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000407721		Raypak	2015	11/11/2021	Recurring Cert	Active	roof
<b>Total Objects at this Location:</b>				1							



**Location:** Broadneck Exxon (Arc3) **Location ID:** 3963609  
**Address:** 317 Buschs Frontage Rd - Annapolis, MD 21409-5534 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165793V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000131416		CHART	2001	07/11/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Browns Toyota Of Glen Burnie **Location ID:** 705329  
**Address:** 7167 Ritchie Hwy - Glen Burnie, MD 21061-2903 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** David Simms - Phone: 410 787 9135 - Email: david.simms@brownscar.com  
**Billing Contact:** David Simms - 7167 Ritchie Hwy Glen Burnie, MD 21061-2903 - Phone: 410 787 9135 - Email: david.simms@brownscar.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120875V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000306669		Steel Fab	2002	05/15/2021	External Cert, Recurring Cert	Active	7165 Shop
MD133589V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000755859		Manchester	2006	05/15/2021	Recurring Cert	Active	7167 Shop
MD157671V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000637171	667412	Morganton	2017	05/25/2021	Recurring Cert	Active	7167 Shop

**Total Objects at this Location:** 3

---

**Location:** Buck Murphy's Bar and Grill (Arc3) **Location ID:** 3956932  
**Address:** 378 Mount Vernon Ave - Odenton, MD 21113-1365 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163920V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000158201		CHART	2004	06/13/2021	Recurring Cert	Active	Outside Rear
<b>Total Objects at this Location:</b>				1							

---

**Location:** Busy Bee Child Center **Location ID:** 705522  
**Address:** 1102 Honeysuckle Ln - Annapolis, MD 21401-6459 **Phone:** 410-849-2343  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Child Day Care Services  
**Primary Contact:** Busy Bee Child Center - Phone: 410-849-2343  
**Billing Contact:** Paul Gonzalez - 1102 Honeysuckle Ln Annapolis, MD 21401-6459 - Phone: 410-849-2343 - Email: pgonzalez59@myfam.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116310H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2002	07/11/2022	Recurring Cert	Active	Basement
<b>Total Objects at this Location:</b>				1							

---

**Location:** Cafe Mezzanotte (Arc3) **Location ID:** 3963477  
**Address:** 760 Ritchie Hwy - Severna Park, MD 21146-4128 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164617V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000183033		CHART	2007	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** California Pizza Kitchen - 63 (Arc3) **Location ID:** 3963621  
**Address:** 22 Annapolis Mall Rd - Annapolis, MD 21401 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165792V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000141598		CHART	2002	07/11/2021	Recurring Cert	Active	Outside Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Cambria at Arundel Mills-BWI Airport **Location ID:** 3912739  
**Address:** 7700 Milestone Pkwy - Hanover, MD 21076-1754 **Phone:** 443-755-1700  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Cambria at Arundel Mills-BWI Airport  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161382H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000420762	180610911170 9	Lochinvar	2018	10/30/2022	Recurring Cert	Active	1st FLR WTR HTR RM
MD161383H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000420779	180510900814 8	Lochinvar	2018	10/30/2022	Recurring Cert	Active	1st FLR HTR RM
<b>Total Objects at this Location:</b>				2							

**Location:** Candlewood Suites **Location ID:** 731291  
**Address:** 1247 Winterson Rd - Linthicum Heights, MD 21090-2203 **Phone:** 410-850-9214  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Hotels and Motels  
**Primary Contact:** Candlewood Suites  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132025H	2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000082831		Bradford White	2008	11/21/2022	Recurring Cert	Active	BLRM

Total Objects at this Location: 1

**Location:** Cantina Mamma Lucia (Arc3) **Location ID:** 3961835  
**Address:** 1350 Dorsey Rd - Hanover, MD 21076-1433 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164192V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000140857		CHART	2002	06/13/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

**Location:** Capri Pizza (Roberts Oxygen) **Location ID:** 3963503  
**Address:** 337 Hospital Dr Ste V - Glen Burnie, MD 21061-5551 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164430V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021865		Minnesota Valley Engineering	1988	07/10/2021	Recurring Cert	Active	Outside Rear

Total Objects at this Location: 1

**Location:** Capriotti's - 118 (Arc3) **Location ID:** 3963632  
**Address:** 2285 Forest Dr - Annapolis, MD 21401-3884 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165807O		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000135211		CHART	2001	07/11/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

**Location:** Carlyle Apartments  
**Address:** 1670 Carlyle Dr - Crofton, MD 21114-1418  
**County:** Anne Arundel  
**Primary Contact:** Carlyle Apartments - Phone: 410-721-2101  
**Billing Contact:** Resident Manager - 1668 Carlyle Dr Crofton, MD 21114-1465 - Phone: 410-721-2101

**Location ID:** 706010  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098302H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000062047		Lochinvar	1996	04/05/2022	Recurring Cert	Active	Bldg 1670

**Total Objects at this Location:** 1

**Location:** Carmelo's (Arc3)  
**Address:** 419 S Camp Meade Rd - Linthicum Heights, MD 21090-2701  
**County:** Anne Arundel  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3961851  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164611V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000115236		MVE Inc	2000	06/13/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Castlebay Irish Pub (Arc3)  
**Address:** 193A Main St - Annapolis, MD 21401-2006  
**County:** Anne Arundel  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965238  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165919V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000007860		Taylor-Wharton	1991	07/29/2021	Recurring Cert	Active	Inside

**Total Objects at this Location:** 1

**Location:** Catalent MD  
**Address:** 7565 Harmans Rd - Harmans, MD 21077-1537  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 4062303  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Randy Bradshaw - Phone: 410-975-4050 ext 2335 - Cell: 443-277-0000 - Email: RBradshaw@paragonbioservices.com  
**Billing Contact:** Gene McMurray - 7555 Harmans Rd Harmans, MD 21077-1537 - Phone: 301-252-3108 - Email: omcmurray@paragonbioservices.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169133H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000015995		Thermal Solutions	2020	03/24/2021	Recurring Cert	Active	Boiler Room
MD169134H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000016003		Thermal Solutions	2020	03/24/2021	Recurring Cert	Active	Boiler Room
MD169135H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000016002		Thermal Solutions	2020	03/24/2021	Recurring Cert	Active	Boiler Room
MD169136H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000016004		Thermal Solutions	2020	03/24/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 4

**Location:** Cavalier Cleaners  
**Address:** 7838 Telegraph Rd - Severn, MD 21144-1867  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 706288  
**Phone:**  
**NOB/SIC:** Personal services  
**Primary Contact:** Chong Yi - Phone: 443-306-7294 - Email: chy544@hotmail.com  
**Billing Contact:** - 7838 Telegraph Rd Severn, MD 21144-1867 - Phone: 4105194744

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092280V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000415351		Manchester	1996	07/07/2020	Recurring Cert	Active	Boiler Room
MD150092		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000116441		Fulton	2013	06/29/2020	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 2

**Location:** CB Crofton Golf, LLC.  
**Address:** 1751 Swinburne Ave - Crofton, MD 21114-2025  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Tracey Roe - Phone: 410-721-3111 - Email: troe@croftonclub.com  
**Billing Contact:** Licensing Dept - 5429 LBJ Freeway Ste 400 Dallas, TX 75240-1021 - Phone: 972 341 8141 - Email: kicensing@addisonlaw.com

**Location ID:** 953615  
**Phone:** 410-721-3111  
**NOB/SIC:** Membership Organizations, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116334V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000376751		Scaife	1951	02/04/2023	Recurring Cert	Active	Red Barn Shop

**Total Objects at this Location:** 1

**Location:** Challenger Auto & Truck  
**Address:** 224 Mountain Rd Ste A - Pasadena, MD 21122  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Jeff Gerlack - Phone: 410-439-8900  
**Billing Contact:** Jeff Gerlack - 224 Mountain Rd Ste A Pasadena, MD 21122 - Phone: 410-439-8900

**Location ID:** 3677289  
**Phone:** 410-439-8900  
**NOB/SIC:** Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153798V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000728352		Manchester	2007	02/26/2022	Recurring Cert	Active	O/S Rear

**Total Objects at this Location:** 1

**Location:** Champs Pizza (Arc3)  
**Address:** 7339 E Furnace Branch Rd - Glen Burnie, MD 21060-7060  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 4019299  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166869V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132348		CHART	2001	05/06/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Chart House Restaurant  
**Address:** 300 2nd St - Annapolis, MD 21403-2527  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728155  
**Phone:** 410-268-7166  
**NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Tom Finnan - Phone: 410-268-7166 - Email: chan@ldty.com  
**Billing Contact:** Tom Finnan - 300 Second St Annapolis, MD 21403-2527 - Phone: 410-268-7166 - Email: chan@ldty.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151694H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	2014	04/21/2022	Recurring Cert	Active	Mechanical Room
MD151695H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000174772	174772	A O Smith	2012	04/21/2022	Recurring Cert	Active	Mechanical Room

**Total Objects at this Location:** 2

**Location:** Chase Home  
**Address:** 22 Maryland Ave - Annapolis, MD 21401-1628  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 706678  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Heather East - Phone: 410-263-2723  
**Billing Contact:** - 655 Genessess Street Annapolis, MD 21401 - Phone: 4102681733

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105529H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2000	01/09/2023	Recurring Cert	Active	Basement
MD105530H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2000	01/09/2023	Recurring Cert	Active	Basement
MD131194H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2006	01/09/2023	Recurring Cert	Active	Basement

**Total Objects at this Location:** 3



**Location:** Cheeburger Cheeburger  
**Address:** 2329 Forest Dr Ste B - Annapolis, MD 21401-3867  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Cheeburger Cheeburger  
**Billing Contact:**

**Location ID:** 3921394  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162979V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132344		CHART	2001	12/09/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Chesapeake Bay Candle  
**Address:** 226 Dover Rd - Glen Burnie, MD 21060-6414  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** James Troxel - Phone: 443-514-4020 - Email: jtroxel@cbcandle.com  
**Billing Contact:** - 226 Dover Rd Glen Burnie, MD 21060-6414 - Phone: 443-577-0505

**Location ID:** 722606  
**Phone:** 443-805-3813  
**NOB/SIC:** General Warehousing and Storage

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134825H	B 1	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000010597		R B I	2004	03/19/2021	Recurring Cert	Active	BLRM
MD134826H	B 2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000010598		R B I	2004	03/19/2021	Recurring Cert	Active	BLRM
MD134827H	B 3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000010599		R B I	2004	03/19/2021	Recurring Cert	Active	BLRM
MD146587V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000717375		Steel Fab	2013	03/19/2021	Recurring Cert	Active	COMP ROOM
MD146588V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000084488		Morganton	2010	03/19/2021	Recurring Cert	Active	COMP ROOM
MD147101H		Vertical Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000070666		Ajax	2011	03/19/2021	Recurring Cert	Active	Wax Storage Area
MD163691V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002049880		Twin Lakes	2018	03/06/2021	Recurring Cert	Active	WAX UNLOAD
MD163692H		Horizontal Water Tube	H - Hot Water Heat (Water <=	000331695		Lochinvar	2018	03/06/2021	Recurring Cert	Active	WAX STORAGE

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
160 psig, 250 F)											

**Total Objects at this Location:** 8

**Location:** Chesapeake Market & Deli (Roberts Oxygen) **Location ID:** 3974124  
**Address:** 7150 Lake Shore Dr - North Beach, MD 20714-9608 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165777V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000327490		CHART	2019	11/22/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Chesapeake Market (Arc3) **Location ID:** 3965179  
**Address:** 502 S Cherry Grove Ave - Annapolis, MD 21401-4245 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165904V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000163796		CHART	2005	07/29/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Chesapeake Urology  
**Address:** 7580 Buckingham Blvd - Hanover, MD 21076-3181  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3667211  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Donna Sollers - Phone: 410-760-9400  
**Billing Contact:** Donna Sollers - 7580 Buckingham Blvd Hanover, MD 21076-3208 - Phone: 410-760-9400

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154742		Electric (NOT HLW)	S - Power-Sterilizing (Steam > 15 psig)	000102807	102807	TDC	2015	06/21/2021	Recurring Cert	Active	Sterilization
NEW		Autoclave	V - Process-Sterilizing	78473	1298004	Steris Corp	1998	10/06/2022	Recurring Cert	Active	Sterilization

**Total Objects at this Location:** 2

**Location:** Chick-Fil-A (Arc3)  
**Address:** 3366 Corridor Marketplace - Laurel, MD 20724  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3987504  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165680V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000315030		CHART	2018	10/17/2021	Recurring Cert	Active	Mechanical Room

**Total Objects at this Location:** 1

**Location:** Chick-Fil-A - 00008 (Arc3)  
**Address:** 1035 Annapolis Mall Rd - Annapolis, MD 21401  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963623  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165943V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000164372		CHART	2005	07/11/2021	Recurring Cert	Active	Mall Store Room

**Total Objects at this Location:** 1

---

**Location:** Chick-Fil-A - 1048 (Arc3) **Location ID:** 3965283  
**Address:** 3220 Solomons Island Rd - Edgewater, MD 21037-1704 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165031V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000315479		CHART	2018	07/29/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Chick-fil-A - 1312 (Arc3) **Location ID:** 3963274  
**Address:** 2615 Brandermill Blvd - Gambrills, MD 21054-1645 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164415V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000131759		CHART	2001	07/09/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Chick-fil-A - 1825 (Arc3) **Location ID:** 3963292  
**Address:** 7831 Quarterfield Park Rd - Severn, MD 21144 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165070V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000184326		CHART	2007	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Chick-Fil-A - 3141 (Arc3) **Location ID:** 3963465  
**Address:** 511 Ritchie Hwy - Severna Park, MD 21146-2924 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165048V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000245425		CHART	2013	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Chick-fil-A - 3458 (Arc3) **Location ID:** 3963269  
**Address:** 2691 Carver Rd - Gambrills, MD 21054-1716 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164416V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000195912	CCNUF08F163	CHART	2008	07/09/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Chick-Fil-A - 3629 (Arc3) **Location ID:** 3961842  
**Address:** 1610 W Nursery Rd - Linthicum Heights, MD 21090-2290 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165786V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000292574		CHART	2016	06/13/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Chick-Fil-A Annapolis  
**Address:** 2025 Somerville Rd - Annapolis, MD 21401-3725  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Michael Edmonds - Phone: 410-266-0008 - Email: 03540@chick-fil-a.com  
**Billing Contact:** Darienne Edmonds - 2025 Somerville Rd Annapolis, MD 21401-3725 - Phone: 410-266-0008 - Email: 03540@chick-fil-a.com

**Location ID:** 723518  
**Phone:** 410-266-0008  
**NOB/SIC:** Eating and drinking places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157648V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000285561		CHART	2016	05/23/2021	Recurring Cert	Active	Inside Delivery Door
<b>Total Objects at this Location:</b>				1							

---

**Location:** Choisser Import Auto  
**Address:** 551 W Central Ave - Davidsonville, MD 21035-1942  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Petroleum Marketing Group - Phone: 703-494-5800 - Email: corporateaccounting@petromg.com  
**Billing Contact:** - 2359 Research Ct Woodbridge, VA 22192-4632 - Phone: 703-494-5800 - Email: corporateaccounting@petromg.com

**Location ID:** 706261  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070144V	Model# CASRSA19 VR-10	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000904018	D056337	Buckeye	1988	06/27/2022	Recurring Cert	Active	Comp Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Circle Machine Service  
**Address:** 150 Blades Ln Ste C - Glen Burnie, MD 21060-6415  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Lee Sienkiewicz - Phone: 410-760-1062 - Email: circlemac@aol.com  
**Billing Contact:**

**Location ID:** 707164  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091188V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000122858		Manchester	1993	05/21/2021	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** **Citgo Petroleum Corp.**  
**Address:** 2201 Southport Ave - Curtis Bay, MD 21226-1530  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 725663  
**Phone:**  
**NOB/SIC:** Petroleum Refining  
**Primary Contact:** David A. Melton - Phone: 410-355-6500 - Email: dmelton@citgo.com  
**Billing Contact:** David A. Melton - 2201 Southport Ave Curtis Bay, MD 21226-1530 - Phone: 410-355-6500 - Email: dmelton@citgo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120694V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000000837		DEVILBISS	2004	07/15/2020	Recurring Cert	Active	SHOP
<b>Total Objects at this Location:</b>				1							

---

**Location:** **City Dock Coffee**  
**Address:** 82 Maryland Ave - Annapolis, MD 21401-1630  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 711224  
**Phone:**  
**NOB/SIC:** Miscellaneous retail  
**Primary Contact:** Frank D Altobelli - Phone: 4102685458  
**Billing Contact:** - 377 Grinstead Rd Severna Park, MD 21146-1504 - Phone: 4102685458

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098172H		Cast Iron	H - Heating-Cooking (Steam <= 15 psig)	CI	1	Weil-McLain	1997	01/30/2021	Recurring Cert	Active	Base 82
<b>Total Objects at this Location:</b>				1							

---

**Location:** **Clarion Hotel**  
**Address:** 7253 Parkway Dr - Hanover, MD 21076-1316  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 722380  
**Phone:** 410-712-4300  
**NOB/SIC:** Hotels and Motels  
**Primary Contact:** Mario Mageras - Phone: 410-712-4300 x352 - Email: mario@clarionbwi.com  
**Billing Contact:** Parvez Ahmed - 7253 Parkway Dr Hanover, MD 21076-1316 - Phone: 202-497-1551 - Email: pbahmed@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156336V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000213563		A O Smith	2016	01/06/2021	Recurring Cert	Active	Utility room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Coca Cola Refreshments  
**Address:** 7210 Preston Gateway Dr - Hanover, MD 21076-7401  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3699757  
**Phone:** 410-684-4606  
**NOB/SIC:** Bottled and Canned Soft Drinks and Carbonated Waters  
**Primary Contact:** Silas Becknell - Phone: 410-684-4606  
**Billing Contact:** Silas Becknell - 7210 Preston Gateway Dr Hanover, MD 21076-7401 - Phone: 410-684-4606

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154732V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0M0508845		Trinity	2005	04/28/2022	Recurring Cert	Active	COMP ROOM Fleet Garage
MD154733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000490381		Manchester	1992	06/14/2022	Recurring Cert	Active	COMP ROOM Fleet Garage

**Total Objects at this Location:** 2

**Location:** Coin Laundry  
**Address:** 1313 Forest Dr - Annapolis, MD 21403-1423  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1331487  
**Phone:**  
**NOB/SIC:** Power Laundries, Family and Commercial  
**Primary Contact:** Jose Recinos - Phone: 410-216-7844  
**Billing Contact:** Jose Recinos - 1313 Forest Dr Annapolis, MD 21403-1423 - Phone: 410-216-7844

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120665H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000176683		Teledyne	2001	01/13/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** Colliers Inc  
**Address:** 7240 Parkway Dr - Hanover, MD 21076-1310  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 726177  
**Phone:**  
**NOB/SIC:** Investors, NEC  
**Primary Contact:** Stephanie Andrews - Phone: 410-595-2708 - Cell: 410-292-5211 - Email: Stephanie.Andrews@am.JLL.com  
**Billing Contact:** Stephanie Andrews - 7240 Parkway Dr Ste 360 Hanover, MD 21076-1378 - Phone: 410-595-2708 - Cell: 410-292-5211 - Email: Stephanie.Andrews@am.JLL.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064425H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1985	08/10/2020	Recurring Cert	Active	BLR. RM.
MD064426H	2	Cast Iron	H - Hot Water	CI		Weil-McLain	1985	08/10/2020	Recurring Cert	Active	BLR. RM.



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

**Total Objects at this Location:** 2

**Location:** Comfort Inn  
**Address:** 76 Old Mill Bottom Road - Annapolis, MD 21409-5418  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Brooke Flournoy - Phone: 410-757-8500  
**Billing Contact:** Amrut Patel - 76 Old Mill Bottom Rd N Annapolis, MD 21409-5418 - Phone: 410-757-8500 - Cell: 443-994-5306

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD070577H	2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000010610	891253	Lochinvar	1987	10/12/2022	Recurring Cert	Active	Boiler Room Rear
MD070578H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000010438		Lochinvar	1987	10/12/2022	Recurring Cert	Active	Boiler Room Rear

**Total Objects at this Location:** 2

**Location:** Command Technology  
**Address:** 7604 Energy Pkwy - Curtis Bay, MD 21226-1733  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Daryl McKenrick - Phone: 410-733-1401 - Email: daryl@commandtech.net  
**Billing Contact:** Daryl McKenrick - 7604 Energy Pkwy Curtis Bay, MD 21226-1733 - Phone: 410-733-1401 - Email: daryl@commandtech.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128435V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00059613F		Brunner	1990	03/25/2020	Recurring Cert	Active	COMP ROOM

**Total Objects at this Location:** 1

**Location:** Commercial Property  
**Address:** 466 Ritchie Hwy - Severna Park, MD 21146-2911  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2910149  
**Phone:** (410) 315-7631  
**NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Angela OLD CONTACT - Sansone - Phone: 443-921-4370 - Email: angelas@crcrealty.com  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137494V	A	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035938		Standard	2001	10/31/2020	Recurring Cert	Active	motor room
MD137495V	B	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035937		Standard	2001	10/31/2020	Recurring Cert	Active	motor room

**Total Objects at this Location:** 2

**Location:** Community United Methodist Church  
**Address:** 8680 Fort Smallwood Rd - Pasadena, MD 21122-2403  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 707732  
**Phone:** 410-255-1506  
**NOB/SIC:** Membership organizations  
**Primary Contact:** Kim Fagan - Phone: 410-255-1506 - Email: communityumc2@verizon.net  
**Billing Contact:** Michael McGraw - 8680 Fort Smallwood Rd Pasadena, MD 21122-2403 - Phone: 410-255-1506

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097735H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	1	Weil-McLain	1997	10/11/2022	Recurring Cert	Active	Blr Room

**Total Objects at this Location:** 1

**Location:** Compass Pointe Golf Course (Arc3)  
**Address:** 9010 Fort Smallwood Rd - Pasadena, MD 21122-3223  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963422  
**Phone:**  
**NOB/SIC:** Public Golf Courses  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165099V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000088973		Taylor-Wharton	2007	07/10/2021	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 1

**Location:** Copper Canyon Grill  
**Address:** 7051 Arundel Mills Blvd - Hanover, MD 21076-1387  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Copper Canyon Grill  
**Billing Contact:**

**Location ID:** 3209691  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166920H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000267072		A O Smith	2020	09/23/2022	Recurring Cert	Active	Rear Kitchen

**Total Objects at this Location:** 1

**Location:** Copper Canyon Grill (Robert's Oxygen)  
**Address:** 7051 Arundel Mills Cir - Hanover, MD 21076-1387  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

**Location ID:** 4041646  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166921V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000297067		CHART	2017	09/23/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Corman Marine Construction  
**Address:** 6121 Pennington Ave - Curtis Bay, MD 21226-1618  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Martin G Imbach - Phone: 0000000000  
**Billing Contact:**

**Location ID:** 717531  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163860V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000364637		Melben	1992	10/02/2022	Recurring Cert	Active	SHOP

**Total Objects at this Location:** 1

**Location:** Cracker Barrel  
**Address:** 1520 W Nursery Rd - Linthicum Heights, MD 21090-2202  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Cracker Barrel  
**Billing Contact:**

**Location ID:** 3630336  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156107V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000246403	31315901	CHART	2013	10/20/2020	Recurring Cert	Active	Back Room

**Total Objects at this Location:** 1

**Location:** Craft American Eatery (Arc3)  
**Address:** 147 Ritchie Hwy Ste E - Severna Park, MD 21146-1133  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963462  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164612V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000016080		Taylor-Wharton	1993	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Criswell Acura Annapolis  
**Address:** 1833 West St - Annapolis, MD 21401-3928  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Michael O'Neil - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com  
**Billing Contact:** Michael O'Neil - 1701 West St Annapolis, MD 21401-3246 - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com

**Location ID:** 726351  
**Phone:** 443-482-3200  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158397V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000569938		Morganton	2016	08/14/2021	Recurring Cert	Active	COMP RM.
MD158398V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000569937		Morganton	2016	08/14/2021	Recurring Cert	Active	COMP RM.

Total Objects at this Location: 2

**Location:** Criswell Audi - Shop  
**Address:** 1803 McGuckian St - Annapolis, MD 21401-4023  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 708296  
**Phone:** 443-482-3200  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Michael O'Neil - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com  
**Billing Contact:** Michael O'Neil - 1701 West St Annapolis, MD 21401-3246 - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104104V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000802804		Manchester	1999	09/10/2021	Recurring Cert	Active	REAR SHED
MD158411V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001508134		Manchester	2014	08/22/2021	Recurring Cert	Active	REAR SHED

Total Objects at this Location: 2

**Location:** Criswell Collision Center  
**Address:** 181 Defense Hwy - Annapolis, MD 21401-7074  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2660292  
**Phone:** 443-837-0700  
**NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Criswell Collision Center  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152070V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000956573		Manchester	2008	09/14/2021	Recurring Cert	Active	Mechanical Room
MD152071V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000956557		Manchester	2008	09/14/2021	Recurring Cert	Active	Mechanical Room

Total Objects at this Location: 2

---

**Location:** Criswell of Annapolis-Pre-Owned  
**Address:** 2972 Solomons Island Rd - Edgewater, MD 21037-1417  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 709715  
**Phone:** 443-482-3200  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Michael O'Neil - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com  
**Billing Contact:** Michael O'Neil - 1701 West St Annapolis, MD 21401-3246 - Phone: 443-482-3200 - Cell: 443-482-3236 - Email: Kevin.Fleegle@CriswellCenter.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102960H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1998	01/08/2022	Recurring Cert	Active	BLR RM

**Total Objects at this Location:** 1

---

**Location:** Crofton Sunoco (Sunoco)  
**Address:** 2201 Defense Hwy - Crofton, MD 21114-2403  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3972817  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164451V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002122466		Manchester	2019	09/20/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

---

**Location:** Crossroads Shell  
**Address:** 8078 Ritchie Hwy - Pasadena, MD 21122-1085  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 708333  
**Phone:**  
**NOB/SIC:** Automotive Dealers, NEC  
**Primary Contact:** Mison Phillips - Phone: 410-768-1254  
**Billing Contact:** - 8078 Ritchie Hwy Pasadena, MD 21122-1085 - Phone: 4107681254

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162234V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000702531		Morganton	2017	12/03/2022	Recurring Cert	Active	Car Wash

**Total Objects at this Location:** 1

---

**Location:** Curtis Bay Piers  
**Address:** 1910 Benhill Ave - Curtis Bay, MD 21226-1433  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Laura Zuranski - Phone: 410-354-8458  
**Billing Contact:** Laura Zuranski - 1910 Benhill Ave Curtis Bay, MD 21226-1433 - Phone: 410-354-8458

**Location ID:** 706750  
**Phone:**  
**NOB/SIC:** Transportation, communications and utilities

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD057955V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000679735		Kargard	1973	05/22/2021	Recurring Cert	Active	bayside yd
MD088549V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000191578		Press Steel Tank	1969	05/22/2021	Recurring Cert	Active	O/S Mach
MD138443V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000644395		SILVAN IND	2010	05/22/2021	Recurring Cert	Active	Aquadon
MD139151V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009866		BWB	2010	05/22/2021	Recurring Cert	Active	WTR TRT
MD152354V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001368786		Manchester	2013	05/22/2021	Recurring Cert	Active	Dmpr 3 Sply
<b>Total Objects at this Location:</b>				5							

**Location:** D & M Auto Body  
**Address:** 8027 Fort Smallwood Rd - Curtis Bay, MD 21226-1911  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Mike Lavicka - Phone: 443-770-0399 - Email: dmautobodyinc@gmail.com  
**Billing Contact:** Mike Lavicka - 8027 Fort Smallwood Rd Curtis Bay, MD 21226-1911 - Phone: 443-770-0399 - Email: dmautobodyinc@gmail.com

**Location ID:** 754531  
**Phone:** 443-770-0399  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116088V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000298692		Steel Fab	2002	02/12/2022	Recurring Cert	Active	2nd floor loft
MD159845V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000647798	652169	Morganton	2017	02/12/2022	Recurring Cert	Active	2nd Floor Loft
<b>Total Objects at this Location:</b>				2							

---

**Location:** Dark Horse (Arc3) **Location ID:** 3965269  
**Address:** 985 Bay Ridge Rd - Annapolis, MD 21403-3934 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168255V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000295853		CHART	2017	07/29/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 3974856  
**Address:** 103 Mountain Rd - Pasadena, MD 21122 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165901V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000044265		Taylor-Wharton	1999	10/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 4010388  
**Address:** 3075 Solomons Island Rd - Edgewater, MD 21037-1436 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166856V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021455		Taylor-Wharton	1995	02/26/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---



---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 3974848  
**Address:** 3900 Mountain Rd - Pasadena, MD 21122-4430 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165991V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004766		Taylor-Wharton	1988	10/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 3974881  
**Address:** 6616 Ritchie Hwy - Glen Burnie, MD 21061-2317 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164455V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004233		Taylor-Wharton	1990	10/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 3987453  
**Address:** 7845 Quarterfield Rd Ste A - Severn, MD 21144-1305 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165071V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004244		Taylor-Wharton	1990	10/17/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 4019293  
**Address:** 8078 Ritchie Hwy - Pasadena, MD 21122-1085 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162235V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000068458		Taylor-Wharton	2003	05/06/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In (Roberts Oxygen) **Location ID:** 3974852  
**Address:** 8695 Fort Smallwood Rd - Pasadena, MD 21122-2402 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165992V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000036287		MVE Inc	1990	10/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In - Car Wash **Location ID:** 3974884  
**Address:** 6616 Ritchie Hwy - Glen Burnie, MD 21061-2317 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Dash In - Car Wash - Phone: 410-684-5267  
**Billing Contact:** - 6616 Ritchie Hwy Glen Burnie, MD 21061-2317 - Phone: 410-684-5267

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164459V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000638469		Morganton	2017	10/10/2021	Recurring Cert	Active	Car Wash
<b>Total Objects at this Location:</b>				1							

---

**Location:** Dash In Shell (Roberts) **Location ID:** 3992525  
**Address:** 724 Nursery Rd - Linthicum Heights, MD 21090-1409 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166021V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000020509		Taylor	1992	11/20/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Dempsey Import Auto **Location ID:** 708799  
**Address:** 1926 Lincoln Dr - Annapolis, MD 21401-4119 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** William H. Dempsey - Phone: 410-268-5538/410-693-7305  
**Billing Contact:** William H. Dempsey - 1926 Lincoln Dr Annapolis, MD 21401-4119 - Phone: 410-268-5538/410-693-7305

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD098167V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000006559		Melben	1979	09/16/2022	Recurring Cert	Active	SHOP
<b>Total Objects at this Location:</b>				1							

**Location:** Department of General Services **Location ID:** 717872  
**Address:** 610 Taylor Ave - Annapolis, MD 21401-1406 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Government, NEC  
**Primary Contact:** Kenneth Grove - Phone: 410-260-2932 - Cell: 443-324-9484 - Email: kenneth.grove@dgs.state.md.us  
**Billing Contact:** Kenneth Grove - 29 Saint Johns St Central Services Bldg Annapolis, MD 21401-1618 - Phone: 410-260-2932 - Cell: 443-324-9484 - Email: kenneth.grove@dgs.state.md.us

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD030535V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000356019		Kargard	1968	03/09/2020	Recurring Cert	Active	Garage Boiler Room
MD120335H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000067993		A O Smith	2002	03/09/2020	Recurring Cert	Active	Garage Boiler Room

Total Objects at this Location: 2

**Location:** Dickenson Fleet Services  
**Address:** 395 Mount Vernon Ave - Odenton, MD 21113-1307  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Dickenson Fleet Services  
**Billing Contact:** Stephen Broadwater - PO Box 289 Chester, MD 21619-0289

**Location ID:** 731296  
**Phone:**  
**NOB/SIC:** Automotive Transmission Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115144V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000106778		Buckeye	1977	03/28/2020	Recurring Cert	Active	Comp Shed
MD115145V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000295186		Manchester	1979	03/28/2020	Recurring Cert	Active	Storage Room

Total Objects at this Location: 2

**Location:** Donnelly's Dockside  
**Address:** 1050 Deep Creek Ave - Arnold, MD 21012-1731  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963499  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165796V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000302001		CHART	2017	07/10/2021	Recurring Cert	Active	Basement Store Room

Total Objects at this Location: 1

**Location:** Dorsey Shell  
**Address:** 1356 Dorsey Rd - Hanover, MD 21076-1453  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Dorsey Shell - Phone: 410-850-5759  
**Billing Contact:** - 1356 Dorsey Rd Hanover, MD 21076-1453 - Phone: 410-850-5759

**Location ID:** 3987456  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165782V		Vertical Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000553515		Steel Fab	2009	10/17/2021	Recurring Cert	Active	Outside Car Wash

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
<b>Total Objects at this Location:</b>				1							

**Location:** Dorsey Shell (Roberts Oxygen) **Location ID:** 3987455  
**Address:** 1356 Dorsey Rd - Hanover, MD 21076-1453 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165972V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000017765		Taylor	1994	02/03/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Double Tree by Hilton (Arc3) **Location ID:** 3963627  
**Address:** 210 Holiday Ct - Annapolis, MD 21401-7001 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Hotels and Motels  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165805O		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000112483		MVE Inc	1999	07/11/2021	Recurring Cert	Active	Outside - Loading Dock
<b>Total Objects at this Location:</b>				1							

**Location:** Doug's Welding Service  
**Address:** 5100 Pennington Ave - Curtis Bay, MD 21226-1427  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Steve Douglas - Phone: 410-355-6056  
**Billing Contact:** Steve Douglas - 5100 Pennington Ave Curtis Bay, MD 21226-1427 - Phone: 410-355-6056

**Location ID:** 709174  
**Phone:** 410-355-6056  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124138V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000265364		Manchester	2004	01/05/2021	Recurring Cert	Active	Storage Room
<b>Total Objects at this Location:</b>				1							

**Location:** Dry 85 (Arc3)  
**Address:** 193 Main St # B - Annapolis, MD 21401-2006  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965273  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165918V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000154168		CHART	2004	07/29/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Eastport Shell - 468  
**Address:** 335 6th St - Annapolis, MD 21403-2417  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Eastport Shell - 468  
**Billing Contact:** Ron Thompson - 102 Centennial St La Plata, MD 20646-5967 - Phone: 301-932-3679 - Cell: 240-434-3686 - Email: RThompson@twgi.net

**Location ID:** 709624  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146557V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000252701	260661	Morganton	2013	06/02/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Eastport Yacht Club (Arc3) **Location ID:** 3965261  
**Address:** 317 First St - Annapolis, MD 21403-2604 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166844V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128771		CHART	2001	07/29/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Edgewater Tire Center Inc **Location ID:** 989584  
**Address:** 3420 Pike Ridge Rd - Edgewater, MD 21037-2201 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Business Services, NEC  
**Primary Contact:** Steve Wilson - Phone: 410.956.5500  
**Billing Contact:** Steve Wilson - 3420 Pike Ridge Rd Edgewater, MD 21037-2201 - Phone: 410.956.5500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154763V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001235530		CAMPBELL	2004	05/18/2020	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							

---

**Location:** Eggcellence (Arc3) **Location ID:** 3964015  
**Address:** 2625 Housley Rd Ste C - Annapolis, MD 21401-7021 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165063V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157958		CHART	2004	07/11/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** El Salto Mexican Restaurant (Arc3) **Location ID:** 3961866  
**Address:** 5513 Ritchie Hwy - Brooklyn, MD 21225-3444 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164399V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000116187		MVE Inc	2000	06/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Elevation Burger **Location ID:** 4011558  
**Address:** 1403 S Main Chapel Way Ste 103 - Gambrills, MD 21054-1862 **Phone:** 410-721-2170  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Elevation Burger  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166847H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018194		Noritz	2012	03/11/2022	Recurring Cert	Active	Kitchen
MD166848H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000018057		Noritz	2012	03/11/2022	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				2							

**Location:** Elite Auto Body Collision Repa **Location ID:** 714716  
**Address:** 738 B Maryland Highway 3 - Gambrills, MD 21054-1304 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops  
**Primary Contact:** Jason Ford - Phone: (410) 923-0444  
**Billing Contact:** Jason Ford - 738 B Route 3 Gambrills, MD 21054 - Phone: (410) 923-0444

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121132V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0001033M		Brunner	2000	04/08/2021	Recurring Cert	Active	Shop



**Total Objects at this Location:** 1

**Location:** Elvaton Auto & Truck Service  
**Address:** 224 Mountain Rd Suite C - Pasadena, MD 21122  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3542845  
**Phone:**  
**NOB/SIC:** Automotive Repair Shops, NEC  
**Primary Contact:** Brahm Frank - Phone: 410-766-5542 - Email: legion347@aol.com  
**Billing Contact:** Brahm Frank - 224 Mountain Rd Ste C Pasadena, MD 21122 - Phone: 410-766-5542 - Email: legion347@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159824V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000404177		MAT Ind.	2016	09/10/2020	Recurring Cert	Active	Rear Bldg

**Total Objects at this Location:** 1

**Location:** Enterprise Holdings  
**Address:** 7438 New Ridge Rd - Hanover, MD 21076-3101  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3923054  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Nicole Meyers - Phone: 410 412 4684  
**Billing Contact:** Nicole Meyers - 701 Wedeman Ave Linthicum Heights, MD 21090-1415 - Phone: 410 412 4684

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161386V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000226947		Manchester	2003	01/22/2023	Recurring Cert	Active	BLDG 7438/OLD QTA

**Total Objects at this Location:** 1

**Location:** Express Countertops  
**Address:** 7255 Standard Dr - Hanover, MD 21076-1775  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 709950  
**Phone:** 410-712-0601  
**NOB/SIC:** Nonclassifiable establishments  
**Primary Contact:** Kelly Dehn - Phone: (410) 712-0601  
**Billing Contact:** John Ehnerech - 7255 Standard Dr Hanover, MD 21076-1775 - Phone: 410-712-0601 - Email: john@americancountertopcompany.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000008946		AIR COM	2010	03/29/2022	Recurring Cert	Active	Shop
MD147872V		Horizontal Unfired Pressure Vessel	V - Storage (NOT Cryogenic)	000010754	T12214	AIR COM	2011	03/29/2022	Recurring Cert	Active	Shop

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
w/comment											

**Total Objects at this Location:** 2

**Location:** Extreme Exhaust & Mufflers, Inc.  
**Address:** 5924 Ritchie Hwy - Brooklyn, MD 21225-3744  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bob & Will Hart - Phone: 410-636-1633  
**Billing Contact:** Bob & Will Hart - 5924 Ritchie Hwy Brooklyn, MD 21225-3744 - Phone: 410-636-1633

**Location ID:** 3859258  
**Phone:** 410-636-1633  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159034V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001575051		Manchester	2015	04/05/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Exxon  
**Address:** 8095 Edwin Raynor Blvd - Pasadena, MD 21122-6829  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

**Location ID:** 3972808  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165994V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000352323		Morganton	2013	09/19/2021	Recurring Cert	Active	Car Wash

**Total Objects at this Location:** 1

**Location:** Ferndale Day Nursery  
**Address:** 102 Cromwell Ave - Glen Burnie, MD 21061-2647  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Sabrina Stewart - Phone: 410-766-3167 - Email: ferndaledaynursery@gmail.com  
**Billing Contact:** Scott Fisher - 102 Cromwell Ave Glen Burnie, MD 21061-2647 - Phone: 410-365-1283 - Email: ferndaledaynursery@gmail.com

**Location ID:** 1871900  
**Phone:** 410-766-3167  
**NOB/SIC:** Schools and Educational Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124507H		Cast Iron	H - Hot Water	CI		American Standard	1975	03/17/2022	Recurring Cert	Active	BASEMENT

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

**Total Objects at this Location:** 1

**Location:** Fila Usa Inc  
**Address:** 7630 Gambrells Cove Rd - Curtis Bay, MD 21226-1700  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Fila Usa Inc  
**Billing Contact:**

**Location ID:** 710611  
**Phone:** 410-439-2700  
**NOB/SIC:** General Warehousing and Storage

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD094608V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000160753		Steel Fab	1997	11/14/2022	Recurring Cert	Active	Warehouse

**Total Objects at this Location:** 1

**Location:** Firehouse Subs - 912 (Arc3)  
**Address:** 574 Ritchie Hwy Ste A - Severna Park, MD 21146-2951  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963472  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164616V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000114884		MVE Inc	1999	07/10/2021	Recurring Cert	Active	Outside Rear

**Total Objects at this Location:** 1

**Location:** Firehouse Subs - 973 (Arc3) **Location ID:** 3963630  
**Address:** 2317 Forest Dr Ste C - Annapolis, MD 21401-3833 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165808O		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000170089		CHART	2006	07/11/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Firestone - 0439 **Location ID:** 710715  
**Address:** 2048 West St - Annapolis, MD 21401-3032 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Firestone - 0439  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD086561V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001099877		Manchester	1993	09/15/2021	Recurring Cert	Active	Compressor Room
MD165906V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000671007		Morganton	2017	09/19/2021	Recurring Cert	Active	Compressor Room
<b>Total Objects at this Location:</b>				2							

**Location:** Firestone - 0454 **Location ID:** 710729  
**Address:** 7592 Ritchie Hwy - Glen Burnie, MD 21061-3717 **Phone:** 410-691-3309  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Firestone - 0454 - Phone: 410-691-3309  
**Billing Contact:** - 7592 Ritchie Hwy Glen Burnie, MD 21061-3717 - Phone: 410-691-3309

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078379V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000390249		Buckeye	1982	04/15/2021	Recurring Cert	Active	Compressor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD078380V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000997697		Buckeye	1991	04/15/2021	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 2

**Location:** Fitzgerald Auto Malls  
**Address:** 34 Hudson St - Annapolis, MD 21401-3111  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Don Sanders - Phone: 410-224-3480  
**Billing Contact:** Don Sanders - 34 Hudson St Annapolis, MD 21401-3111 - Phone: 410-224-3480

**Location ID:** 710777  
**Phone:**  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159817V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000509339		Morganton	2015	06/26/2022	Recurring Cert	Active	PARTS DEPT

**Total Objects at this Location:** 1

**Location:** Five Guys Burgers And Fries (Arc3)  
**Address:** 6711 Ritchie Hwy - Glen Burnie, MD 21061-2315  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3630861  
**Phone:** 410-590-3933  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152946V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000088984	846-017-DD3	Taylor-Wharton	2007	12/02/2021	Recurring Cert	Active	Closet

**Total Objects at this Location:** 1

**Location:** Fleck Machine Co  
**Address:** 7177 Ridge Rd - Hanover, MD 21076-1425  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 710801  
**Phone:**  
**NOB/SIC:** Manufacturing Industries, NEC  
**Primary Contact:** David Fleck - Phone: 410-859-5775  
**Billing Contact:** Dan Fleck - 7177 Ridge Rd Hanover, MD 21076-1425 - Phone: 410-859-5775 x17 - Cell: 410-935-7780 - Email: danf@fleckmachine.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD082390V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00028374E		Brunner	1987	04/28/2021	Recurring Cert	Active	Compressor Room
MD121724V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000325528		Steel Fab	2003	04/28/2021	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 2

**Location:** Forest Motel  
**Address:** 1418 Crain Hwy S - Glen Burnie, MD 21061-4027  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 725399  
**Phone:**  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Nicholas Fontana - Phone: 410-766-1626  
**Billing Contact:** - 1418 Crain Hwy S Glen Burnie, MD 21061-4027 - Phone: 410-766-1626

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121133H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	09/02/2021	Recurring Cert	Active	Boiler Room Unit 5
MD158778H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2017	09/12/2021	Recurring Cert	Active	Office Boiler Room

**Total Objects at this Location:** 2

---

**Location:** Forward Brewing (Arc3) **Location ID:** 4045733  
**Address:** 418 4th St - Annapolis, MD 21403-2504 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168233V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000324050		CHART	2019	10/29/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Forward Brewing Company **Location ID:** 4052894  
**Address:** 418 4th St - Annapolis, MD 21403-2504 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Forward Brewing Company  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168234V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000533528	M7147.5C	MAT Ind.	2020	12/10/2022	Recurring Cert	Active	Brewery
<b>Total Objects at this Location:</b>				1							

---

**Location:** Founder's Grille (Arc3) **Location ID:** 3963316  
**Address:** 8125 Ritchie Hwy - Pasadena, MD 21122-6925 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165074V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000142627		CHART	2002	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Fresh Start Church  
**Address:** 120 Langley Rd N - Glen Burnie, MD 21060-6539  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 704844  
**Phone:** 410-360-4207  
**NOB/SIC:** Fabricated Textile Products, NEC  
**Primary Contact:** Christopher Garvey - Phone: 410-766-0217 - Email: administration@freshstartchurchmd.org  
**Billing Contact:** Christopher Garvey - 120 Langley Rd N Glen Burnie, MD 21060-6539 - Phone: 410-766-0217 - Email: administration@freshstartchurchmd.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159821H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	11008021	Burnham	1977	09/04/2020	Recurring Cert	Active	Blrm

**Total Objects at this Location:** 1

---

**Location:** Friendly's (Roberts Oxygen)  
**Address:** 7134 Ritchie Hwy - Glen Burnie, MD 21061-2904  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3974868  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164454V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027060		CRYOGENIC SERVICES	1994	10/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---

**Location:** Gambrills Sunoco (Sunoco)  
**Address:** 1025 State Route 3 N - Gambrills, MD 21054-1722  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3972825  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166023V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004073		Taylor-Wharton	1990	09/19/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---



**Location:** Garden Inn  
**Address:** 3400 Fort Meade Rd - Laurel, MD 20724-2093  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 717230  
**Phone:** 301-498-0900  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Himanshu Amin - Phone: 301-498-0900  
**Billing Contact:** Himanshu Amin - 3400 Laurel Fort Meade Rd Laurel, MD 20724-2093 - Phone: 301-498-0900

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149557H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000176472		A O Smith	2012	08/02/2022	Recurring Cert	Active	Tower Boiler Room
MD161347H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000217469		A O Smith	2016	07/19/2022	Recurring Cert	Active	2nd. Floor Storage

**Total Objects at this Location:** 2

**Location:** Gateway Condos  
**Address:** 352 Gateway Ct - Glen Burnie, MD 21060-6988  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2226365  
**Phone:**  
**NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Valerie Starks - Phone: 443-865-1537 - Email: vstarks@gsasllc.com  
**Billing Contact:** Valerie Starks - 2301 Dorsey Rd Ste 208 Glen Burnie, MD 21061-3275 - Phone: 443-865-1537 - Email: vstarks@gsasllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138440H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000023938	09033173P	Paget Equipment	2008	01/07/2022	Recurring Cert	Active	352 Basement

**Total Objects at this Location:** 1

**Location:** Gateway Condos  
**Address:** 353 Gateway Ct - Glen Burnie, MD 21060-6993  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2227321  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Valerie Starks - Phone: 443-865-1537 - Email: vstarks@gsasllc.com  
**Billing Contact:** Valerie Starks - 2301 Dorsey Rd Ste 208 Glen Burnie, MD 21061-3275 - Phone: 443-865-1537 - Email: vstarks@gsasllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166104H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Columbia	2018	03/17/2022	Recurring Cert	Active	353 UTILITY ROOM

**Total Objects at this Location:** 1

**Location:** Gatewater Condos  
**Address:** 358 Gatewater Ct - Glen Burnie, MD 21060-6979  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2227327  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Valerie Starks - Phone: 443-865-1537 - Email: vstarks@gsasllc.com  
**Billing Contact:** Valerie Starks - 2301 Dorsey Rd Ste 208 Glen Burnie, MD 21061-3275 - Phone: 443-865-1537 - Email: vstarks@gsasllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159832H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000002234		TTI	2015	06/07/2022	Recurring Cert	Active	Bsmnt

**Total Objects at this Location:** 1

**Location:** Gatewater Condos  
**Address:** 359 Gatewater Ct - Glen Burnie, MD 21060-6996  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3486099  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Valerie Starks - Phone: 443-865-1537 - Email: vstarks@gsasllc.com  
**Billing Contact:** Valerie Starks - 2301 Dorsey Rd Ste 208 Glen Burnie, MD 21061-3275 - Phone: 443-865-1537 - Email: vstarks@gsasllc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000230396		A O Smith	2017	10/31/2021	Recurring Cert	Active	359

**Total Objects at this Location:** 1

**Location:** Gatewater Landing Apartments  
**Address:** 325 Gatewater Ct - Glen Burnie, MD 21060-7100  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2227328  
**Phone:**  
**NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121712H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000064153		Jet Glass	2004	11/04/2021	Recurring Cert	Active	Building 325

**Total Objects at this Location:** 1

**Location:** Gatewater Landing Apartments  
**Address:** 329 Gatewater Ct - Glen Burnie, MD 21060-7143  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711695  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164466H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000109893		A O Smith	2017	11/01/2021	Recurring Cert	Active	359

**Total Objects at this Location:** 1

**Location:** Gatewater Landing Apartments  
**Address:** 332 Gatewater Ct - Glen Burnie, MD 21060-7191  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711689  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148246H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000151517		A O Smith	2010	11/04/2021	Recurring Cert	Active	Building 332

**Total Objects at this Location:** 1

**Location:** Gatewater Landing Apartments  
**Address:** 333 Gatewater Ct - Glen Burnie, MD 21060-7118  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711690  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158786H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	00223580		A O Smith	2016	10/14/2021	Recurring Cert	Active	boiler

**Total Objects at this Location:** 1

**Location:** Gatewater Landing Apartments  
**Address:** 336 Gatewater Ct - Glen Burnie, MD 21060-7197  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711691  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164469H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129772		Jet Glass	2018	11/01/2021	Recurring Cert	Active	Building336
<b>Total Objects at this Location:</b>				1							

**Location:** Gatewater Landing Apartments  
**Address:** 337 Gatewater Ct - Glen Burnie, MD 21060-7177  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711688  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164467H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000128980		Jet Glass	2018	11/01/2021	Recurring Cert	Active	Building 337
<b>Total Objects at this Location:</b>				1							

**Location:** Gatewater Landing Apartments  
**Address:** 343 Gatewater Ct - Glen Burnie, MD 21060-7094  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

**Location ID:** 711692  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164468H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000120023		Bradford White	2016	10/31/2021	Recurring Cert	Active	343
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gatewater Landing Apartments  
**Address:** 347 Gatewater Ct - Glen Burnie, MD 21060-7085  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 711693  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Franco Bulter - Phone: 941962-3829 - Email: franco.bulter@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121142H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000064146		Jet Glass	2004	11/04/2021	Recurring Cert	Active	Building 347
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gatewater Landing Apartments  
**Address:** 7355 Ridgewater Ct - Glen Burnie, MD 21060-7124  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 711687  
**Phone:** 410-761-2858  
**NOB/SIC:** Business Services, NEC  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152362H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000160650		A O Smith	2011	11/04/2021	Recurring Cert	Active	Building 7355
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gatewater Landing Apartments  
**Address:** 7359 Ridgewater Ct - Glen Burnie, MD 21060-7126  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3486064  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Franco Butler - Phone: 941-962-3829 - Email: franco.butler@hotmail.com  
**Billing Contact:** - 7357 Ridgewater Ct Ste 204 Glen Burnie, MD 21060-7563 - Phone: 410-761-2858 - Cell: 410-275-5109 - Email: gatewaterlanding.mgr2@pointemgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164465H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000230344		A O Smith	2017	10/31/2021	Recurring Cert	Active	Building 7359
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gerber Collision  
**Address:** 7706 Race Rd - Jessup, MD 20794-9772  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Gerber Collision  
**Billing Contact:** Gerber Collision - 7706 Race Rd Jessup, MD 20794-9772

**Location ID:** 703353  
**Phone:** 410-799-5680  
**NOB/SIC:** Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147945V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000708816		Steel Fab	2012	11/02/2021	Recurring Cert	Active	Comp. Room

**Total Objects at this Location:** 1

**Location:** Geresbeck's  
**Address:** 8489 Fort Smallwood Rd - Pasadena, MD 21122-2739  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Joseph Millsap - Phone: 401-437-4800  
**Billing Contact:** Joseph Millsap - 8489 Fort Smallwood Rd Pasadena, MD 21122-2739 - Phone: 401-437-4800

**Location ID:** 716219  
**Phone:** 410-437-4800  
**NOB/SIC:** Food stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042909V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000128121	1	Standard Refrig. Co.	1978	06/09/2022	Recurring Cert	Active	COMPR RM
MD042910V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000119031	3	Standard Refrig. Co.	1977	06/09/2022	Recurring Cert	Active	COMPR RM
MD042911V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000119007	4	Standard Refrig. Co.	1977	06/09/2022	Recurring Cert	Active	COMPR RM
MD042912V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000119008	5	Standard Refrig. Co.	1977	06/09/2022	Recurring Cert	Active	Equipment Room
MD042913V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000127913	6	Standard Refrig. Co.	1978	06/09/2022	Recurring Cert	Active	COMPR RM
MD097734V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000001850	7	Condex	1996	06/09/2022	Recurring Cert	Active	1st Floor

**Total Objects at this Location:** 6

---

**Location:** Giant C/O KeyPoint Partners **Location ID:** 702242  
**Address:** 7383 Baltimore Annapolis Blvd - Glen Burnie, MD 21061-3266 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Food stores  
**Primary Contact:** Laura Duggan - Phone: 301-464-8332 - Cell: 301-520-9384 - Email: LDuggan@KeyPointPartners.com  
**Billing Contact:** Laura Duggan - 4201 Mitchellville Rd Bowie, MD 20716-3163 - Phone: 301-464-8332 - Cell: 301-520-9384 - Email: LDuggan@KeyPointPartners.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064363V	Rack AC	Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000206202		Standard Refrig. Co.	1985	03/09/2021	Recurring Cert	Active	Left Motor Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gibson's Shell **Location ID:** 2609887  
**Address:** 101 Marlboro Rd - Lothian, MD 20711-2501 **Phone:** 410-867-0525  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Robert E. Gibson Jr. - Phone: 410-867-0525 - Email: gibsonstexaco@chesapeake.net  
**Billing Contact:** Robert E. Gibson Jr. - 101 Marlboro Rd Lothian, MD 20711-9628 - Phone: 410-867-0525 - Email: gibsonstexaco@chesapeake.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133641V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	008074207		Wood	1986	01/25/2022	Recurring Cert	Active	Garage
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gino's Burgers & Chicken (Arc3) **Location ID:** 3963290  
**Address:** 7698 Ritchie Hwy - Glen Burnie, MD 21061-3718 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164419V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000137609		CHART	2002	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Gischel Machine Co  
**Address:** 7605 Energy Pkwy - Curtis Bay, MD 21226-1734  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Gischel Machine Co - Phone: 4103600800  
**Billing Contact:**

**Location ID:** 712090  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD095669V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000239430		Silvan	1997	02/19/2021	Recurring Cert	Active	SHOP
MD146560V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000618038		Steel Fab	2010	02/19/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 2

**Location:** Glen Burnie Auto  
**Address:** 802 Crain Hwy S - Glen Burnie, MD 21061-3861  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Rileys Body And Paint Shop Inc - Phone: 410-760-4689  
**Billing Contact:** - 800 Crain Hwy S Glen Burnie, MD 21061-3861 - Phone: 410-760-4689

**Location ID:** 1993617  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126409V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000114940		Manchester	2005	03/11/2021	Recurring Cert	Active	Rear Shop Open Shed

**Total Objects at this Location:** 1

**Location:** Glen Burnie Auto Body & Paint  
**Address:** 7355 Ritchie Highway - Glen Burnie, MD 21061-3104  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Woo Lee - Phone: (410) 760-6477  
**Billing Contact:**

**Location ID:** 707549  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD105996V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000480369		Steel Products	1970	04/08/2022	Recurring Cert	Active	Comp Shed



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116314V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00024108M		Brunner	2000	04/08/2022	Recurring Cert	Active	COMP. shed outside

**Total Objects at this Location:** 2

**Location:** Glen Burnie Moose Lodge  
**Address:** 1911 Crain Hwy S - Glen Burnie, MD 21061-5573  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Howard E. Scott - Phone: 410-651-1298/410-761-1298  
**Billing Contact:** Howard E. Scott - 1911 Crain Hwy S Glen Burnie, MD 21061-5573 - Phone: 410-651-1298/410-761-1298

**Location ID:** 712123  
**Phone:** 410-651-1298  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090236H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Valliant	1994	03/31/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** Glenview Gardens Apartments  
**Address:** 7974 Nolpark Ct - Glen Burnie, MD 21061-5272  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Victoria Fulcher - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com  
**Billing Contact:** Victoria Fulcher - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com

**Location ID:** 3507259  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136676H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090360		Bradford White	2010	05/04/2022	Recurring Cert	Active	Sprinkler valve room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7976 Nolpark Ct - Glen Burnie, MD 21061-5269  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507261  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136675H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090359		Bradford White	2010	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7978 Nolpark Ct - Glen Burnie, MD 21061-5266  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507264  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136674H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090361		Bradford White	2010	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7983 Nolpark Ct - Glen Burnie, MD 21061-5229  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507140  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136662H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090368		Bradford White	2010	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

---

**Location:** Glenview Gardens Apartments  
**Address:** 7985 Nolpark Ct - Glen Burnie, MD 21061-5231  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507234  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136663H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000081588		Bradford White	2008	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7989 Nolpark Ct - Glen Burnie, MD 21061-5235  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507235  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136665H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090357		Bradford White	2010	05/04/2022	Recurring Cert	Active	Sprinkler valve room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7991 Nolpark Ct - Glen Burnie, MD 21061-5237  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507236  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136666H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090365		Bradford White	2010	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

---

**Location:** Glenview Gardens Apartments  
**Address:** 7995 Nolpark Ct - Glen Burnie, MD 21061-5214  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507243  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Rick West - Phone: 443-374-7536 - Email: rickwest00@gmail.com  
**Billing Contact:** Victoria Fulcher - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136668H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086729		Bradford White	2009	05/04/2022	Recurring Cert	Active	Sprinkler valve room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 7997 Nolpark Ct - Glen Burnie, MD 21061-5215  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507244  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Victoria Fulcher - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136669H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090366		Bradford White	2010	05/04/2022	Recurring Cert	Active	Sprinkler valve room

**Total Objects at this Location:** 1

---

**Location:** Glenview Gardens Apartments  
**Address:** 8001 Nolpark Ct - Glen Burnie, MD 21061-5219  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3507248  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136671H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086728		Bradford White	2009	05/04/2022	Recurring Cert	Active	Laundry room

**Total Objects at this Location:** 1

---

---

**Location:** Glenview Gardens Apartments **Location ID:** 3507249  
**Address:** 8003 Nolpark Ct - Glen Burnie, MD 21061-5221 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Victoria Fulcher - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com  
**Billing Contact:** Victoria Fulcher - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: Glenviewasstmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136672H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000090364		Bradford White	2010	05/04/2022	Recurring Cert	Active	Laundry room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Glenview Gardens Apartments **Location ID:** 3507255  
**Address:** 8005 Nolpark Ct - Glen Burnie, MD 21061-5223 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Andria Dulski - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com  
**Billing Contact:** Andria Dulski - 7987 Nolpark Ct Apt 104 Glen Burnie, MD 21061-5257 - Phone: 410-969-8668 - Email: glenviewmgr@emcmgmt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD136673H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086731		Bradford White	2009	05/04/2022	Recurring Cert	Active	Laundry room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Glory Days Grill (Robert's Oxygen) **Location ID:** 3925232  
**Address:** 3 Lee Airpark Dr - Edgewater, MD 21037-1237 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Industrial Gases  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166922V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000011922		Taylor-Wharton	1992	09/24/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** **Glory Days Grill (Roberts)** **Location ID:** 4039059  
**Address:** 7939 Ritchie Hwy - Glen Burnie, MD 21061-4343 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166917V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000300003		CHART	2017	08/11/2022	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** **Gomoljak Block/ Ernest Meier** **Location ID:** 714761  
**Address:** 1841 McGuckian St - Annapolis, MD 21401-4023 **Phone:** 410-263-6744  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Flat Glass  
**Primary Contact:** John Farewell - Phone: 410-263-6744  
**Billing Contact:** John Farewell - 1841 McGuckian St Annapolis, MD 21401-4023 - Phone: 410-263-6744

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144173H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		OWB	2010	01/18/2021	Recurring Cert	Active	Outside Shop
<b>Total Objects at this Location:</b>				1							

**Location:** **Goss' Garage** **Location ID:** 718499  
**Address:** 1101 Route 3 South - Gambrills, MD 21054 **Phone:** 410-451-4677  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Anthony Weber - Phone: 410-451-4677  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043129V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000830048		Buckeye	1988	01/27/2021	Recurring Cert	Active	Shop
MD043175V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000830050		Buckeye	1988	01/27/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 2

**Location:** Greenstreet Growers, Inc. **Location ID:** 729266  
**Address:** 391 W Bay Front Rd - Lothian, MD 20711-9717 **Phone:** 410-867-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Flowers, Nursery Stock, and Florists' Supplies  
**Primary Contact:** Raymond E. Greenstreet II - Phone: 410 867-9500  
**Billing Contact:** Raymond E. Greenstreet II - PO Box 410 Tracys Landing, MD 20779-0410 - Phone: 410 867-9500

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159834V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000609051		Morganton	2016	02/15/2022	Recurring Cert	Active	Blrm

**Total Objects at this Location:** 1

**Location:** Greentree Exxon **Location ID:** 712763  
**Address:** 8001 Crain Hwy S - Glen Burnie, MD 21061-4916 **Phone:** 410-768-2112  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Mike Raymond - Phone: 804-706-4702 X 215 - Email: mraymond@midatlanticstores.com  
**Billing Contact:** Mohammed Shareef - 8001 Crain Hwy S Glen Burnie, MD 21061-4916 - Phone: 410-768-2112 - Email: greentreeexxon@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104335V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00040466H	N/A	Brunner	1993	02/26/2022	Recurring Cert	Active	Car Wash

**Total Objects at this Location:** 1

**Location:** Grump's Cafe (Roberts Oxygen) **Location ID:** 3965262  
**Address:** 117 Hillsmere Dr - Annapolis, MD 21403-3920 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165053V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021427		Taylor-Wharton	1995	07/29/2021	Recurring Cert	Active	Outside Rear

**Total Objects at this Location:** 1

**Location:** H and H Truck Repair, LLC. **Location ID:** 713879  
**Address:** 6975 Baltimore Annapolis Blvd Rear - Brooklyn, MD 21225-3371 **Phone:** 410-636-1404  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Susan Holden - Phone: 410-636-1404 - Cell: 410-977-9279 - Email: holdenbs@aol.com  
**Billing Contact:** Susan Holden - 6975 Baltimore Annapolis Blvd Rear Brooklyn, MD 21225-3371 - Phone: 410-636-1404 - Cell: 410-977-9279 - Email: holdenbs@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166875V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000882034		Steel Fab	2018	09/04/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Hanover Exxon & Quarterfield Exxon **Location ID:** 713206  
**Address:** 7700 Quarterfield Rd - Glen Burnie, MD 21061-4428 **Phone:** 410-768-8007  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Hanover Exxon & Quarterfield Exxon  
**Billing Contact:** - 7910 Ridge Road Hanover Service Hanover, MD 21076

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104343V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000763207		J Wood	1980	01/15/2022	Recurring Cert	Active	Storage rm

**Total Objects at this Location:** 1

**Location:** Harbor Hills Yacht Club **Location ID:** 713235  
**Address:** 1 Carson Cove - Davidsonville, MD 21035-1352 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Civic, Social, and Fraternal Associations  
**Primary Contact:** Harbor Hills Yacht Club - Phone: 4109564606  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132316H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2007	08/28/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1



---

**Location:** Hardee's #1502792 (Arc3) **Location ID:** 3956942  
**Address:** 2635 Annapolis Rd - Hanover, MD 21076-1262 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165091V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000152867		CHART	2004	06/13/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Hardee's - 1502543 (Arc3) **Location ID:** 3963439  
**Address:** 4111 Mountain Rd - Pasadena, MD 21122-4455 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164443V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000108519		MVE Inc	1999	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Hardee's - 1502635 (Arc3) **Location ID:** 3963299  
**Address:** 1699 Crain Hwy S - Glen Burnie, MD 21061-5574 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164437V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000126097		MVE Inc	2000	07/10/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Hardee's - 1505523 (Arc3) **Location ID:** 3961850  
**Address:** 718 Nursery Rd - Linthicum Heights, MD 21090-1409 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165787V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000017857		Taylor-Wharton	1994	06/13/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Harry Browne's (Arc3) **Location ID:** 3965246  
**Address:** 66 State Cir - Annapolis, MD 21401-1906 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165922V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000149459		CHART	2003	07/29/2021	Recurring Cert	Active	Outside Alleyway
<b>Total Objects at this Location:</b>				1							

---

**Location:** Harvest Thyme Tavern (Arc3) **Location ID:** 3974847  
**Address:** 1251 W Central Ave - Davidsonville, MD 21035-2321 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165780V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132385		CHART	2001	10/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Hellas Restaurant and Lounge (Arc3) **Location ID:** 4042867  
**Address:** 8498 Veterans Hwy - Millersville, MD 21108-2531 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000116176		MVE Inc	2000	09/29/2022	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Hi-Tech Color Inc **Location ID:** 713674  
**Address:** 1721 Midway Rd - Odenton, MD 21113-1127 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Joe Carpenski - Phone: 410 551-9871  
**Billing Contact:** Joe Carpenski - 1721 Midway Rd Odenton, MD 21113-1127 - Phone: 410 551-9871

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162340		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000002597		Miura	2018	10/18/2021	Recurring Cert	Active	BLRM
MD162341		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000002598		Miura	2018	10/18/2021	Recurring Cert	Active	BLRM
MD163907V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000889590		Steel Fab	2018	06/12/2021	Recurring Cert	Active	NEW BLRM
MD163908V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000889589		Steel Fab	2018	06/12/2021	Recurring Cert	Active	NEW BLRM

**Total Objects at this Location:** 4

**Location:** Hilton Garden Inn Annapolis  
**Address:** 305 Harry S Truman Pkwy - Annapolis, MD 21401-7481  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2128547  
**Phone:**  
**NOB/SIC:** Hotels and Motels  
**Primary Contact:** Brian Arellano - Phone: 410-266-9006 - Email: brian.arellano@whitelodging.com  
**Billing Contact:** Nikita Poulsen - 305 Harry S Truman Pkwy Annapolis, MD 21401-7481 - Phone: 410-266-9006 - Email: nikita.poulsen@hilton.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126718H	2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105741	105741	A O Smith	2006	02/12/2022	Recurring Cert	Active	Fire Pump Access Room
MD126860H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000008120		Pentair Pool Products	2006	02/12/2022	Recurring Cert	Active	Pool Pump Room

**Total Objects at this Location:** 2

**Location:** Holiday Point Marina  
**Address:** 3774 Beach Drive Blvd - Edgewater, MD 21037-4020  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 713928  
**Phone:** 410-956-2208  
**NOB/SIC:** Boat Building and Repairing  
**Primary Contact:** Ron Sinclair - Phone: 410-956-2208 - Email: ron@holidaypointmarina.com  
**Billing Contact:** - PO Box 595 Edgewater, MD 21037-0595 - Phone: 410-956-2208

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD113820V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000194159		Curtis	1978	07/25/2022	Recurring Cert	Active	Behind Mach Shop

**Total Objects at this Location:** 1

**Location:** Holmes Bldg LLC  
**Address:** 4489 Mountain Rd # 4499 - Pasadena, MD 21122-4537  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1760712  
**Phone:** 410-437-2057  
**NOB/SIC:** Department Stores  
**Primary Contact:** Francis A. Holmes - Phone: 410-437-2057  
**Billing Contact:** Francis A. Holmes - 523 Lake Shore Dr Pasadena, MD 21122-5118 - Phone: 410-437-2057

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD124076H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2004	08/25/2021	Recurring Cert	Active	BASEMENT

**Total Objects at this Location:** 1

**Location:** Honda of Annapolis  
**Address:** 1720 West St - Annapolis, MD 21401-3247  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Honda of Annapolis - Phone: (410) 267-7100  
**Billing Contact:** - 1736 West St Annapolis, MD 21401-3247 - Phone: (410) 267-7100

**Location ID:** 1645820  
**Phone:**  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015994	A15112915	Jaixing Pressure Vessel Factory	2016	01/12/2022	Recurring Cert	Active	Rear Open Shed
MD165989V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002192853		Manchester	2019	02/25/2022	Recurring Cert	Active	Rear Open Shed

**Total Objects at this Location:** 2

**Location:** Honda Of Annapolis  
**Address:** 1736 West St - Annapolis, MD 21401-3247  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Honda Of Annapolis  
**Billing Contact:**

**Location ID:** 714089  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102520V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000200033		Steel Products	1998	01/13/2022	Recurring Cert	Active	Rear Shops Room

**Total Objects at this Location:** 1

**Location:** Hospital Drive Sunoco (Roberts Oxygen)  
**Address:** 327 Hospital Dr - Glen Burnie, MD 21061-5566  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

**Location ID:** 3972813  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164438V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000006116		Taylor-Wharton	1989	09/19/2021	Recurring Cert	Active	Outside

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

**Total Objects at this Location:** 1

**Location:** HP-A Severn, LLC.  
**Address:** 8024 Telegraph Rd - Severn, MD 21144-2623  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** HP-A Severn, LLC. c/o Highridge Provender, LLC.  
**Billing Contact:** - 1600 Newport Center Dr Ste 140 Newport Beach, CA 92660-6212

**Location ID:** 727319  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084689V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157259		Manchester	1988	06/15/2021	External Cert	Active	2nd Floor Garage
MD084690V	Comp 2-B2	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000087061	87061	Frick	1989	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD084691V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000086815	86815	Frick	1989	06/15/2021	External Cert	Active	COMP 5 - Intercooler
MD084692V	Comp 4-H1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000086703	86703	Frick	1989	06/15/2021	External Cert	Active	COMP C4-H1
MD084693V	Comp 1-B1	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000087060	87060	Frick	1989	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD084694V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000084637	84637	Frick	1989	06/15/2021	External Cert	Active	COMP 2 - Intercooler
MD084695V	Comp 5-H2	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000086815		Frick	1989	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD084696V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000086816	86816	Frick	1989	06/15/2021	External Cert	Active	COMP C4-H1 - Intercooler
MD084697V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000082020	82020	Frick	1989	06/15/2021	External Cert	Active	Comp 1 - Intercooler
MD084698H	Boiler #1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000077161	0789105061	Raypak	1987	06/15/2021	Recurring Cert	Active	Pump House
MD084699H	Boiler #2	Water Tube Coiled (NOT Flueless Hi	H - Hot Water Heat (Water <= 160 psig, 250 F)	000077160	0789105060	Raypak	1987	06/15/2021	External Cert	Active	Pump House

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100623V	Comp 6-H3	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000138634		Frick	1998	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD100624V	Comp 3-B3	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000138646		Frick	1998	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD115114V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000087231		Frick	1989	06/15/2021	External Cert	Active	Control Pressure Reciever
MD115115V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000087696	87696	Frick	1989	06/15/2021	External Cert	Active	Intercooler
MD115116V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000087232	87232	Frick	1989	06/15/2021	External Cert	Active	Pump Room - Red Double Doors
MD120889V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000062063		Manchester	1989	06/15/2021	External Cert	Active	2ND Floor Garage
<b>Total Objects at this Location:</b>				17							

**Location:** HyperHeal Hyperbarics Inc/Glen Burnie Center  
**Address:** 1811 Crain Hwy S Ste B - Glen Burnie, MD 21061-5561  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Joe Huber - Phone: 410 746 4217 - Email: jhuber@hyperhealhyperbarics.com  
**Billing Contact:** Joe Huber - 1811 Crain Hwy S Glen Burnie, MD 21061-5561 - Phone: 410 746 4217 - Email: jhuber@hyperhealhyperbarics.com

**Location ID:** 3840602

**Phone:**

**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164211V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004227		SECHRIST INDUSTRIES	2019	06/19/2021	Recurring Cert	Active	HYPERBARIC CHAMBER
MD164212V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004226		SECHRIST INDUSTRIES	2019	06/19/2021	Recurring Cert	Active	HYPERBARIC ROOM
<b>Total Objects at this Location:</b>				2							

**Location:** Iron Rooster (Arc3) **Location ID:** 3965251  
**Address:** 12 Market Space - Annapolis, MD 21401-1816 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165931V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000298348		CHART	2017	07/29/2021	Recurring Cert	Active	Outside Sprinkler Room
<b>Total Objects at this Location:</b>				1							

**Location:** J.D. Byrider Of Glen Burnie Inc. **Location ID:** 1339939  
**Address:** 8 - 8th Ave. NW - Glen Burnie, MD 21061-3051 **Phone:** 410-787-1005  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Wilson Byrider - Phone: 410-787-1005  
**Billing Contact:** Wilson Byrider - 8 8th Ave NW Glen Burnie, MD 21061-3051 - Phone: 410-787-1005

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123404V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000196548		Manchester	2003	11/03/2021	Recurring Cert	Active	STORE ROOM
<b>Total Objects at this Location:</b>				1							

**Location:** Jack The Greek Auto **Location ID:** 953356  
**Address:** 1920 W St G-6 - Annapolis, MD 21401 **Phone:** 410-266-6013  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Jack Kleanthous - Phone: 410-266-6013 - Email: jackthegreekgarage@gmail.com  
**Billing Contact:** Jack Kleanthous - 1920 West St # G-6 Annapolis, MD 21401-3925 - Phone: 410-266-6013 - Email: jackthegreekgarage@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116962V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001137932		Manchester	2001	12/06/2020	Recurring Cert	Active	Shop
<b>Total Objects at this Location:</b>				1							



**Location:** JD ByRider  
**Address:** 6800 Governor Ritchie Highway - Glen Burnie, MD 21061-2302  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 725470  
**Phone:**  
**NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Bob O'Neal - Phone: 443-691-4722  
**Billing Contact:** Bob O'Neal - 6800 Ritchie Hwy Glen Burnie, MD 21061-2302 - Phone: 443-691-4722

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147434V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000683431		Steel Fab	2011	11/24/2021	Recurring Cert	Active	Back Rm
<b>Total Objects at this Location:</b>				1							

**Location:** Jeffs Body Shop  
**Address:** 1980 Moreland Pkwy - Annapolis, MD 21401-3128  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 714959  
**Phone:** 410-268-6765  
**NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Jeffs Body Shop - Phone: 410-268-6765 - Email: jeffsbodysshop.1980@yahoo.com  
**Billing Contact:** - 1980 Moreland Pkwy Annapolis, MD 21401-3128 - Phone: 410-268-6765 - Email: jeffsbodysshop.1980@yahoo.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163929V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028390		AIR COM	2017	07/01/2021	Recurring Cert	Active	SHOP
<b>Total Objects at this Location:</b>				1							

**Location:** Jiffy Lube  
**Address:** 1110 Route 3 North - Gambrills, MD 21054  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715021  
**Phone:** 410-721-4416/301-469-6901  
**NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Matt Blauvelt - Phone: 410-833-9063 - Cell: 443-803-2071  
**Billing Contact:** Matt Blauvelt - 510 Main St Reisterstown, MD 21136-1937 - Phone: 410-833-9063 - Cell: 443-803-2071

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043124V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000833298		Buckeye	1988	05/26/2021	Recurring Cert	Active	BASEMENT
MD099307V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000182776		Steel Products	1998	05/26/2021	Recurring Cert	Active	BASEMENT

**Total Objects at this Location:** 2

**Location:** Jim's Auto Service  
**Address:** 5922 Ritchie Hwy - Brooklyn, MD 21225-3744  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3859256  
**Phone:** 410-636-5467  
**NOB/SIC:**  
**Primary Contact:** James Gardener - Phone: 410-636-5467  
**Billing Contact:** James Gardener - 5922 Ritchie Hwy Brooklyn, MD 21225-3744 - Phone: 410-636-5467

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD064317V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000031374		INDUSTRIAL	1986	04/05/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Jimmy Johns - 1396 (Arc3)  
**Address:** 1700 W Nursery Rd - Linthicum Heights, MD 21090-2907  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3961845  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164610V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000316043		CHART	2018	06/13/2021	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 1

**Location:** Jimmy Johns - 1634 (Arc3)  
**Address:** 1901 Towne Centre Blvd - Annapolis, MD 21401-3047  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965464  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165940V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000132632		CHART	2001	07/30/2021	Recurring Cert	Active	Store Room

**Total Objects at this Location:** 1

---

**Location:** Jimmy Johns - 1987 (Arc3) **Location ID:** 3963467  
**Address:** 537 Ritchie Hwy - Severna Park, MD 21146-2917 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165047V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000106920		MVE Inc	1999	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---

**Location:** Jimmy Johns - 2868 (Arc3) **Location ID:** 3956950  
**Address:** 2645 Annapolis Rd - Hanover, MD 21076-2279 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165092V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000176048		CHART	2006	06/13/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

---

**Location:** Jos A. Bank Clothiers #502 **Location ID:** 3215698  
**Address:** 7000 Arundel Mills Cir Ste 504 - Hanover, MD 21076-1295 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Men's and Boys' Clothing and Accessory Stores  
**Primary Contact:** Panji Buranovel - Phone: 859-264-0878 - Cell: 703.243.3047 - Email: panji.buranovel@tailoredbrands.com  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014149		Pacific	2018	06/01/2020	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

---

**Location:** JT Restorations  
**Address:** 5849 Deale Churchton Rd - Deale, MD 20751-9729  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Tucker Enterprises, Inc. - Phone: 410-867-7008  
**Billing Contact:** - PO Box 315 Deale, MD 20751-0315 - Phone: 410-867-7008

**Location ID:** 2181865  
**Phone:** 410-867-7008  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158400V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001641042		Manchester	2015	07/05/2021	Recurring Cert	Active	Back Room
MD163946V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001085667		Manchester	2009	09/04/2021	Recurring Cert	Active	Building 2

**Total Objects at this Location:** 2

**Location:** Julep Southern Kitchen & Bar (Arc3)  
**Address:** 2207 Forest Dr - Annapolis, MD 21401-4682  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 4010390  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166894V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000003719		Taylor-Wharton	1988	02/26/2022	Recurring Cert	Active	Sprinkler Room

**Total Objects at this Location:** 1

**Location:** K & K Tires  
**Address:** 816 Oregon Ave - Linthicum Heights, MD 21090-1411  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bill Shelton - Phone: 443-871-6100  
**Billing Contact:** Bill Shelton - 816 Oregon Ave Linthicum Heights, MD 21090-1411 - Phone: 443-871-6100

**Location ID:** 3775322  
**Phone:** 443-871-6100  
**NOB/SIC:** General Automotive Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157099V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000116964		Manchester	2007	05/01/2021	Recurring Cert	Active	Under Porch

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158798V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015925		Morganton	2017	05/01/2021	Recurring Cert	Active	Tire Shredder

**Total Objects at this Location:** 2

**Location:** K S Cleaners Two  
**Address:** 1147 Annapolis Rd - Odenton, MD 21113-1633  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Young Ahn - Phone: 4106740100  
**Billing Contact:** Young Ahn - 1147 Annapolis Rd Odenton, MD 21113-1633 - Phone: 4106740100

**Location ID:** 715900  
**Phone:** 410-305-1115  
**NOB/SIC:** Personal services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109007V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001067077		Manchester	2000	09/04/2021	Recurring Cert	Active	Blrm
MD148204V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001346602		Manchester	2013	09/09/2021	Recurring Cert	Active	Rear
MD166025		Vertical Fire Tube	S - Power-Ironing (Steam > 15 psig)	000124472		Fulton	2019	09/09/2020	Recurring Cert	Active	Blrm

**Total Objects at this Location:** 3

**Location:** K-MART  
**Address:** 1647 Crofton Ctr - Crofton, MD 21114-1318  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Brian Truxal - Phone: 410-721-7000 - Email: sm3160@searshc.com  
**Billing Contact:** Brian Truxal - 1647 Crofton Ctr Crofton, MD 21114-1318 - Phone: 410-721-7000 - Email: sm3160@searshc.com

**Location ID:** 2685001  
**Phone:** 410-721-7000  
**NOB/SIC:** Men's and Boys' Suits, Coats, and Overcoats

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147931H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	SN1194	Weil-McLain	1980	01/14/2020	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Kent Island Crab Company Inc  
**Address:** 2905 Mountain Rd - Pasadena, MD 21122-2013  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 953229  
**Phone:** 410-437-2155  
**NOB/SIC:** Business Services, NEC  
**Primary Contact:** Steve Meeks - Phone: 410-437-2155  
**Billing Contact:** Gail Sindorf - 2905 Mountain Rd Pasadena, MD 21122-2013 - Phone: 410-4237-2155

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165980H		Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000153657		Columbia	2016	11/26/2021	Recurring Cert	Active	BOILER RM
<b>Total Objects at this Location:</b>				1							

**Location:** Key School Inc  
**Address:** 534 Hillsmere Dr - Annapolis, MD 21403-4121  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715682  
**Phone:** 410-263-9231  
**NOB/SIC:** Colleges, Universities, and Professional Schools  
**Primary Contact:** Noel Gasparin - Phone: 410-280-5516 - Email: ngasparin@keyschool.org  
**Billing Contact:** Noel Gasparin - 534 Hillsmere Dr Annapolis, MD 21403-4121 - Phone: 410-280-5516 - Email: ngasparin@keyschool.org

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118532V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000020554		Cylsa	2000	01/23/2022	Recurring Cert	Active	MAINT SHOP
MD129883H	1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000282925	E07410032493	Lochinvar	2013	01/23/2022	Recurring Cert	Active	SCIENCE PENT
MD129884H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000026897	LOCH10026897	Lochinvar	2006	01/23/2022	Recurring Cert	Active	SCIENCE PENT
MD132300H	B1	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000027676		Viessman	2008	01/23/2022	Recurring Cert	Active	BARN ANNEX B
MD132301H	B2	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000028304		Viessman	2008	01/23/2022	Recurring Cert	Active	BARN ANNEX B
MD132302H	B3	Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000028303		Viessman	2008	01/23/2022	Recurring Cert	Active	BARN ANNEX B

**Total Objects at this Location:** 6

**Location:** Keystone Automotive Industries  
**Address:** 822 Central Ave - Linthicum Heights, MD 21090-1402  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715688  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Ted Smith - Phone: 443-695-0717 - Email: tsmith@lkqcorp.com  
**Billing Contact:** Ted Smith - 815 Central Ave Linthicum Heights, MD 21090-1437 - Phone: 443-695-0717 - Email: tsmith@lkqcorp.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152960H		Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000152997		Columbia	2015	12/11/2019	Recurring Cert	Active	BOILER ROOM
<b>Total Objects at this Location:</b>				1							

**Location:** KFC Baltimore  
**Address:** 5734 Ritchie Hwy - Baltimore, MD 21225-3641  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3631860  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** KFC Baltimore  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159872V	A995671	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000024050	IMA93L196	CHART	1993	01/23/2022	External Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

**Location:** Kiddie Korner Day Care  
**Address:** 131 Midland Rd - Glen Burnie, MD 21060-7170  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715706  
**Phone:**  
**NOB/SIC:** Offices and Clinics of Dentists  
**Primary Contact:** Linda Mortimer - Phone: 410-766-3324  
**Billing Contact:** Linda Mortimer - 131 Midland Rd Glen Burnie, MD 21060-7170 - Phone: 410-766-3324

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092670H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	43052747	Slant Fin	1996	09/20/2020	Recurring Cert	Active	BOILER ROOM
<b>Total Objects at this Location:</b>				1							

---

**Location:** La Fontaine Bleue Catering (Arc3) **Location ID:** 3963288  
**Address:** 7514 Ritchie Hwy - Glen Burnie, MD 21061-3717 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164420V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000230426		CHART	2012	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** La Posta Pizzeria (Arc3) **Location ID:** 3963469  
**Address:** 513 Baltimore Annapolis Blvd - Severna Park, MD 21146-3809 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164615V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000288982		CHART	2016	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Ledo's Pizza (Arc3) **Location ID:** 3956955  
**Address:** 2657-A Old Annapolis Rd - Hanover, MD 21076 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164189V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	00138829		CHART	2002	06/13/2021	Recurring Cert	Active	Outside Rear
<b>Total Objects at this Location:</b>				1							

---



---

**Location:** Lee Airport  
**Address:** 3090 Solomons Island Rd - Edgewater, MD 21037-1402  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 716407  
**Phone:** 410-956-4129  
**NOB/SIC:** Transportation equipment  
**Primary Contact:** Lawrence Donaldson - Phone: 410-956-4129  
**Billing Contact:** Lawrence Donaldson - 3090 Solomons Island Rd Edgewater, MD 21037-1402 - Phone: 410-956-4129

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD107344V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000026711		Brunner	2000	08/11/2021	Recurring Cert	Active	Outside Shop
<b>Total Objects at this Location:</b>				1							

---

**Location:** Lemongrass (Arc3)  
**Address:** 169 West St - Annapolis, MD 21401-2822  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965217  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165907V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000159956		CHART	2005	07/29/2021	Recurring Cert	Active	Basement
<b>Total Objects at this Location:</b>				1							

---

**Location:** Lemongrass Too (Arc3)  
**Address:** 2625 Housley Rd Ste A - Annapolis, MD 21401-7021  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963626  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165062V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166070		CHART	2005	07/11/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Lima's Chicken (Arc3) **Location ID:** 3956952  
**Address:** 2641 Annapolis Rd - Hanover, MD 21076-1262 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164191V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	00118693		MVE Inc	2000	06/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Live! Lofts **Location ID:** 2443135  
**Address:** 7491 New Ridge Rd - Hanover, MD 21076-3159 **Phone:** 410-878-7200  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Hotels and Motels  
**Primary Contact:** Gary Tharaldson - Phone: 701-271-2700/701-271-2709  
**Billing Contact:** Gary Tharaldson - 4520 36th Ave S Fargo, ND 58104-5211 - Phone: 701-271-2700/701-271-2709

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132042H	1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000212100		Lochinvar	2009	01/05/2021	Recurring Cert	Active	Mechanical Room
MD132043H	2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000212102		Lochinvar	2009	01/05/2021	Recurring Cert	Active	Mechanical Room
MD132044H	3	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000212101		Lochinvar	2009	01/05/2021	Recurring Cert	Active	Mechanical Room
<b>Total Objects at this Location:</b>				3							

**Location:** Lopez Auto Service  
**Address:** 6013 Ritchie Hwy - Brooklyn, MD 21225-3921  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Sam - Phone: 410-960-2789  
**Billing Contact:** Sam - 6013 Ritchie Hwy Brooklyn, MD 21225-3921 - Phone: 410-960-2789

**Location ID:** 704645  
**Phone:** 443-469-6976  
**NOB/SIC:** Automotive Transmission Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD150979V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000145823		Manchester	2001	05/06/2019	Recurring Cert	Active	shop

**Total Objects at this Location:** 1

**Location:** LSG Sky Chefs  
**Address:** 776 Elkridge Landing Rd - Linthicum, MD 21090-2905  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** David Thomas - Phone: 410-412-3530 - Cell: 517-428-9231 - Email: david.thomas@lsgskyChefs.com  
**Billing Contact:** David Thomas - 776 Elkridge Landing Rd Linthicum, MD 21090-2905 - Phone: 410-412-3530 - Cell: 517-428-9231 - Email: david.thomas@lsgskyChefs.com

**Location ID:** 717492  
**Phone:** 410-412-3506  
**NOB/SIC:** Air Courier Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD084704V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000148195		Iamco	1988	08/21/2021	Recurring Cert	Active	Boiler room
MD133590H	2	Horizontal Fire Tube	H - Heating-Cooking (Steam <= 15 psig)	000011596		Cleaver Brooks	2008	08/26/2021	Recurring Cert	Active	Boiler Room
MD137826H	1	Horizontal Fire Tube	H - Heating-Cooking (Steam <= 15 psig)	000012428		Cleaver Brooks	2008	08/26/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 3

**Location:** Lyons Creek  
**Address:** 1007 Lower Pindell Rd - Lothian, MD 20711-2705  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Lyons Creek - Phone: 443-924-0868  
**Billing Contact:** Property Manager - 1007 Lower Pindell Rd Lothian, MD 20711-2705 - Phone: 443-924-0868

**Location ID:** 2609895  
**Phone:** 443-924-0868  
**NOB/SIC:** Business Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138442H		Cast Iron	H - Hot Water	CI		Slant Fin	2004	01/24/2021	Recurring Cert	Active	BOILER ROOM

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			Heat (Water <= 160 psig, 250 F)								

**Total Objects at this Location:** 1

**Location:** Maggianos  
**Address:** 2100 Annapolis Mall - Annapolis, MD 21401-7602  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Maggianos  
**Billing Contact:**

**Location ID:** 3632066  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146782V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000244589		Chart	2013	03/09/2022	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** Maryland Specialty Surgery Center  
**Address:** 509 Progress Dr Ste 100 - Linthicum Heights, MD 21090-2266  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Maryland Specialty Surgery Center - Phone: 410-589-6663  
**Billing Contact:** - 509 Progress Dr Ste 100 Linthicum Heights, MD 21090-2266 - Phone: 410-589-6663

**Location ID:** 3477207  
**Phone:** 410-589-6340  
**NOB/SIC:** Specialty Outpatient Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147922V	A	Autoclave	V - Storage (NOT Cryogenic)	000067118	0692251	Amsco	1992	03/18/2023	Recurring Cert	Active	Clean Work Room
MD147924V		Autoclave	V - Process-Sterilizing	000038091	0980078-SAW	Amsco	1980	03/18/2023	Recurring Cert	Active	Clean work room
MD147926	A	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000000630	40359	Electro-Steam	2012	03/01/2022	Recurring Cert	Active	Clean Work Room
MD147927	B	Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000000629	40358	Pemberton	2012	03/01/2022	Recurring Cert	Active	Clean Work Room

**Total Objects at this Location:** 4

---

**Location:** McDonald's #35837 **Location ID:** 3586403  
**Address:** 881 State Route 3 N - Gambrills, MD 21054-1620 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Store Manager - Phone: 410-721-3305  
**Billing Contact:** Brandon Loveridge - 5018 Bristol Industrial Way Ste 203 Buford, GA 30518-1776 - Phone: 714-614-3111 - Email: brandon.loveridge@bpcllcga.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154157V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000258104		CHART	2014	04/15/2022	Recurring Cert	Active	pantry
<b>Total Objects at this Location:</b>				1							

---

**Location:** Meineke Muffler **Location ID:** 718207  
**Address:** 7344 Ritchie Hwy - Glen Burnie, MD 21061-3165 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Tom Campbell - Phone: 410-768-4500 - Email: mufflerman246@hotmail.com  
**Billing Contact:** Tom Campbell - 7344 Ritchie Hwy Glen Burnie, MD 21061-3165 - Phone: 410-768-4500 - Email: mufflerman246@hotmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164435V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002036254		Manchester	2018	08/29/2021	Recurring Cert	Active	SHOP
<b>Total Objects at this Location:</b>				1							

---

**Location:** Menzies Aviation **Location ID:** 3943504  
**Address:** 1011 Air Cargo Dr Bldg. F Ste 2400 - Baltimore, MD 21240-1008 **Phone:** 410-694-0332  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Airports, Flying Fields, and Airport Terminal Services  
**Primary Contact:** Philip ( Craig) Baumer - Phone: 410-694-0332 - Cell: 410-859-5936 - Email: Philip.Baumer@menziesaviation.com  
**Billing Contact:** - PO Box 498 S. Camp Meade Road Linthicum Heights, MD 21090-0498

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD112961V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000231594		Kargard	1966	03/12/2022	Recurring Cert	Active	main term-lower level D214
<b>Total Objects at this Location:</b>				1							

---

**Location:** Menzies Aviation  
**Address:** 134 Fuel Farm Drive - Baltimore, MD 21240-2005  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Paul Meseke - Phone: 410-487-2394 - Email: pau.meseke@menziesaviation.com  
**Billing Contact:** - 4900 Diplomacy Rd Fort Worth, TX 76155-2639 - Email: asigap.invoice@johnmenzies.aero

**Location ID:** 4004723  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129159V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001024556		Melben	2002	03/12/2022	Recurring Cert	Active	134 Fuel Farm Drive
<b>Total Objects at this Location:</b>				1							

**Location:** Merritt Properties  
**Address:** 7600 Energy Pkwy Ste 107 - Baltimore, MD 21226-1718  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Kristi Anderson - Phone: 410-298-2600 - Cell: 410 303 8212  
**Billing Contact:** Kristi Anderson - 2066 Lord Baltimore Dr Baltimore, MD 21244 - Phone: 410-298-2600 - Cell: 410 303 8212

**Location ID:** 711752  
**Phone:**  
**NOB/SIC:** Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121146V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000855794		Manchester	1999	01/27/2022	Recurring Cert	Active	Shop
MD121147V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000297796		Manchester	2004	01/27/2022	Recurring Cert	Active	Compressor Room
<b>Total Objects at this Location:</b>				2							

**Location:** Mexican Cafe (Arc3)  
**Address:** 609 Melvin Ave - Annapolis, MD 21401-1325  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965187  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165916V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000032820		Taylor-Wharton	1997	07/29/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Midas Auto Systems  
**Address:** 1915 West St - Annapolis, MD 21401-3930  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Rick Patterson - Phone: 4102665868  
**Billing Contact:** Rick Patterson - 1915 West St Annapolis, MD 21401-3930 - Phone: 4102665868

**Location ID:** 718504  
**Phone:**  
**NOB/SIC:** Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD110497V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000888388		Buckeye	1989	09/09/2021	Recurring Cert	Active	Shop Corner

**Total Objects at this Location:** 1

**Location:** Midas Auto Systems  
**Address:** 8158 Ritchie Hwy - Pasadena, MD 21122-3906  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Chris Mohns - Phone: 443-695-1037  
**Billing Contact:** - 8158 Ritchie Hwy Pasadena, MD 21122-3906 - Phone: 410-437-2280

**Location ID:** 3645345  
**Phone:** 410-437-2280  
**NOB/SIC:** Automotive Exhaust System Repair Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152073V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000508880		Manchester	1994	09/14/2021	Recurring Cert	Active	Shop Floor
MD152074V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000508890		Manchester	1994	09/14/2021	Recurring Cert	Active	Shop Floor

**Total Objects at this Location:** 2

**Location:** Mike's Crabhouse North (Arc3)  
**Address:** 1402 Colony Rd - Pasadena, MD 21122-3271  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963435  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165100V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000017864		Taylor-Wharton	1994	07/10/2021	Recurring Cert	Active	Outside

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
<b>Total Objects at this Location:</b>				1							

**Location:** Mike's Restaurant & Crabhouse (Arc3) **Location ID:** 3965276  
**Address:** 3030 Riva Rd - Riva, MD 21140-1318 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165971V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000118969		MVE Inc	2000	07/29/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Mikes Restaurant & Crab House **Location ID:** 718569  
**Address:** 3030 Old Riva Rd - Riva, MD 21140 **Phone:** 410-956-2784  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Mikes Restaurant & Crab House - Phone: 410-956-2784  
**Billing Contact:** - 3030 Old Riva Rd Riva, MD 21140 - Phone: 410-956-2784

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163862H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ECR	2017	11/07/2020	Recurring Cert	Active	BLRM
MD163863H		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ECR	2017	11/07/2020	Recurring Cert	Active	BLRM
<b>Total Objects at this Location:</b>				2							



**Location:** Miles Enterprises, Inc. **Location ID:** 718584  
**Address:** 400 Arundel Corporation Rd Ste A - Glen Burnie, MD 21060-6364 **Phone:** 410-789-1212  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Wood Kitchen Cabinets  
**Primary Contact:** David Miles - Phone: 410-789-1212 - Email: dlmiles@miles-ent.com  
**Billing Contact:** David Miles - 400 Arundel Corporation Rd Ste A Glen Burnie, MD 21060-6364 - Phone: 410-789-1212 - Email: dlmiles@miles-ent.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD092422V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047064		Stoystown Tank	1987	05/20/2021	Recurring Cert	Active	Shop Bay G
MD104129V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000607981		Melben	1996	05/20/2021	Recurring Cert	Active	Shop Bay D
MD125620V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000464727		Trinity Industries	2004	05/20/2021	Recurring Cert	Active	Shop Bay A
<b>Total Objects at this Location:</b>				3							

**Location:** Millersville Exxon **Location ID:** 3659606  
**Address:** 8556 Veterans Hwy - Millersville, MD 21108-2569 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152954V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000031413		Taylor	1996	11/04/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Milton W Bosley & Co  
**Address:** 151 8th Ave NW - Glen Burnie, MD 21061-2825  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 718735  
**Phone:** 410-761-7727  
**NOB/SIC:** Millwork  
**Primary Contact:** Brian Lambert - Phone: 410-761-7727 - Cell: 443-554-6154 - Email: brian@bosleymouldings.com  
**Billing Contact:** Brian Lambert - 151 8th Ave NW Glen Burnie, MD 21061-2825 - Phone: 410-761-7727 - Cell: 443-554-6154 - Email: brian@bosleymouldings.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132091V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000338566		Manchester	2004	01/16/2021	Recurring Cert	Active	COMP RM
MD145230V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000120353		Manchester	2002	01/16/2021	Recurring Cert	Active	COMP RM

**Total Objects at this Location:** 2

**Location:** Motel 6  
**Address:** 1630 Annapolis Rd - Odenton, MD 21113-1002  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 723480  
**Phone:** 410-674-8900  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Manoj Patel - Phone: 410-674-8900  
**Billing Contact:** Manoj Patel - 1630 Annapolis Rd Odenton, MD 21113-1002 - Phone: 410-674-8900

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163906H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000232864		A O Smith	2017	06/05/2021	Recurring Cert	Active	Laundry

**Total Objects at this Location:** 1

**Location:** Mr. Tire - 1301  
**Address:** 3149 Solomons Island Rd - Edgewater, MD 21037-1707  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3954832  
**Phone:** 410-943-2134  
**NOB/SIC:**  
**Primary Contact:** Mr. Tire - 1301  
**Billing Contact:** Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163904V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000483084		Morganton	2015	07/16/2021	Recurring Cert	Active	Tire Storage

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000483075		Morganton	2015	07/16/2021	Recurring Cert	Active	Tire Storage

**Total Objects at this Location:** 2

**Location:** Mr. Tire - 731  
**Address:** 7529 Ritchie Hwy - Glen Burnie, MD 21061-3716  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Greg Peterson - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com  
**Billing Contact:** Greg Peterson - 200 Holleder Pkwy Rochester, NY 14615-3808 - Phone: 585-784-3283 - Cell: 585746-3660 - Email: greg.peterson@monro.com

**Location ID:** 715731  
**Phone:**  
**NOB/SIC:** Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133581V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000475906		Manchester	2005	08/27/2021	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Mt Zion United Methodist Church  
**Address:** 122 Bayard Rd - Lothian, MD 20711-9601  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Mt Zion United Methodist Church - Phone: 410-867-4035  
**Billing Contact:** - 122 Bayard Rd Lothian, MD 20711-9601 - Phone: 410-867-4035

**Location ID:** 719275  
**Phone:** 410-867-4035  
**NOB/SIC:** Membership organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD101574H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1991	01/19/2022	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

---

**Location:** Murraille, LLC  
**Address:** 204 Duke Of Gloucester St - Annapolis, MD 21401-2507  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 713256  
**Phone:** 800-334-6078 x12  
**NOB/SIC:** Holding and other investment offices  
**Primary Contact:** Karen Bass - Phone: 800-334-6078 x12 - Email: Kbass@hardscapesconstrtuccion.com  
**Billing Contact:** Karen Bass - 621 Central Ave E, Suite 403 Edgewater, MD 21037-2805 - Phone: 800-334-6078 x12 - Email: Kbass@hardscapesconstrtuccion.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091244H		Cast Iron	O - Other (Blr Use) w/comment	CI	35077751	Weil-McLain	1994	01/17/2022	Recurring Cert	Active	BSMT
<b>Total Objects at this Location:</b>				1							

---

**Location:** Mutiny Pirate Bar (Arc3)  
**Address:** 33 Magothy Beach Rd - Pasadena, MD 21122-4413  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963453  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165097V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000080367		Taylor-Wharton	2005	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** NABCO (S.S.L)  
**Address:** 6761 Baymeadow Dr Ste A - Glen Burnie, MD 21060-6410  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3801459  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** David Ford - Phone: 410-255-0761  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158779V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000591232		Morganton	2016	08/30/2019	Recurring Cert	Active	Manufacturing
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Nando's of Arundel Mills (Arc3) **Location ID:** 3956960  
**Address:** 7000 Arundel Mills Cir Ste 229 - Hanover, MD 21076-1296 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165095V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000125128		MVE Inc	2000	06/13/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Nando's Peri Peri (Arc3) **Location ID:** 3963273  
**Address:** 1403 S Main Chapel Way - Gambrills, MD 21054-1862 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164418V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166231		CHART	2005	07/09/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Nando's Peri Peri (Arc3) **Location ID:** 3963625  
**Address:** 2002 Annapolis Mall Rd - Annapolis, MD 21401 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165804O		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000207003		CHART	2009	07/11/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** National/Alamo Car Rental  
**Address:** 7434 New Ridge Rd - Hanover, MD 21076-3101  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** GRP18 Admin Office - Phone: 410-412-4684  
**Billing Contact:** - 701 Wedeman Ave Linthicum Heights, MD 21090-1415 - Phone: 410-412-4684

**Location ID:** 3784597  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158007V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040325		Kaeser	2015	06/20/2021	Recurring Cert	Active	Garage Bay
<b>Total Objects at this Location:</b>				1							

**Location:** Nautilus Diner (Arc3)  
**Address:** 1709 Transportation Dr - Crofton, MD 21114-2050  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965513  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164447V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000123579		MVE Inc	2000	07/30/2021	Recurring Cert	Active	Basement
<b>Total Objects at this Location:</b>				1							

**Location:** NBP 316 (National Business Park)  
**Address:** 316 Sentinel Dr - Annapolis Junction, MD 20701-1073  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Daniel L. Rettig - Phone: 443-285-5691 - Cell: 443-506-5417 - Email: daniel.rettig@copt.com  
**Billing Contact:** Daniel L. Rettig - 6711 Columbia Gateway Dr Ste 300 Columbia, MD 21046-2383 - Phone: 443-285-5691 - Cell: 443-506-5417 - Email: daniel.rettig@copt.com

**Location ID:** 2686702  
**Phone:** 410-724-2200  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD148808V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000314970		Manchester	2013	05/05/2020	Recurring Cert	Active	Lab
MD148809V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000015118		AIR COM	2013	05/05/2020	Recurring Cert	Active	Comp Rm

**Total Objects at this Location:** 2

**Location:** New Transit Truck Stop  
**Address:** 8400 Veterans Highway - Millersville, MD 21108-1403  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 719615  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Sam Singh - Phone: 410-987-1444  
**Billing Contact:** Nima Singh - 8400 Veterans Hwy Millersville, MD 21108-1403 - Phone: 410-987-1444

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD038476V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000187425		Wayne	1962	08/08/2020	Recurring Cert	Active	Garage
MD140414H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UFH14901	Columbia	2010	09/01/2020	Recurring Cert	Active	REAR BLRM
MD140415V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00609692		Steel Fab	2010	09/01/2020	Recurring Cert	Active	GARAGE

**Total Objects at this Location:** 3

**Location:** Niermann Weeks Co.  
**Address:** 750 Generals Hwy - Millersville, MD 21108-1371  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1645472  
**Phone:** 410-923-0123  
**NOB/SIC:** Furniture Stores  
**Primary Contact:** Vickie Anewalt - Phone: 410-923-0123 x15 - Email: vanewalt@niermannweeks.com  
**Billing Contact:** Vickie Anewalt - 750 Generals Hwy Millersville, MD 21108-1371 - Phone: 410-923-0123 x15 - Email: vanewalt@niermannweeks.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122814V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000090041		Brunner	1999	12/06/2022	Recurring Cert	Active	shop

**Total Objects at this Location:** 1

**Location:** Nonna Angela's (Roberts Oxygen) **Location ID:** 3972832  
**Address:** 2225 Defense Hwy Ste A - Crofton, MD 21114-2468 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164450V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023593		Taylor-Wharton	1995	09/20/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Nordstroms/Annapolis Mall **Location ID:** 719697  
**Address:** 1800 Annapolis Mall - Annapolis, MD 21401-3117 **Phone:** 410-573-1121  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Department Stores  
**Primary Contact:** Nordstrom/Annapolis Mall - Phone: 410-573-1121  
**Billing Contact:** David Peterson - 1800 Annapolis Mall Annapolis, MD 21401-3117 - Phone: 410-573-1121

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004180		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	000043943		Lattner Boiler Co	1993	05/12/2020	Recurring Cert	Active	BLR RM
MD148829H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095338		Bradford	2011	05/12/2020	Recurring Cert	Active	Blrm
MD159843H		Other w/comment	H - Hot Water Supply (Water <= 160 psig, 210 F)	000233673		A O Smith	2017	04/25/2020	Recurring Cert	Active	Blrm
<b>Total Objects at this Location:</b>				3							



**Location:** North Forest Apartments  
**Address:** 1826 N Forest Ct - Crofton, MD 21114-2226  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Willa Mae Dupuis - Phone: 410-793-0733 - Email: wdupuis@smcmail.com  
**Billing Contact:** Patti Procacci - 1950 Old Gallows Rd Suite 600 Vienna, VA 22182-3970 - Phone: 703-902-9536 - Email: pprocacci@smcmail.com

**Location ID:** 719785  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD129873H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000122415		A O Smith	2008	04/05/2022	Recurring Cert	Active	Bldg 1826
<b>Total Objects at this Location:</b>				1							

**Location:** Novatec Inc  
**Address:** 222 Thomas Ave - Baltimore, MD 21225-3327  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Tony Medeiros - Phone: 410 789 4811/ 443-458-3938  
**Billing Contact:** Tony Medeiros - 222 Thomas Ave Brooklyn, MD 21225-3327 - Phone: 410 789 4811/ 443-458-3938

**Location ID:** 719917  
**Phone:**  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD027014V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000183396		Curtis Manufacturing Co	1975	09/10/2021	Recurring Cert	Active	SHIPP'G
<b>Total Objects at this Location:</b>				1							

**Location:** Noxilizer  
**Address:** 1334 Ashton Rd - Hanover, MD 21076-3153  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Michael Maust - Phone: 443-824-4409 - Email: mmaust@noxilizer.com  
**Billing Contact:** Michael Maust - 1334 Ashton Rd Hanover, MD 21076-3153 - Phone: 443-824-4409 - Email: mmaust@noxilizer.com

**Location ID:** 3882477  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD153458V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000408803		AIR COM	2014	09/04/2021	Recurring Cert	Active	Compressor Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** O'Brien's Oyster Bar & Grill (Arc3) **Location ID:** 3965247  
**Address:** 113 Main St - Annapolis, MD 21401-2002 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165924V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000155948		CHART	2004	07/29/2021	Recurring Cert	Active	Outside Dining Area
<b>Total Objects at this Location:</b>				1							

---

**Location:** O'Loughlin's (Arc3) **Location ID:** 3963493  
**Address:** 1258 Bay Dale Dr - Arnold, MD 21012-2325 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165037V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000151174		CHART	2003	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Oakland Hills / Maryland Mgmt Co Inc **Location ID:** 3787712  
**Address:** 622 Oakland Hills Dr - Arnold, MD 21012-2034 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** John Clauson - Phone: 410-703-2589  
**Billing Contact:** John Clauson - 614 Oakland Hills Dr Ofc Rental Arnold, MD 21012-2030 - Phone: 410-703-2589

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158069H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000187493		State Industries	2013	07/12/2021	Recurring Cert	Active	Basement Boiler Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Odenton Exxon  
**Address:** 1318 Annapolis Rd - Odenton, MD 21113-1312  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3659607  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000131489		CHART	2001	11/04/2021	Recurring Cert	Active	Outside
MD159266V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000402470		Steel Fab	2005	11/25/2021	Recurring Cert	Active	Car Wash
<b>Total Objects at this Location:</b>				2							

**Location:** Odenton Sunoco  
**Address:** 1433 Annapolis Rd - Odenton, MD 21113-1013  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 720158  
**Phone:**  
**NOB/SIC:** Automotive Dealers, NEC  
**Primary Contact:** Odenton Sunoco  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065610V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000771903		Buckeye	1987	08/18/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Ourisman Honda VW of Laurel  
**Address:** 3371 Fort Meade Rd - Laurel, MD 20724-2001  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1487735  
**Phone:** C10848090-3  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Keith Breeden - Phone: 301-498-7400 - Email: keith.breeden@ourismanautomotive.com  
**Billing Contact:** Keith Breeden - 3371 Laurel Fort Meade Rd Laurel, MD 20724-2001 - Phone: 301-498-7400 - Email: keith.breeden@ourismanautomotive.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126184V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000380842		Steel Fab	2005	07/11/2022	Recurring Cert	Active	Honda Compressor Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126185V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000089056		Manchester	2005	07/11/2022	Recurring Cert	Active	Volkswagen Compressor Room
MD155041V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000502056		Morganton	2015	07/11/2022	Recurring Cert	Active	Honda Compressor Room
MD166905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002070650		Manchester	2019	08/26/2022	Recurring Cert	Active	Outside Shed

**Total Objects at this Location:** 4

**Location:** Outback Steakhouse (Roberts Oxygen) **Location ID:** 4010389  
**Address:** 2207 Forest Dr - Annapolis, MD 21401-4682 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166857V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000009059		Taylor-Wharton	1991	02/26/2022	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Panda Express **Location ID:** 3972384  
**Address:** 6620A Ritchie Hwy - Glen Burnie, MD 21061-2317 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Panda Express  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164460V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000117125		MVE Inc	2000	10/30/2021	Recurring Cert	Active	Back of kitchen

**Total Objects at this Location:** 1

**Location:** Pappas Restaurant and Sports Bar  
**Address:** 6711 Ritchie Hwy - Glen Burnie, MD 21061-2315  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Pappas Restaurant and Sports Bar  
**Billing Contact:** - 6711 Ritchie Hwy Glen Burnie, MD 21061-2315

**Location ID:** 992584  
**Phone:** 443-742-4118  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166109H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000261216		A O Smith	2019	04/06/2022	Recurring Cert	Active	OUTSIDE BOILER ROOM

**Total Objects at this Location:** 1

**Location:** Park Glen Apartments  
**Address:** 7910 Allard Ct - Glen Burnie, MD 21061-4855  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shala Dickerson - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com  
**Billing Contact:** Shala Dickerson - 7906 Allard Ct Glen Burnie, MD 21061-6800 - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com

**Location ID:** 1225736  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151721H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000110645		Bradford White	2014	01/05/2021	Recurring Cert	Active	BLDG 7910

**Total Objects at this Location:** 1

**Location:** Park Glen Apartments  
**Address:** 7914 Allard Ct - Glen Burnie, MD 21061-4859  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shala Dickerson - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com  
**Billing Contact:** Shala Dickerson - 7906 Allard Ct Glen Burnie, MD 21061-6800 - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com

**Location ID:** 720717  
**Phone:** 410-761-4362  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091864H		Vertical Fire Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000053001		State	1995	01/05/2021	Recurring Cert	Active	BLDG 7914

**Total Objects at this Location:** 1

---

**Location:** Park Glen Apartments  
**Address:** 7922 Allard Ct - Glen Burnie, MD 21061-4867  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 720714  
**Phone:** 410-761-4362  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Shala Dickerson - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com  
**Billing Contact:** Shala Dickerson - 7906 Allard Ct Glen Burnie, MD 21061-6800 - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD144964H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000095465		Jet Glass	2011	01/05/2021	Recurring Cert	Active	BLDG 7922

**Total Objects at this Location:** 1

---

**Location:** Park Glen Apartments  
**Address:** 7926 Allard Ct - Glen Burnie, MD 21061-4871  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 720715  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Shala Dickerson - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com  
**Billing Contact:** Shala Dickerson - 7906 Allard Ct Glen Burnie, MD 21061-6800 - Phone: 301-286-1068/410-761-4362 - Email: sdickerson@tricapmanagement.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147103H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100825		Jet Glass	2012	01/05/2021	Recurring Cert	Active	7926

**Total Objects at this Location:** 1

---

**Location:** Park Tavern (Arc3)  
**Address:** 580 Ritchie Hwy - Severna Park, MD 21146-3924  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963473  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164613V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000157830		CHART	2004	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---

---

**Location:** Parkway Crossing Exxon  
**Address:** 3384 Fort Meade Rd - Laurel, MD 20724-2002  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 720851  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Lance Accipiter - Phone: 301-938-1567 - Email: cooltitles@aol.com  
**Billing Contact:** Lance Accipiter - 3384 Laurel Fort Meade Rd Laurel, MD 20724-2002 - Phone: 301-938-1567 - Email: cooltitles@aol.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD126183V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000679607		Manchester	2006	01/05/2021	Recurring Cert	Active	Car wash

**Total Objects at this Location:** 1

---

**Location:** Pasadena Motors  
**Address:** 8027 Fort Smallwood Rd - Curtis Bay, MD 21226-1911  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 707966  
**Phone:** 410-255-3112  
**NOB/SIC:** General Automotive Repair Shops  
**Primary Contact:** Ronald Simms - Phone: 410-410-255-3112 - Email: pasmotor@cablespeed.com  
**Billing Contact:** Ronald Simms - 8027 Fort Smallwood Rd Curtis Bay, MD 21226-1911 - Phone: 410-410-255-3112 - Email: pasmotor@cablespeed.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD077111V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000210658		John Wood	1959	02/09/2022	Recurring Cert	Active	2nd Floor Loft

**Total Objects at this Location:** 1

---

**Location:** Pat's Select Pizza (Arc3)  
**Address:** 8108 Ritchie Hwy - Pasadena, MD 21122-6916  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963315  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165072V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000080465		Taylor-Wharton	2005	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---

**Location:** Piney Orchard Ice Arena  
**Address:** 8781 Piney Orchard Pkwy - Odenton, MD 21113-2244  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 721463  
**Phone:** 410-672-7013  
**NOB/SIC:** Professional Sports Clubs and Promoters  
**Primary Contact:** Gary Cremen - Phone: (410) 672-7013  
**Billing Contact:** Gary Cremen - 8781 Piney Orchard Pkwy Odenton, MD 21113-2244 - Phone: (410) 672-7013

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD026703V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000482764		John Wood	1970	12/08/2021	Recurring Cert	Active	Chiller Room
MD076733V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000035745	SA91-35745-Y5	A O Smith	1990	12/08/2022	Recurring Cert	Active	Sprinkler Control Valve Room
MD135000H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000262812	0702262812	Raypak	2008	12/08/2022	Recurring Cert	Active	Sprinkler Control Valve Room
MD135002H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000194977	HEX4872	Lochinvar	2007	12/08/2022	Recurring Cert	Active	Sprinkler Control Valve Room
MD159290H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000303508		Lochinvar	2017	11/30/2021	Recurring Cert	Active	BLRM MECH RM
MD159291H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000450979		Raypak	2016	11/30/2021	Recurring Cert	Active	BLRM MECH RM

**Total Objects at this Location:** 6

**Location:** Piney Orchard Service Center  
**Address:** 730 New Waugh Chapel Rd - Odenton, MD 21113-2279  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 753695  
**Phone:**  
**NOB/SIC:** Crude Petroleum and Natural Gas  
**Primary Contact:** Jeff Wade - Phone: 410-470-4822 - Email: jeffrey.s.wade@bge.com  
**Billing Contact:** Carolyn King - 2301 Market St # S21-1 Philadelphia, PA 19103-1338 - Phone: 215-841-4739 - Email: carolyn.king@exeloncorp.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD115118V	1	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000511683	00000	Manchester	1995	10/03/2022	External Cert	Active	Fleet Garage-Comp. Room

**Total Objects at this Location:** 1



**Location:** Piney Orchard Surgery Center  
**Address:** 1132 Annapolis Rd Ste 103 - Odenton, MD 21113-1672  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2977050  
**Phone:**  
**NOB/SIC:** Specialty Outpatient Facilities, NEC  
**Primary Contact:** Claudia - Phone: 410-6740020 - Email: piney@pineyorchardsc.com  
**Billing Contact:** Claudia - 4707 Benson Ave Baltimore, MD 21227-1425 - Phone: 410-6740020 - Email: piney@pineyorchardsc.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141593V		Autoclave	V - Process-Sterilizing	000077182	0498141	Steris Corp	1998	10/30/2021	Recurring Cert	Active	Autoclave Room
MD141594		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029532	39532	Electro-Steam	2010	10/14/2021	Recurring Cert	Active	Autoclave Room
MD141595V		Autoclave	V - Process-Sterilizing	000074873	0297004	Amsco	1997	10/30/2021	Recurring Cert	Active	Autoclave Room
MD141596		Miniature Boiler (NOT Fired Kettle)	S - Power-Sterilizing (Steam > 15 psig)	000029533	39533	Electro-Steam	2010	10/14/2021	Recurring Cert	Active	Autoclave Room
<b>Total Objects at this Location:</b>				4							

**Location:** Plazuela Mexican Restaurant (Arc3)  
**Address:** 3029 Solomons Island Rd - Edgewater, MD 21037-1416  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965293  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165033V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000018281		Taylor-Wharton	1994	07/29/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Porsche of Annapolis  
**Address:** 20 Hudson St - Annapolis, MD 21401-3111  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2330263  
**Phone:**  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Fred Gerlinsky - Phone: 443-837-2651 - Cell: 813-245-5843 - Email: fgerlinsky@porscheofannapolis.com  
**Billing Contact:** Fred Gerlinsky - 20 Hudson St Annapolis, MD 21401-3111 - Phone: 443-837-2651 - Cell: 813-245-5843 - Email: fgerlinsky@porscheofannapolis.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131196V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000191562		Manchester	2007	07/08/2022	Recurring Cert	Active	EQUIPMENT ROOM
<b>Total Objects at this Location:</b>				1							

---

**Location:** Primo Pasta Kitchen (Arc3)  
**Address:** 8557 Fort Smallwood Rd - Pasadena, MD 21122-2631  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963433  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165055V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000017353		Taylor-Wharton	1994	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Printing Specialist Corp  
**Address:** 806 Cromwell Park Dr - Glen Burnie, MD 21061-2572  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2507035  
**Phone:** 410-768-3200  
**NOB/SIC:** Newspapers: Publishing, or Publishing and Printing  
**Primary Contact:** Gary W. Habicht - Phone: 410-768-3200 - Email: gary@printingspecialist.com  
**Billing Contact:** Gary W. Habicht - 806 Cromwell Park Dr Glen Burnie, MD 21061-2572 - Phone: 410-768-3200 - Email: gary@printingspecialist.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD135772V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000771863		Manchester	2007	06/02/2022	Recurring Cert	Active	WHSE
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Qdoba (NuCo2) #636456 **Location ID:** 3838137  
**Address:** 147 Ritchie Hwy - Severna Park, MD 21146-1133 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159267V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000303358	31725276	CHART	2017	11/16/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

---

**Location:** Qdoba Mexican Grill **Location ID:** 3633390  
**Address:** 1404 S Main Chapel Way - Gambrills, MD 21054-1857 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Qdoba Mexican Grill  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154159V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000240926		CHART	2013	04/12/2022	Recurring Cert	Active	Pantry

**Total Objects at this Location:** 1

---

**Location:** Quantum Atlantic **Location ID:** 725181  
**Address:** 951 Bay Ridge Rd # 953 - Annapolis, MD 21403-3934 **Phone:** 410-268-1161  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous manufacturing industries  
**Primary Contact:** William Easton - Phone: 410-268-1161 x200 - Email: beaston@quantumsailes.com  
**Billing Contact:** William Easton - 951 Bay Ridge Rd # 953 Annapolis, MD 21403-3934 - Phone: 410-268-1161 x200 - Email: beaston@quantumsailes.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168256V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000069990		Morganton	2018	02/17/2022	Recurring Cert	Active	Building 953

**Total Objects at this Location:** 1

---

**Location:** Raspberry Deli (Arc3) **Location ID:** 3991716  
**Address:** 7304 Parkway Dr Ste B - Hanover, MD 21076-1167 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165090V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000191613		CHART	2008	11/20/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Red Roof Inn Plus **Location ID:** 722495  
**Address:** 7306 Parkway Dr - Hanover, MD 21076-1158 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Rooming and Boarding Houses  
**Primary Contact:** Michelle Jefferson - Phone: 4107124070 - Email: i0107@redroof.com  
**Billing Contact:** - 605 S Front St Columbus, OH 43215-5777 - Phone: 972-360-5550

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142097H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000237592		Lochinvar	2011	12/21/2021	Recurring Cert	Active	Boiler Room
MD154587H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000277946		Lochinvar	2015	12/21/2021	Recurring Cert	Active	Boiler Room
MD165946V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000233931		A O Smith	2017	01/29/2022	Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				3							

**Location:** Rehab Auto Body  
**Address:** 4444 Solomons Island Rd Ste C - Harwood, MD 20776-9506  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Rehab Auto Body  
**Billing Contact:**

**Location ID:** 2866221  
**Phone:** 410-867-2600  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166915V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002165121		Manchester	2019	09/11/2022	Recurring Cert	Active	Rear Paint Shop
MD166916V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000491747		Steel Fab	2007	09/11/2022	Recurring Cert	Active	Rear Body Shop

**Total Objects at this Location:** 2

**Location:** Rennie & Clark Inc  
**Address:** 810 Crain Highway - Glen Burnie, MD 21061-2934  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Rennie & Clark Inc. - Phone: 4107611616  
**Billing Contact:** - 810 Crain Highway Glen Burnie, MD 21061 - Phone: 4107611616

**Location ID:** 722632  
**Phone:** 410-761-1616  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD047197V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000868902		Wood	1985	05/13/2021	Recurring Cert	Active	LOCKER ROOM

**Total Objects at this Location:** 1

**Location:** Rental Works  
**Address:** 8004 Jumpers Hole Rd - Pasadena, MD 21122-1026  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Rental Works  
**Billing Contact:** Tenya Eickenberg - 10 Old Solomons Island Rd Annapolis, MD 21401-3821 - Phone: 443-714-8762 - Email: tenya@rentalworksofmd.com

**Location ID:** 727506  
**Phone:** 410-787-8333  
**NOB/SIC:** Miscellaneous manufacturing industries

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132015V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001050		Leiss Mfg co	2007	07/22/2021	Recurring Cert	Active	Outside Rear

**Total Objects at this Location:** 1

**Location:** Republic Landfill  
**Address:** 7890 Solley Rd - Glen Burnie, MD 21060-8512  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3276557  
**Phone:**  
**NOB/SIC:** Refuse Systems  
**Primary Contact:** David Smith - Phone: 410-370-6895  
**Billing Contact:** David Smith - 101 Norris Ln Baltimore, MD 21222-1611 - Phone: 410-370-6895

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145397V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001570800		Manchester	1991	08/31/2022	Recurring Cert	Active	Equipment Room
MD145398V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000060332		Manchester	1992	08/31/2022	Recurring Cert	Active	Equipment Room

**Total Objects at this Location:** 2

**Location:** Ricks Repair Shop  
**Address:** 512 Crain Highway Bldg 26 - Glen Burnie, MD 21061-3053  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728984  
**Phone:** 410-768-4935  
**NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Rick Holt - Phone: 410-768-4935  
**Billing Contact:** Rick Holt - 512 Crain Hwy N Ste 26 Glen Burnie, MD 21061-3053 - Phone: 410-768-4935

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD109027V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000390545		Pressed Steel Company	1952	10/28/2019	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Rico's Tacos and Tequilla (Arc3)  
**Address:** 1266 Bay Dale Dr - Arnold, MD 21012-2325  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3963495  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165036V		Vertical Unfired Pressure Vessel	V - Storage (Cryogenic)	000140883		CHART	2002	07/10/2021	Recurring Cert	Active	Outside

Juris #	Alt Juris #	Type w/comment	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
---------	-------------	-------------------	-----	----	--------	--------------	------------	----------	--------------	--------	----------

**Total Objects at this Location:** 1

**Location:** Rifkin Law Firm  
**Address:** 223-225 Duke of Gloucester St - Annapolis, MD 21401-2506  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Daniel J. Mellin - Phone: 410-263-3131 - Email: djm@hbdlaw.com  
**Billing Contact:** Daniel J. Mellin - 221 Duke of Gloucester St Annapolis, MD 21401-2506 - Phone: 410-263-3131 - Email: djm@hbdlaw.com

**Location ID:** 2984924  
**Phone:** 410-269-5066  
**NOB/SIC:** Offices of Holding Companies, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140054H		Cast Iron	H - Hot Water Supply (Water <= 160 psig, 210 F)	CI-1	550201031	Weil-McLain	2003	08/19/2021	Recurring Cert	Active	225 SIDE
MD140055H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI-2		Weil-McLain	2003	08/19/2021	Recurring Cert	Active	225 SIDE

**Total Objects at this Location:** 2

**Location:** Ritchie Automotive Inc.  
**Address:** 98 Georgia Ave NE - Glen Burnie, MD 21060-6829  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Richard Friedler or Quintin Haukla - Phone: 410-7614600 - Email: ritchieautomotive@gmail.com  
**Billing Contact:** Richard Friedler or Quintin Haukla - 98 Georgia Ave NE Glen Burnie, MD 21060-6829 - Phone: 410-7614600 - Email: ritchieautomotive@gmail.com

**Location ID:** 722836  
**Phone:** 410-761-4600  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065608V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000093347	A93347	Kargard	1984	02/26/2022	Recurring Cert	Active	SHOP
MD101031V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00044654		Manchester	1996	02/26/2022	Recurring Cert	Active	SHOP

**Total Objects at this Location:** 2

**Location:** Riva Road Shell  
**Address:** 2575 Riva Rd - Annapolis, MD 21401-7401  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Riva Road Shell - Phone: 410-224-1414 - Email: krishan3@verizon.net  
**Billing Contact:**

**Location ID:** 722853  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158067V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000489334		Morganton	2015	08/02/2021	Recurring Cert	Active	Elec Room

**Total Objects at this Location:** 1

**Location:** Riviera Beach Shell  
**Address:** 8449 Fort Smallwood Rd - Pasadena, MD 21122-2754  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Ali Rizwan - Phone: 410-437-3069.  
**Billing Contact:**

**Location ID:** 722982  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090746V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000298168		Manchester	1995	07/13/2022	Recurring Cert	Active	S J Room

**Total Objects at this Location:** 1

**Location:** Rockbridge Academy  
**Address:** 680 Evergreen Rd - Crownsville, MD 21032-1000  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shannon Reich - Cell: 410-703-1224 - Email: sreich@rockbridge.org  
**Billing Contact:** Shannon Reich - 680 Evergreen Rd Crownsville, MD 21032-1000 - Cell: 410-703-1224 - Email: sreich@rockbridge.org

**Location ID:** 714500  
**Phone:**  
**NOB/SIC:** Schools and Educational Services, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137860H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	1995	08/12/2022	Recurring Cert	Active	GARAGE
MD137863V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00031591D		BRUNNER	1985	08/12/2022	Recurring Cert	Active	GARAGE



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166923H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2019	08/14/2022	Recurring Cert	Active	GYM BOILER ROOM
<b>Total Objects at this Location:</b>				3							

**Location:** Ryder System  
**Address:** 7348 Baltimore Annapolis Blvd - Glen Burnie, MD 21061-3242  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Jomar Turner - Phone: 410-768-0480  
**Billing Contact:** Jomar Turner - 7348 Baltimore Annapolis Blvd Glen Burnie, MD 21061-3242 - Phone: 410-768-0480

**Location ID:** 723583  
**Phone:**  
**NOB/SIC:** Automotive repair, services, and parking

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050236V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004943		Manchester	1975	02/27/2023	Recurring Cert	Active	2nd Floor
MD097444V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000102609	1	Manchester	1997	02/27/2023	Recurring Cert	Active	2nd Floor
MD097445V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000102610	2	Manchester	1997	02/27/2023	Recurring Cert	Active	2nd Floor
MD157068V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000559404	6010648	Morganton	2016	03/23/2023	Recurring Cert	Active	Wash Bay
<b>Total Objects at this Location:</b>				4							

**Location:** Sailor (Arc3)  
**Address:** 196 West St - Annapolis, MD 21401-2824  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965196  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165905V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000111878		MVE Inc	1999	07/29/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Saint Christopher By The Sea  
**Address:** 511 Broadwater Way - Gibson Island, MD 21056-1141  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Lyle Schill - Phone: 410-409-7076 - Email: lyle@greenspringfm.com  
**Billing Contact:** Gina Harper - PO Box 36 Gibson Island, MD 21056-0036 - Phone: 410-255-1414/410-255-6200

**Location ID:** 723764  
**Phone:** 410-637-4121  
**NOB/SIC:** Religious Organizations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145399H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2012	03/18/2023	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Location:** Saint Johns College Randall Dining  
**Address:** 60 College Ave - Annapolis, MD 21401-1687  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

**Location ID:** 3634279  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151195V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000211513	31006531	CHART	2010	03/22/2022	External Cert	Active	Randall Kitchen

**Total Objects at this Location:** 1

**Location:** Saint Johns College/Power Plant  
**Address:** 60 College Ave - Annapolis, MD 21401-1687  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charles Wallace - Phone: 443-482-6550 - Cell: 443-570-9165 - Email: chuck.wallace@sjc.edu  
**Billing Contact:** Monica Jones - 60 College Ave Annapolis, MD 21401-1687 - Phone: 410-626-2545 - Email: majones@sjc.edu

**Location ID:** 723866  
**Phone:** 410-626-2545  
**NOB/SIC:** Colleges, Universities, and Professional Schools

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080466V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000286972		Melben	1990	06/20/2022	Recurring Cert	Active	Power Plant
MD080467V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000304202		Melben	1991	06/20/2022	Recurring Cert	Active	Memorial Hall

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD102958V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000482876		Manchester	1997	06/20/2022	Recurring Cert	Active	Barr Buchanan
MD117442H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000011806	B000792	Precision	2000	06/20/2022	Recurring Cert	Active	Barr Buchanan
MD132039H	1	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	000021197		R B I	2008	06/20/2022	Recurring Cert	Active	Power Plant
MD132051H	1	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014566		Hurst	2008	06/20/2022	Recurring Cert	Active	Power Plant
MD132052H	2	Horizontal Fire Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000014567		Hurst	2008	06/20/2022	Recurring Cert	Active	Power House
MD132053H	2	Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 210 F)	0021198		R B I	2008	06/20/2022	Recurring Cert	Active	Power Plant
MD159332H		Vertical Tubeless	H - Heating-Sterilizing (Steam <= 15 psig)	000022141		Hurst	2017	06/20/2022	Recurring Cert	Active	Randell Boiler Room
<b>Total Objects at this Location:</b>				9							

**Location:** Saint Johns Evangelical Lutheran Church  
**Address:** 300 W Maple Rd - Linthicum Heights, MD 21090-2434  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 723879  
**Phone:** 410-859-0020  
**NOB/SIC:** Membership organizations  
**Primary Contact:** Dale Weammert - Phone: 410-859-0020  
**Billing Contact:** Pastor McQuaid - 300 W Maple Rd Linthicum Heights, MD 21090-2434 - Phone: (410) 859-0020

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD096592H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16006226	Burnham	1996	02/24/2022	External Cert, Recurring Cert	Active	BLRM
MD096593H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16006222	Burnham	1996	02/24/2022	Recurring Cert	Active	BLRM
MD096594H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	16006223	Burnham	1996	02/24/2022	Recurring Cert	Active	BLRM
<b>Total Objects at this Location:</b>				3							

**Location:** Sam's Club - 4771 **Location ID:** 2284754  
**Address:** 424 George Claus Blvd - Severn, MD 21144-1300 **Phone:** (410) 969-5270  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Nondurable Goods, NEC  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128379V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000868385		Manchester	2007	02/10/2022	Recurring Cert	Active	Tire Shop Compressor Room
MD141313V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000073749		Standard	2007	02/10/2022	Recurring Cert	Active	Outside Motor Room
MD141314V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000074580		Standard	2007	02/10/2022	Recurring Cert	Active	Outside Motor Room
<b>Total Objects at this Location:</b>				3							

**Location:** Sam's Club - 6357 **Location ID:** 3001888  
**Address:** 2100 Generals Hwy - Annapolis, MD 21401-6723 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Department Stores  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140428V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000464843		Standard	2007	07/27/2021	Recurring Cert	Active	Rack C
MD140429V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000468918		Standard	2007	07/27/2021	Recurring Cert	Active	Rack C
MD140430V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000056249		Standard	2004	07/27/2021	Recurring Cert	Active	Rack C
MD163922V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000705039		Manchester	2018	06/19/2021	Recurring Cert	Active	Tire Shop
<b>Total Objects at this Location:</b>				4							

**Location:** Sam's Club - 6434 **Location ID:** 2929742  
**Address:** 3535 Russett Grn - Laurel, MD 20724-1810 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Department Stores  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151234V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047584		HENRY	2014	09/07/2022	Recurring Cert	Active	Motor Room
MD151235V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000047580		HENRY	2014	09/07/2022	Recurring Cert	Active	Motor Room
MD156084V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000485752		Morganton	2015	09/07/2022	Recurring Cert	Active	Tire Shop
Total Objects at this Location:				3							

**Location:** Sams Club **Location ID:** 3316738  
**Address:** 2100 Generals Hwy - Annapolis, MD 21401-6723 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous General Merchandise Stores  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163923V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000258723		CHART	2014	06/19/2021	Recurring Cert	Active	Closet
Total Objects at this Location:				1							

---

**Location:** Sams Club **Location ID:** 3633977  
**Address:** 3535 Russett Green E - Laurel, MD 20724-1810 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156085V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000269606		CHART	2015	09/07/2022	Recurring Cert	Active	Outside old Motor Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Sams Club # 272036 (NuCO2) **Location ID:** 3316726  
**Address:** 424 George Claus Blvd - Severn, MD 21144-1300 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous General Merchandise Stores  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166876V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000210615		CHART	2010	06/25/2022	Recurring Cert	Active	Outside Tire Shop
<b>Total Objects at this Location:</b>				1							

---

**Location:** Seafood Palace Buffet **Location ID:** 3632602  
**Address:** 81A Forest Plz - Annapolis, MD 21401-3716 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Seafood Palace Buffet  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159829H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000133816		RHEEM	2012	01/29/2022	Recurring Cert	Active	Heater Room
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Seaside Restaurant (Arc3) **Location ID:** 3963284  
**Address:** 224 Crain Hwy N - Glen Burnie, MD 21061-3005 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164436V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000002368		Taylor-Wharton	1989	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Seasons Pizza (Arc3) **Location ID:** 3961864  
**Address:** 5511 Ritchie Hwy - Brooklyn, MD 21225-3444 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164401V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166069		CHART	2005	06/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Severn 100 Condominiums **Location ID:** 724678  
**Address:** 100 Severn Ave - Annapolis, MD 21403-2673 **Phone:** 410-268-8270  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Kary Leddy - Phone: 443-249-0172 x12 - Email: kledddy@victorymgt.com  
**Billing Contact:** Kary Leddy - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-249-0172 x12 - Email: kledddy@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD017741H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	None found		Indeeco	1978	03/27/2021	Recurring Cert	Active	BASEMENT ELE
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Severn House Condominiums **Location ID:** 2441872  
**Address:** 790 Fairview Ave Bldg 10 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132033H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000079994		Bradford White	2003	12/13/2022	Recurring Cert	Active	Bldg 6

**Total Objects at this Location:** 1

---

**Location:** Severn House Condominiums **Location ID:** 724684  
**Address:** 790 Fairview Ave Bldg 2 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146054H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000163524		A O Smith	2011	10/12/2022	Recurring Cert	Active	Bldg 2

**Total Objects at this Location:** 1

---

**Location:** Severn House Condominiums **Location ID:** 2441855  
**Address:** 790 Fairview Ave Bldg 3 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Jennifer Guy - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD149946H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000176103		A O Smith	2013	12/13/2022	Recurring Cert	Active	BLDG 3 (780)

**Total Objects at this Location:** 1

---



---

**Location:** Severn House Condominiums **Location ID:** 2441857  
**Address:** 790 Fairview Ave Bldg 4 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168288H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000260178		A O Smith	2019	03/05/2023	Recurring Cert	Active	BLDG 4

**Total Objects at this Location:** 1

---

**Location:** Severn House Condominiums **Location ID:** 2441860  
**Address:** 790 Fairview Ave Bldg 5 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132031H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000070182		Jet Glass	2001	10/12/2022	Recurring Cert	Active	Bldg 5

**Total Objects at this Location:** 1

---

**Location:** Severn House Condominiums **Location ID:** 2441863  
**Address:** 790 Fairview Ave Bldg 6 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132032H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000003075		State Industries	2005	10/12/2022	Recurring Cert	Active	Bldg 6

**Total Objects at this Location:** 1

---

**Location:** Severn House Condominiums **Location ID:** 2441866  
**Address:** 790 Fairview Ave Bldg 7 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132034H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000021507		Bradford White	2001	10/12/2022	Recurring Cert	Active	Bldg 7

**Total Objects at this Location:** 1

**Location:** Severn House Condominiums **Location ID:** 2441868  
**Address:** 790 Fairview Ave Bldg 8 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD137816H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000150674		State Industries	2010	12/13/2022	Recurring Cert	Active	BUILDING 8

**Total Objects at this Location:** 1

**Location:** Severn House Condominiums **Location ID:** 2441869  
**Address:** 790 Fairview Ave Bldg 9 - Annapolis, MD 21403-2948 **Phone:** 410-553-9500  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Dwellings Other Than Apartment Buildings  
**Primary Contact:** Jennifer Guy - Phone: 443-249-0172x15 - Email: jennifer@victorymgt.com  
**Billing Contact:** Vicki Burnett - PO Box 1200 Stevensville, MD 21666-1200 - Phone: 443-553-9500 - Email: vickiburnett@victorymgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD037997H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000003412		Jet Glass	1979	10/12/2022	Recurring Cert	Active	Bldg 9
MD132030H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000073764		Bradford White	2006	10/12/2022	Recurring Cert	Active	Bldg 9

**Total Objects at this Location:** 2

**Location:** Severna Park Taphouse (Arc3) **Location ID:** 3963464  
**Address:** 58 W Earleigh Heights Rd - Severna Park, MD 21146-1121 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164614V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000288997		CHART	2016	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Shaw & Sons Amusements **Location ID:** 724772  
**Address:** 500 Shaw Ct - Severn, MD 21144-2110 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** Shaw & Sons Amusements - Phone: 4107680687  
**Billing Contact:** - 600 Shaw Ct PO Box 456 Severn, MD 21144-2137 - Phone: 4107680687

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD063069V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004796		McCulloch	1972	08/10/2020	Recurring Cert	Active	A R 3087 Hurricane
MD104492V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004793		McCulloch	1972	08/10/2020	Recurring Cert	Active	A R 3087 Hurricane
MD104493V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004792		McCulloch	1972	08/10/2020	Recurring Cert	Active	A R 3087 Hurricane

**Total Objects at this Location:** 3

**Location:** Sheehy Truck Center of Glen Burnie  
**Address:** 7340 Ritchie Hwy - Glen Burnie, MD 21061-3165  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shawn Fenwick - Phone: 4432709000 - Email: shawnfenwick@sheehy.com  
**Billing Contact:**

**Location ID:** 3815990  
**Phone:** 877-360-8024  
**NOB/SIC:** Automotive Services, Except Repair and Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158787V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000637151		Morganton	2017	01/15/2022	Recurring Cert	Active	AIR COMP. CLOSET-REAR SHOP

**Total Objects at this Location:** 1

**Location:** Shooters Sports Bar & Grill (Arc3)  
**Address:** 904 Ritchie Hwy - Severna Park, MD 21146-4123  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963481  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164618V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128974		CHART	2001	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Shoppers Food Warehouse  
**Address:** 7858 Quarterfield Rd - Severn, MD 21144-1320  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** John Purvis - Phone: 410-969-4800 - Email: Shoppers.x.7561manager@supervalu.com  
**Billing Contact:** John Purvis - 7858 Quarterfield Rd Severn, MD 21144-1320 - Phone: 410-969-4800 - Email: Shoppers.x.7561manager@supervalu.com

**Location ID:** 724686  
**Phone:** 410-969-4800  
**NOB/SIC:** Grocery Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106375V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000019360		Standard	1998	08/06/2021	Recurring Cert	Active	ROOF PH
MD106376V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000019363		Standard	1998	08/06/2021	Recurring Cert	Active	ROOF PH

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122100V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000018827		Standard	1998	08/06/2021	Recurring Cert	Active	ROOF PH
MD122101V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000018828		Standard	1998	08/06/2021	Recurring Cert	Active	ROOF PH

**Total Objects at this Location:** 4

**Location:** Slice of Italy (Arc3) **Location ID:** 3961867  
**Address:** 6721 Chesapeake Center Dr - Glen Burnie, MD 21060-6572 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164389V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000179387		CHART	2006	06/13/2021	Recurring Cert	Active	Kitchen (Inside Walmart)

**Total Objects at this Location:** 1

**Location:** Snyders Willow Grove (Arc3) **Location ID:** 3961852  
**Address:** 7089 Baltimore Annapolis Blvd Ste A - Glen Burnie, MD 21061-1400 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164395V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004341		Taylor-Wharton	1990	06/13/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** SOM-MDOT/MAA/BWI Airport **Location ID:** 703517  
**Address:** 7001 Aviation Blvd - Glen Burnie, MD 21061-2570 **Phone:** 410-859-7530  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Airports, Flying Fields, and Airport Terminal Services  
**Primary Contact:** Simeon Happel - Phone: 410-859-7173 - Cell: 410-855-2523 - Email: shappel@bwiairport.com  
**Billing Contact:** Simeon Happel - 7001 Aviation Blvd Glen Burnie, MD 21061-2570 - Phone: 410-859-7173 - Cell: 410-855-2523 - Email: shappel@bwiairport.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD018261V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004533		Cutler	1962	03/03/2022	Recurring Cert	Active	Bldg 158
MD030569V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00015949A		Brunner	1976	03/03/2022	Recurring Cert	Active	Bldg 123 Boiler Room
MD036296V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000818253		Kargard	1976	03/03/2022	Recurring Cert	Active	Main Terminal, MER-2
MD049443V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000396491		Buckeye	1983	03/03/2022	Recurring Cert	Active	DX Pier, MER-10
MD085148V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001105963		Manchester	1993	03/03/2022	Recurring Cert	Active	Bldg 116 Shop Bay
MD091772V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000526830		Melben	1995	03/03/2022	Recurring Cert	Active	C Pier, MER-14
MD091773V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000084745	039584745	PVI	1995	03/03/2022	Recurring Cert	Active	C Pier, Room C231A
MD103170V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000413837		Manchester	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD103171V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000195061		Buckeye	1979	03/03/2022	Recurring Cert	Active	Bldg 118
MD112962V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000148451		Manchester	1987	03/03/2022	Recurring Cert	Active	DY Pier, MER-11
MD112963V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000041466		Cemline	1989	03/03/2022	Recurring Cert	Active	DY Pier, MER-11
MD120662V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000356451		Manchester	1995	03/03/2022	Recurring Cert	Active	Fire Station Rm 47
MD120670V	A/C Chiller	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000217116		Carrier	1999	03/01/2022	Recurring Cert	Active	DY Pier Chiller Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120671V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000217160		Carrier	1999	03/03/2022	Recurring Cert	Active	DY Pier Chiller Room
MD120672V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000296043		Silvan	1999	03/03/2022	Recurring Cert	Active	DY Pier Chiller Room
MD120677H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100311	0300100311	PVI	2000	03/03/2022	Recurring Cert	Active	BX Pier Mech Rm
MD120678V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000310749		Silvan	1999	03/03/2022	Recurring Cert	Active	BX Pier Mech Rm
MD123880H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000111396		PVI	2003	03/03/2022	Recurring Cert	Active	Bldg 140, Rm 118
MD123881V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000338775		Steel Fab	2003	03/03/2022	Recurring Cert	Active	Bldg 140, Rm 123
MD123882V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000584064		Manchester	2002	03/03/2022	Recurring Cert	Active	Bldg 166 Central Parking Garage RM S1H 1st Flr Sub
MD123883H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000113575		PVI	2004	03/03/2022	Recurring Cert	Active	Bldg 115 RM107
MD123884V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001218510		Campbell Hausfeld	2004	03/01/2022	Recurring Cert	Active	Pier A, MER A-2
MD123885V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000054982		Cemline	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2
MD123886V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000054980		Cemline	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2
MD123887V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000054981		Cemline	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2
MD123888V	Heat Exchanger	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000118196		ITT	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2
MD123889V	Heat Exchanger	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000118199		ITT	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2
MD123890V	Heat Exchanger	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000118198		ITT	2004	03/01/2022	Recurring Cert	Active	Pier A, MER A-2
MD123891V	Heat Exchanger	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000118197		ITT	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-2

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123892V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001213549		Campbell Hausfeld	2004	03/03/2022	Recurring Cert	Active	Pier A, MER A-5
MD123893V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001213547		Campbell Hausfeld	2004	03/03/2022	Recurring Cert	Active	Pier B, MER B-2
MD123894V		Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000046161		Old Dominion	1987	03/03/2022	Recurring Cert	Active	DY Pier, MER-11
MD123895V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000349329		Manchester	2004	03/03/2022	Recurring Cert	Active	Bldg 172. Rm 144
MD137880V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000009603		Air Com	2006	03/03/2022	Recurring Cert	Active	Bldg 123 Blrm
MD137881V	Heater #1	Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000056637		Cemline	2005	03/03/2022	Recurring Cert	Active	Main Terminal, MER 2
MD137882V	Heater #2	Steam Coil Water Heater	V - Process-Heat Transfer-Other w/comment	000056639		Cemline	2005	03/03/2022	Recurring Cert	Active	Main Terminal, MER-2
MD137883V	Heater #3	Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000056638		Cemline	2005	03/03/2022	Recurring Cert	Active	Main Terminal, MER-2
MD137884V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128090		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD137885V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128092		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD137886V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128091		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD137887V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128907		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD137888V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128908		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD137889V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000128906		Taco	1996	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD141302H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	KN-H-NET-M10NB-5741	Hydrotherm	2010	03/03/2022	Recurring Cert	Active	E Pier Mechanical
MD141303H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	KN-H-NET-M10NB-5739	Hydrotherm	2010	03/03/2022	Recurring Cert	Active	E Pier Mechanical Rm



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD141304H	1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7372	Hydrotherm	2011	03/03/2022	Recurring Cert	Active	Rm ST133
MD141305H	2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	6899	Hydrotherm	2011	03/03/2022	Recurring Cert	Active	Rm ST133
MD141306H	3	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	6901	Hydrotherm	2011	03/03/2022	Recurring Cert	Active	Rm ST133
MD141307H	4	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	7373	Hydrotherm	2011	03/03/2022	Recurring Cert	Active	Rm ST133
MD143558H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000133494	1211133494	PVI Industries	2011	03/03/2022	Recurring Cert	Active	Fire Station Room 47
MD148212V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000270939		Morganton	2013	03/03/2022	Recurring Cert	Active	Bldg 121 Compressor Room
MD148213V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000695373		Steel Fab	2012	03/03/2022	Recurring Cert	Active	Bldg 137 Rear Shead Compressor Room
MD148240V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001206180		Campbell Hausfield	2004	03/03/2022	Recurring Cert	Active	MER-4
MD150130H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	51422559	Hydrotherm	2014	03/02/2022	Recurring Cert	Active	AARF
MD150131H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	28HE-11-142145	Smith	2014	03/03/2022	Recurring Cert	Active	Bldg 123
MD151211H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	031540323	Advanced Thermal	2015	03/03/2022	Recurring Cert	Active	Boiler Bldg 140
MD153517V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000016384		Adamson	2012	03/03/2022	Recurring Cert	Active	DY pier MER 12
MD153518V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000003549		Midwest Tank Co	2013	03/03/2022	Recurring Cert	Active	MER 10
MD161316V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001710682		Manchester	2016	02/22/2022	Recurring Cert	Active	Pump Room NT 101 A&B
MD166925H	#2	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ATH	2018	02/27/2022	Recurring Cert	Active	Boiler Bldg 140
MD168201H	#1	Cast Iron	H - Hot Water Heat (Water <=	CI		ATH	2019	07/20/2022	Recurring Cert	Active	MER 10

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168202H	#2	Cast Iron	160 psig, 250 F) H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		ATH	2019	07/20/2022	Recurring Cert	Active	MER 10

**Total Objects at this Location:** 62

**Location:** SOM-MDOT/MAA/BWI Airport/Central Utilities  
**Address:** 114 Elm Rd - Baltimore, MD 21240-1013  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Kevin Pippin - Phone: 410-991-1219 - Email: kpippin@BWLairport.com  
**Billing Contact:** Kevin Pippin - 114 Elm Rd Baltimore, MD 21240-1013 - Phone: 410-991-1219 - Email: kpippin@BWLairport.com

**Location ID:** 705526  
**Phone:**  
**NOB/SIC:** Airports, Flying Fields, and Airport Terminal Services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD004558	Generator #3	Horizontal Water Tube	S - Hi Temp Hi Press Water (Water > 160 psig, 250 F)	000000612	L-365	Volcano	1995	08/02/2021	Recurring Cert	Active	Central Utilities
MD103164V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000002		Green Contracting	1995	07/07/2022	Recurring Cert	Active	Central Utilities Loft
MD103165V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000003		Green Contracting	1996	07/07/2022	Recurring Cert	Active	Central Utilities Loft
MD103166V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000000001		Green Contracting	1996	07/07/2022	Recurring Cert	Active	Central Utilities Loft
MD103167V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000185656		Silvan	1996	07/07/2022	Recurring Cert	Active	Central Utilities Blrm
MD103168V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000517170		Manchester	1995	07/07/2022	Recurring Cert	Active	Central Utilities Blrm
MD120654	Generator #1	Horizontal Water Tube	S - Hi Temp Hi Press Water (Water > 160 psig, 250 F)	000000797		Indeck Boiler Corp	2003	08/02/2021	Recurring Cert	Active	Central Utilities Blrm
MD120655	Generator #2	Horizontal Water Tube	S - Hi Temp Hi Press Water (Water > 160 psig, 250 F)	000000798		Indeck Boiler Corp	2003	08/02/2021	Recurring Cert	Active	Central Utilities Blrm
MD120656V	Chiller #3	Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000069793		York International	1996	07/07/2022	Recurring Cert	Active	Central Utilities Chiller Plant

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD120658V	Chiller #5	Horizontal Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000073300		York International	2000	07/07/2022	Recurring Cert	Active	Central Utilities Chiller Plant

**Total Objects at this Location:** 10

**Location:** SOM-MDOT/MAA/BWI CNG Station  
**Address:** 1 Aaronson Dr - Glen Burnie, MD 21061-2532  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Kevin Pippin - Phone: 410-859-7530 - Email: kpippin2@bwiairport.com  
**Billing Contact:** Kevin Pippin - 7001 Aviation Blvd Glen Burnie, MD 21061-2570 - Phone: 410-859-7530 - Email: kpippin2@bwiairport.com

**Location ID:** 705528  
**Phone:**  
**NOB/SIC:** Electric, gas, and sanitary services

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133591V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048760		C P Industries	2005	09/03/2021	Recurring Cert	Active	CNG Station
MD133592V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048759		C P Industries	2005	09/03/2021	Recurring Cert	Active	CNG Station
MD133593V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048835		C P Industries	2006	09/03/2021	Recurring Cert	Active	CNG Station
MD133594V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048978		C P Industries	2006	09/03/2021	Recurring Cert	Active	CNG Station
MD133595V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048975		C P Industries	2006	09/03/2021	Recurring Cert	Active	CNG Station
MD133596V	Storage Tank	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000048977		C P Industries	2005	09/03/2021	Recurring Cert	Active	CNG Station
MD133597V	Blower Housing	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000002846		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133598V	Coalescer After Filter	Vertical Unfired Pressure Vessel w/comment	V - Process-Filter/Strainer	000002831		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133599V	Coalescer Pre-Filter	Vertical Unfired Pressure Vessel w/comment	V - Process-Filter/Strainer	000002830		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133600V	Desiccant Drier	Vertical Unfired Pressure Vessel w/comment	V - Process-Drying	000002839		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133601V	Desiccant Drier	Vertical Unfired Pressure Vessel	V - Process-Drying	000002840		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
		w/comment									
MD133602V	Gas Heater	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	None Found	C965	Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133603V	Gas Heater	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	None Found	C978	Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station
MD133604V	Desiccant Drain Tank	Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000002845		Xebec	2006	09/03/2021	Recurring Cert	Active	Gas Drier Station

**Total Objects at this Location:** 14

**Location:** SOM-MDOT/MDTA/Police & Maint Bldg  
**Address:** 881 Oceanic Dr - Annapolis, MD 21409-6107  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2364767  
**Phone:** 410-537-6651  
**NOB/SIC:** Police Protection  
**Primary Contact:** Scott Still - Cell: 443-829-1710 - Email: sstill@mdta.state.md.us  
**Billing Contact:** Scott Still - 850 Revell Hwy Annapolis, MD 21409-5559 - Cell: 443-829-1710 - Email: sstill@mdta.state.md.us

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD131106V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000549251		Manchester	1998	07/29/2022	Recurring Cert	Active	Compressor Room
MD163009H	B-1	Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Smith Cast Iron	2017	07/27/2022	Recurring Cert	Active	Boiler Room
MD163010H	WH-1	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000144333	144333	PVI Industries	2017	07/27/2022	Recurring Cert	Active	Boiler Room
MD163011V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000400560		Taco Inc	2017	03/08/2023	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 4

**Location:** SOM-MDOT/MVA/Building **Location ID:** 719086  
**Address:** 1 Orchard Rd - Glen Burnie, MD 21060-6377 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Regulation and Administration of Transportation Programs  
**Primary Contact:** Brad Wilson - Phone: 410-768-7215 - Cell: 443-790-9203 - Email: bwilson3@mva.maryland.gov  
**Billing Contact:** Brad Wilson - 6601 Ritchie Hwy Glen Burnie, MD 21062-1000 - Phone: 410-768-7215 - Cell: 443-790-9203 - Email: bwilson3@mva.maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD076803H		Electric (NOT HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000037295		A O Smith	1991	01/07/2022	Recurring Cert	Active	OIR Mechanical Room
MD113808V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000007622		Ketema	1994	01/07/2022	Recurring Cert	Active	OIR Chiller Room
MD133647V		Heat Exchanger - Shell and Tube	V - Process-Heat Transfer-Other w/comment	000000872		Carrier Mexico	1999	01/07/2022	Recurring Cert	Active	OIR Chiller Room
MD133648V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000005637		Provides	2006	01/07/2022	Recurring Cert	Active	OIR Roof
MD133649V		Heat Exchanger - Other w/comment	V - Process-Heat Transfer-Other w/comment	000005635		Provides	2006	01/07/2022	Recurring Cert	Active	OIR Roof
MD134800V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000439759		Silvan	2004	01/07/2022	Recurring Cert	Active	Building D Shop

**Total Objects at this Location:** 6

**Location:** SOM-MDOT/SHA/State Hwy/Tracys Landing **Location ID:** 1512524  
**Address:** Route 2 and Route 258 - Tracys Landing, MD 20779 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Government, NEC  
**Primary Contact:** Cody Yinger - Phone: 410-841-1009 - Cell: 240-674-7385 - Email: cyinger2@sha.state.md.us  
**Billing Contact:** Greg Keenan - 7491 Connelley Dr Bldg 1 Hanover, MD 21076-1701 - Phone: 410-582-5585 - Email: gkeenan@mdot.maryland.gov

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD121137H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	CP2929174	Weil-McLain	1995	05/08/2021	Recurring Cert	Active	Lounge
MD121138V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000304880		Steel Fab	2002	05/08/2021	Recurring Cert	Active	Garage

**Total Objects at this Location:** 2

**Location:** SOM-NG/ARNG/National Guard Armory/Glen Bu  
**Address:** 14 Dorsey Rd - Glen Burnie, MD 21061-3203  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Francis Scott Gostomski - Phone: 410-576-1441 - Cell: 410-446-2736  
**Billing Contact:** Francis Scott Gostomski - 219 W 29th Division St Ofc Baltimore, MD 21201-2288 - Phone: 410-576-1441 - Cell: 410-446-2736

**Location ID:** 717729  
**Phone:**  
**NOB/SIC:** National Security

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116055H		Cast Iron	H - Steam Heat (Steam <= 15 psig)	CI	N2002-1444	Smith	2002	12/29/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** Somerford Place  
**Address:** 2717 Riva Rd - Annapolis, MD 21401-7203  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Terry Sampson - Phone: 410 224 7300  
**Billing Contact:** Terry Sampson - 2717 Riva Rd Annapolis, MD 21401-7203 - Phone: 410 224 7300

**Location ID:** 1338412  
**Phone:** 410 224 7300  
**NOB/SIC:** Nursing and Personal Care Facilities, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168268H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000263701		A O Smith	2019	09/17/2022	Recurring Cert	Active	MAINTENANCE

**Total Objects at this Location:** 1

**Location:** Sonesta ES Suites  
**Address:** 1160 Winterson Rd - Linthicum Heights, MD 21090-2207  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shenae Moulden - Phone: 410 691 0255 - Email: sherae.moulden@sonesta.com  
**Billing Contact:** Shenae Moulden - 1160 Winterson Rd Linthicum Heights, MD 21090-2207 - Phone: 410 691 0255 - Email: sherae.moulden@sonesta.com

**Location ID:** 754610  
**Phone:** 410-691-0255  
**NOB/SIC:** Hotels and Motels

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116065H	6978626	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000077262		Lochinvar	1997	03/21/2023	Recurring Cert	Active	Gatehouse Main Sprinkler Valve Room
MD116066H	A #3	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000074342		Lochinvar	1997	03/21/2023	Recurring Cert	Active	A Building Maintenance Room

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116067H	A #2	Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000073594		Lochinvar	1997	03/21/2023	Recurring Cert	Active	A Building Maintenance Room
MD116068H		Horizontal Water Tube	H - Hot Water Heat (Water <= 160 psig, 250 F)	000076978	6978623	Lochinvar	1997	03/21/2023	Recurring Cert	Active	B Building Sprinkler Valve Room
MD145683H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000239558		Lochinvar	2012	03/21/2023	Recurring Cert	Active	B Building Sprinkler Valve Room
<b>Total Objects at this Location:</b>				5							

**Location:** South County Auto  
**Address:** 223 Mayo Rd Ste A - Edgewater, MD 21037-2950  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** South County Auto  
**Billing Contact:**

**Location ID:** 4044964  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168213V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000426237		MAT Ind.	2017	10/22/2022	Recurring Cert	Active	Outside Rear
<b>Total Objects at this Location:</b>				1							

**Location:** Southgate Apartments  
**Address:** 302 Highland Dr - Glen Burnie, MD 21061-8903  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments - Phone: 410-687-1517  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939 - Phone: 410-687-1517

**Location ID:** 725345  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133582H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000115821	115821	A O Smith	2007	05/27/2021	Recurring Cert	Active	Bldg 302 Utility Room
MD133583H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000093897		A O Smith	2005	05/27/2021	Recurring Cert	Active	Bldg 302 Utility Room
<b>Total Objects at this Location:</b>				2							

**Location:** Southgate Apartments  
**Address:** 303 Oak Manor Dr - Glen Burnie, MD 21061-5562  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments - Phone: 410-768-1517  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939 - Phone: 410-768-1517

**Location ID:** 725346  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151709H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108813	123813	Bradford	2014	05/27/2021	Recurring Cert	Active	Bldg 303 Utility Room
MD151710H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000108172	123172	Bradford	2014	05/27/2021	Recurring Cert	Active	Bldg 303 Utility Rm

**Total Objects at this Location:** 2

**Location:** Southgate Apartments  
**Address:** 309 Oak Manor Dr - Glen Burnie, MD 21061-5556  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments - Phone: 410-768-1517  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939 - Phone: 410-768-1517

**Location ID:** 725342  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133585H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000114344	114344	A O Smith	2007	04/27/2021	Recurring Cert	Active	Bldg 309 Utility Room
MD133586H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000115825	115825	A O Smith	2007	04/27/2021	Recurring Cert	Active	Bldg 309 Utility Room

**Total Objects at this Location:** 2



**Location:** Southgate Apartments  
**Address:** 314 Highland Dr - Glen Burnie, MD 21061-8915  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments - Phone: 410-768-1517  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939 - Phone: 410-768-1517

**Location ID:** 725343  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD116064H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000073204		State Industries	2001	05/27/2021	Recurring Cert	Active	BLDG 314 utility rm
<b>Total Objects at this Location:</b>				1							

**Location:** Southgate Apartments  
**Address:** 316 Highland Dr - Glen Burnie, MD 21061-8917  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939

**Location ID:** 725267  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD128181H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000105921		State Industries	2006	04/24/2021	Recurring Cert	Active	Bldg 316
<b>Total Objects at this Location:</b>				1							

**Location:** Southgate Apartments  
**Address:** 322 Highland Dr - Glen Burnie, MD 21061-8923  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939

**Location ID:** 725348  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD134832H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129204	129204	A O Smith	2008	05/27/2021	Recurring Cert	Active	322 Highland Utility Room
MD134833H	2	Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000131876	131876	A O Smith	2008	05/27/2021	Recurring Cert	Active	322 Highland Utility Room

**Total Objects at this Location:** 2

**Location:** Southgate Apartments  
**Address:** 330 Highland Dr - Glen Burnie, MD 21061-5951  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments - Phone: 410-768-1517  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939 - Phone: 410-768-1517

**Location ID:** 725349  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD133584H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000105774	105774	A O Smith	2006	05/27/2021	Recurring Cert	Active	Bldg 330 Utility Room
<b>Total Objects at this Location:</b>				1							

**Location:** Southgate Apartments  
**Address:** 342 Highland Dr - Glen Burnie, MD 21061-5943  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Southgate Apartments  
**Billing Contact:** - 362 Klagg Ct Ste 201 Glen Burnie, MD 21061-8939

**Location ID:** 725350  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152964H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000208943	208943	A O Smith	2015	04/24/2021	Recurring Cert	Active	Bldg 342 Utility Room
<b>Total Objects at this Location:</b>				1							

**Location:** Spizzico (Arc3)  
**Address:** 1282 Bay Dale Dr - Arnold, MD 21012-2325  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963498  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165034V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000050533		Taylor-Wharton	2000	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

**Location:** Spizzico (Arc3) **Location ID:** 3965278  
**Address:** 9 Lee Airpark Dr - Edgewater, MD 21037-1229 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165057V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000135213		CHART	2001	10/29/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Sprout's Farmers Market **Location ID:** 715342  
**Address:** 8048 Ritchie Hwy - Pasadena, MD 21122-1084 **Phone:** 443-960-8484  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Food stores  
**Primary Contact:** M Crabtree  
**Billing Contact:** M Crabtree - 8048 Ritchie Hwy Pasadena, MD 21122-1084

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166871V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000102019	U102019	Westermeyer Ind	2019	06/04/2022	Recurring Cert	Active	Mezzanine

**Total Objects at this Location:** 1

**Location:** Squeaky Clean Car Wash **Location ID:** 715331  
**Address:** 7953 Fort Smallwood Rd - Curtis Bay, MD 21226-1909 **Phone:** (410) 385-5384  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive dealers and gasoline service stations  
**Primary Contact:** David Daneman - Phone: (410) 347-8729 - Email: ddaneman@wtplaw.com  
**Billing Contact:** David Daneman - 477 Cardiff Ct Severna Park, MD 21146-1617 - Phone: (410) 347-8729 - Email: ddaneman@wtplaw.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD122838V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000926397		Manchester	1999	01/05/2021	Recurring Cert	Active	Mechanical Room
MD135021H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	UHG19652	ECR International	2009	01/05/2021	Recurring Cert	Active	Mechanical Rm

Total Objects at this Location: 2

**Location:** Stan & Joe's Saloon South (Arc3) **Location ID:** 3965284  
**Address:** 173 Mitchells Chance Rd - Edgewater, MD 21037-2773 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165043V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000007057		CRYOGENIC SERVICES	1990	07/29/2021	Recurring Cert	Active	Outside

Total Objects at this Location: 1

**Location:** Stan & Joes Riverside (Arc3) **Location ID:** 4045747  
**Address:** 4851 Riverside Dr - Galesville, MD 20765-3105 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154972V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015946		Taylor	1993	10/29/2022	Recurring Cert	Active	Store Room

Total Objects at this Location: 1

**Location:** Star Kitchens **Location ID:** 725664  
**Address:** 950 Hilltop Rd - Arnold, MD 21012-1737 **Phone:** 410-269-0600  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Miscellaneous manufacturing industries  
**Primary Contact:** R. Bussey - Phone: 410-269-0600  
**Billing Contact:** R. Bussey - 111 Chinquapin Round Rd Annapolis, MD 21401-4058 - Phone: 410-269-0600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD097231V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000279414		Melben	1990	03/09/2021	Recurring Cert	Active	Shop - 1825 George

Total Objects at this Location: 1

**Location:** Starting Gate Service Center  
**Address:** 3521 Whiskey Bottom Rd - Laurel, MD 20724-1403  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Chris Ruehl - Phone: 3014981616  
**Billing Contact:**

**Location ID:** 725675  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD080724V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001000755		Buckeye	1991	12/04/2021	Recurring Cert	Active	REAR

**Total Objects at this Location:** 1

**Location:** Stoney Creek Inn (Arc3)  
**Address:** 8238 Fort Smallwood Rd - Curtis Bay, MD 21226-1918  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3963321  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164452V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000106044		MVE Inc	1999	07/10/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Subway (NuCO2) # 620098  
**Address:** 6 Mountain Rd - Glen Burnie, MD 21060-7974  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Subway (NuCO2) # 620098  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: pressurevesselpermitting@nuco2.com

**Location ID:** 3769105  
**Phone:**  
**NOB/SIC:** Industrial Gases

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161777V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000034449	444039NB	Taylor-Wharton	1997	02/15/2021	Recurring Cert	Active	Beverage Carbonation

**Total Objects at this Location:** 1

---

**Location:** Subway - 01984 (Arc3) **Location ID:** 3963500  
**Address:** 1450 Ritchie Hwy Ste 105 - Arnold, MD 21012-2497 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Subway - 01984 (Arc3)  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165038V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128990		CHART	2001	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 11677 **Location ID:** 3963446  
**Address:** 4165 Mountain Rd - Pasadena, MD 21122-4455 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164441V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000166060		CHART	2005	07/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 2135 (Arc3) **Location ID:** 3963307  
**Address:** 337 Hospital Dr - Glen Burnie, MD 21061-5547 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164195V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000133880		CHART	2001	07/10/2021	Recurring Cert	Active	Outside Rear
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Subway - 2217 (Arc3) **Location ID:** 3963631  
**Address:** 2311 Forest Dr Ste C - Annapolis, MD 21401-3835 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165069V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000140849		CHART	2002	07/11/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 23023 (Arc3) **Location ID:** 3963317  
**Address:** 2332 Mountain Rd - Pasadena, MD 21122-1210 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165054V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004433		Taylor-Wharton	1988	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 25449 **Location ID:** 3961883  
**Address:** 6720 Ritchie Hwy Ste B - Glen Burnie, MD 21061-2892 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164396V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000110905		MVE Inc	1999	06/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Subway - 38815 (Arc3) **Location ID:** 3963606  
**Address:** 1334 Cape St Claire Rd - Annapolis, MD 21409-5216 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165795V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000141362		CHART	2002	07/11/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 41195 (Arc3) **Location ID:** 3963455  
**Address:** 4730 Mountain Rd - Pasadena, MD 21122-5829 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164440V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000128984		CHART	2001	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** Subway - 64247 (Arc3) **Location ID:** 3963604  
**Address:** 101 College Pkwy - Arnold, MD 21012-1857 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165039V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000106055		MVE Inc	1999	07/11/2021	Recurring Cert	Active	Store Room - CRSC Building
<b>Total Objects at this Location:</b>				1							

---



**Location:** Subway Auto Body  
**Address:** 781 Annapolis Rd - Gambrills, MD 21054-1308  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Subway Auto Body  
**Billing Contact:**

**Location ID:** 3666912  
**Phone:**  
**NOB/SIC:** Automotive Repair Shops, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD152961V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000018553		Aircom	2014	12/29/2021	Recurring Cert	Active	Main Shop
MD152962V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000017386		Aircom	2014	12/29/2021	Recurring Cert	Active	Main Shop
MD152963V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000962254		Manchester	2008	12/29/2021	Recurring Cert	Active	Rear Shop
<b>Total Objects at this Location:</b>				3							

**Location:** Sudden Impact Collision Center  
**Address:** 1126 Crain Hwy N - Glen Burnie, MD 21061-2940  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Paul Sullivan - Phone: 410-766-0202 - Cell: 443-324-4266 - Email: psullivan930@aol.com  
**Billing Contact:** Paul Sullivan - 1126 Crain Hwy N Glen Burnie, MD 21061-2940 - Phone: 410-766-0202 - Cell: 443-324-4266 - Email: psullivan930@aol.com

**Location ID:** 2929496  
**Phone:**  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD091186V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	00040090J		Brunner	1995	08/14/2021	Recurring Cert	Active	COMPRESSOR R
MD104135V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022376		Melben	1980	08/14/2021	Recurring Cert	Active	COMPRESSOR R
<b>Total Objects at this Location:</b>				2							

**Location:** Sunoco - 6938 (Sunoco) **Location ID:** 3972819  
**Address:** 7930 Crain Hwy S - Glen Burnie, MD 21061-4931 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Kathleen McCaney - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com  
**Billing Contact:** Kathleen McCaney - 1815 Gallagher Rd Plymouth Meeting, PA 19462-2840 - Phone: 610-276-5988 - Email: kathleen.mccaney@sunoco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164462V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000630352		Morganton	2017	09/19/2021	Recurring Cert	Active	Car Wash
<b>Total Objects at this Location:</b>				1							

**Location:** Sunrise Assisted Living Inc **Location ID:** 726045  
**Address:** 800 Bestgate Rd - Annapolis, MD 21401-3016 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Offices and Clinics of Doctors of Medicine  
**Primary Contact:** Ashley Proctor - Phone: 410 266 1400 - Cell: 410 353 9340 - Email: annoplis.mc@sunrisesenorilving.com  
**Billing Contact:** Ashley Proctor - 800 Bestgate Rd Annapolis, MD 21401-3016 - Phone: 410 266 1400 - Cell: 410 353 9340 - Email: annoplis.mc@sunrisesenorilving.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD090739V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022392		Weben-Jarco	1995	12/22/2021	Recurring Cert	Active	BLRM
MD090740V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000022391		Weben-Jarco	1995	12/22/2021	Recurring Cert	Active	BLR RM
MD147946H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SMITH	2012	12/22/2021	Recurring Cert	Active	BLRM
<b>Total Objects at this Location:</b>				3							

---

**Location:** Taco Bell (NuCo2) #171527 **Location ID:** 3635105  
**Address:** 8081 Veterans Hwy - Millersville, MD 21108-1446 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** NuCO2-Regulatory (MD BPV) - Phone: 800-472-2855 - Email: regulatory@nuco2.com  
**Billing Contact:** - 2800 SE Market PI Stuart, FL 34997-4965 - Phone: 800-472-2855 - Email: regulatory@nuco2.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159841V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000289912		CHART	2016	10/17/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Taco Bell (Roberts Oxygen) **Location ID:** 3635101  
**Address:** 2639 Annapolis Rd - Hanover, MD 21076-1262 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156103V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290490	31621355	CHART	2016	10/17/2021	Recurring Cert	Active	Back Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Taco Bell - 32628 (Roberts) **Location ID:** 3635104  
**Address:** 5184 Raynor Ave - Linthicum, MD 21090-1412 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD156239V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290481	31621346	CHART	2016	09/18/2021	Recurring Cert	Active	Back Room
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Taco Bell - 32666 (Roberts Oxygen) **Location ID:** 3635097  
**Address:** 8099 Edwin Raynor Blvd - Pasadena, MD 21122-6829 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158381V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000289924		Chart	2016	10/17/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Taco Bell - 32668 (Roberts ) **Location ID:** 3635103  
**Address:** 6656 Ritchie Hwy - Glen Burnie, MD 21061-2317 **Phone:** 410-787-1025  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159268V	None	Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000289918	31619916	Chart Inc	2016	11/22/2021	Recurring Cert	Active	Kitchen
<b>Total Objects at this Location:</b>				1							

---

**Location:** Taco Bell - 32670 **Location ID:** 3975090  
**Address:** 5501 Ritchie Hwy - Brooklyn, MD 21225-3444 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Taco Bell - 32670  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165083V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000290027		CHART	2016	09/18/2021	Recurring Cert	Active	Store Rm
<b>Total Objects at this Location:</b>				1							

---

**Location:** Telegraph Exxon  
**Address:** 805 Reece Rd - Severn, MD 21144-1102  
**County:** Anne Arundel  
**Primary Contact:** Telegraph Exxon - Phone: 4105518703  
**Billing Contact:**

**FIPS:** 24003

**Location ID:** 726411  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104317V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0699926		Manchester	1996	07/27/2021	Recurring Cert	Active	Back Of Car Wash

**Total Objects at this Location:** 1

**Location:** Tenner Family Limited Partnership  
**Address:** 150 South St Ste 206 - Annapolis, MD 21401-2639  
**County:** Anne Arundel  
**Primary Contact:** Tenner Family Limited Partnership - Phone: 410 269 6720  
**Billing Contact:** - 150 South St Ste 206 Annapolis, MD 21401-2639 - Phone: 410 269 6720

**Location ID:** 705991  
**Phone:**  
**NOB/SIC:** Holding and other investment offices

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD009421H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		American Radiator	1968	05/06/2021	Recurring Cert	Active	Boiler Room

**Total Objects at this Location:** 1

**Location:** The Birdcage (Arc3)  
**Address:** 7089 Baltimore Annapolis Blvd Ste C - Glen Burnie, MD 21061-1400  
**County:** Anne Arundel  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3961855  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

**FIPS:** 24003

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164394V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000014753		Taylor-Wharton	1993	06/13/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** The Cheesecake Factory  
**Address:** 1872 Annapolis Mall Rd. - Annapolis, MD 21401-3117  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2411081  
**Phone:** 410-224-0565  
**NOB/SIC:** Drinking Places (Alcoholic Beverages)  
**Primary Contact:** Mark Milecki - Phone: 410.224.0565 - Email: 0149gm@thecheesecakefactory.com  
**Billing Contact:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132000H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000203921	C08 203921	Laars	2008	02/23/2021	Recurring Cert	Active	Roof

**Total Objects at this Location:** 1

**Location:** The Chefs Warehouse  
**Address:** 7477 Candlewood Rd - Hanover, MD 21076-3102  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 702494  
**Phone:** 410-799-8000  
**NOB/SIC:** General Warehousing and Storage  
**Primary Contact:** Deere Nunez - Phone: 410-850-5030 - Email: DNunez@chefswarehouse.com  
**Billing Contact:** Deere Nunez - 7477 Candlewood Rd Hanover, MD 21076-3102 - Phone: 410-850-5030 - Email: DNunez@chefswarehouse.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD057717V		Vertical Unfired Pressure Vessel w/comment	V - Process-Separator	000043991		Frick	1980	09/08/2022	Recurring Cert	Active	Boiler Room
MD144120V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000000581		Evapco	2000	09/08/2022	Recurring Cert	Active	2nd Floor Mechanical Room
MD144121V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000151758		York	2000	09/08/2022	Recurring Cert	Active	2nd Floor Mechanical Room
MD144122V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000143606		Frick	2000	09/08/2022	Recurring Cert	Active	2nd Floor Mechanical Room
MD144123V		Horizontal Unfired Pressure Vessel w/comment	V - Process-Separator	000143605		Frick	2000	09/08/2022	Recurring Cert	Active	2nd Floor Mechanical Room
NEW		Cast Aluminum	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2018	08/21/2022	Recurring Cert	Active	Warehouse Mechanical Room

**Total Objects at this Location:** 6

**Location:** The Conboy Center  
**Address:** 1417 Odenton Rd - Odenton, MD 21113-1211  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 715709  
**Phone:** 410-336-8383  
**NOB/SIC:** Health and Allied Services, NEC  
**Primary Contact:** The Rev. Phebe McPherson - Phone: 410-336-8383 - Email: ephinanyodenton@gmail.com  
**Billing Contact:** The Rev. Phebe McPherson - PO Box 110 Odenton, MD 21113-0110 - Phone: 410-336-8383 - Email: ephinanyodenton@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD100174H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI	40090	Enerjet	1998	09/28/2021	Recurring Cert	Active	Convoy Center Sprinkler Room
<b>Total Objects at this Location:</b>				1							

**Location:** The Crab Shack (Robert's Oxygen)  
**Address:** 3111 Solomons Island Rd - Edgewater, MD 21037-1705  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 4054240  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD168252V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000010506		Taylor	1992	01/05/2023	Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				1							

**Location:** The Greene Turtle (Roberts Oxygen)  
**Address:** 20 Magothy Beach Rd - Pasadena, MD 21122-4428  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3972759  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165996V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000108095		MVE Inc	1999	01/14/2022	Recurring Cert	Active	Outside Shed
<b>Total Objects at this Location:</b>				1							

---

**Location:** The Greene Turtle (Roberts Oxygen) **Location ID:** 3971858  
**Address:** 3213 Solomons Island Rd Ste A - Edgewater, MD 21037-2792 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165058V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000011196		Taylor-Wharton	1992	09/13/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** The Point Crab House (Arc3) **Location ID:** 3963487  
**Address:** 700 Mill Creek Rd - Arnold, MD 21012-1111 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165776V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000023009		Taylor-Wharton	1995	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---

**Location:** The Rumor Meal (Arc3) **Location ID:** 3963458  
**Address:** 4730 Mountain Rd Ste 4 - Pasadena, MD 21122-5843 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164439V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000310691		CHART	2018	07/10/2021	Recurring Cert	Active	Outside
<b>Total Objects at this Location:</b>				1							

---



**Location:** The Westin/BWI (Arc3) **Location ID:** 3961839  
**Address:** 1110 Old Elkridge Landing Rd - Linthicum Heights, MD 21090-1003 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164609V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000209928		CHART	2010	06/13/2021	Recurring Cert	Active	Outside Loading Dock
<b>Total Objects at this Location:</b>				1							

**Location:** Thomas Somerville Co. **Location ID:** 726531  
**Address:** 2349 Solomons Island Rd - Annapolis, MD 21401-3707 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Department Stores  
**Primary Contact:** James Taylor - Phone: 410-897-5140  
**Billing Contact:** James Taylor - 2349 Solomons Island Rd Annapolis, MD 21401-3707 - Phone: 410-897-5140

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD050102H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Burnham	1988	04/08/2020	Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				1							

**Location:** Thrifty Auto Repair **Location ID:** 726582  
**Address:** 1948R West St - Annapolis, MD 21401-3955 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Motor Vehicle Dealers (New and Used)  
**Primary Contact:** Thrifty Auto Repair - Phone: 410 266 8811  
**Billing Contact:** Doug Roberson - 1948 West St Ste R Annapolis, MD 21401-3955 - Phone: 410-266-8811

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD111620V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000049898		Curtis	1955	01/27/2023	Recurring Cert	Active	Comp Room
MD125615V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000016082		Brunner	1996	01/27/2023	Recurring Cert	Active	Compressor Room

**Total Objects at this Location:** 2

**Location:** Tillman Tool Company, Inc. **Location ID:** 726638  
**Address:** 809 Pinnacle Dr Ste D - Linthicum Heights, MD 21090-2536 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Contractors-Single-Family Houses  
**Primary Contact:** Kevin Tillman - Phone: 410-994-0450 - Email: tillmantool@comcast.net  
**Billing Contact:** Kevin Tillman - 809 Pinnacle Dr Ste D Linthicum Heights, MD 21090-2536 - Phone: 410-994-0450 - Email: tillmantool@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD085724V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000783073		Buckeye	1987	09/09/2022	Recurring Cert	Active	Shop

**Total Objects at this Location:** 1

**Location:** Timbuktu (Arc3) **Location ID:** 3961838  
**Address:** 1726 Dorsey Rd - Hanover, MD 21076-1125 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165784V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139671		CHART	2002	06/13/2021	Recurring Cert	Active	Outside Store Room

**Total Objects at this Location:** 1

**Location:** Tires 4 Less **Location ID:** 1739907  
**Address:** 7233 Ritchie Hwy - Glen Burnie, MD 21061-3038 **Phone:** 410-760-7200  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** General Automotive Repair Shops  
**Primary Contact:** Brad Holbrook - Phone: 410-787-1990  
**Billing Contact:** Brad Holbrook - 7233 Ritchie Hwy Glen Burnie, MD 21061-3038 - Phone: 410-787-1990

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161322V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000484117		Morganton	2015	05/24/2022	Recurring Cert	Active	REAR SHOP

**Total Objects at this Location:** 1

**Location:** Tischer Nissan  
**Address:** 3510 Laurel Fort Meade Rd - Laurel, MD 20724-2006  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** John Slavoski - Phone: 240-994-3848  
**Billing Contact:**

**Location ID:** 726682  
**Phone:**  
**NOB/SIC:** Motor Vehicle Dealers (New and Used)

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD015020V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000575070		Wood	1972	10/11/2020	Recurring Cert	Active	ACURA SHOP
MD015021V		Horizontal Unfired Pressure Vessel w/comment	O - Other (PV Use) w/comment	000575055		Wood	1972	10/11/2020	Recurring Cert	Active	ACURA SHOP
Total Objects at this Location:				2							

**Location:** TND Carwashes, LLC.  
**Address:** 1250 Crain Hwy S - Glen Burnie, MD 21061-4023  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** TND Carwashes, LLC.  
**Billing Contact:**

**Location ID:** 3846614  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159879H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000222026		Raypak	2013	01/26/2022	Recurring Cert	Active	Car Wash
MD159880V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000253981		Morganton	2013	01/26/2022	Recurring Cert	Active	Car Wash
Total Objects at this Location:				2							

**Location:** Traffic Systems, Inc.  
**Address:** 7519 Railroad Ave - Harmans, MD 21077-3141  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Larry Duncan - Phone: 443-557-0025 - Email: mduncan@trafficsys.us  
**Billing Contact:** Michelle Duncan - 7519 Railroad Ave Harmans, MD 21077-3141 - Phone: 443-557-0025 - Email: mduncan@trafficsys.us

**Location ID:** 3012070  
**Phone:** 443-557-0025  
**NOB/SIC:** Special Trade Contractors, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140067V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000899263		Manchester	2007	02/23/2022	Recurring Cert	Active	Upper Loft
MD140073V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000986654		Melben	2001	02/23/2022	Recurring Cert	Active	Shop Loft

**Total Objects at this Location:** 2

**Location:** Tsunami Restaurant  
**Address:** 51 West St - Annapolis, MD 21401-2420  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Tsunami Restaurant - Phone: 410-990-9868  
**Billing Contact:** - 51 West St Annapolis, MD 21401-2420 - Phone: 410-990-9868

**Location ID:** 4003127  
**Phone:** 410-990-9868  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165909H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2018	01/14/2022	Recurring Cert	Active	Basement
<b>Total Objects at this Location:</b>				1							

**Location:** Tsunami Restaurant (Arc3)  
**Address:** 51 West St - Annapolis, MD 21401-2420  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

**Location ID:** 3965208  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165908V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000139752		CHART	2002	07/29/2021	Recurring Cert	Active	Basement

**Total Objects at this Location:** 1

**Location:** Tucker's Auto Repair  
**Address:** 35 Lee St - Annapolis, MD 21401-3926  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bruce Dove - Phone: 410-224-2320  
**Billing Contact:** Bruce Dove - 35 Lee St Annapolis, MD 21401-3926 - Phone: 410-224-2320

**Location ID:** 705343  
**Phone:**  
**NOB/SIC:** Automotive Services, Except Repair and Carwashes

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD106796V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000486538		Cpc	1994	08/04/2020	Recurring Cert	Active	shop

**Total Objects at this Location:** 1

**Location:** Turkey Point Marina (Model)  
**Address:** 1107 Turkey Point Rd - Edgewater, MD 21037-4109  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Pat Michell - Phone: 703 309 5149  
**Billing Contact:** Richard Patrick - 1920 Turnberry Ct Finksburg, MD 21048-1546 - Phone: 703-309-5149

**Location ID:** 3955275  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
NEW		Vertical Fire Tube	S - Power-Other w/comment (Stm > 15 psig)	Model	Model	Hobby Steam Boilers, LTD.	2004	06/10/2020	Recurring Cert	Active	Boat Deck, North Marina

**Total Objects at this Location:** 1

**Location:** Twenty Ridgely Partnership  
**Address:** 20 Ridgely Ave - Annapolis, MD 21401-1410  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Donna Bassindale - Phone: 410-279-1444 - Email: 20Ridgelymgmt@gmail.com  
**Billing Contact:** Donna Bassindale - 20 Ridgely Ave Ste 310 Annapolis, MD 21401-1426 - Phone: 410-279-1444 - Email: 20Ridgelymgmt@gmail.com

**Location ID:** 727248  
**Phone:** 410-279-1444  
**NOB/SIC:** Holding and other investment offices

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD130305H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		Weil-McLain	2007	07/11/2022	Recurring Cert	Active	BASEMENT BOILER ROOM

**Total Objects at this Location:** 1

---

**Location:** Tydings Import SVC  
**Address:** 1738 Crownsville Rd - Annapolis, MD 21401-6447  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1724631  
**Phone:**  
**NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Bill Tydings - Phone: 410-849-8356  
**Billing Contact:** Bill Tydings - 1738 Crownsville Rd Annapolis, MD 21401-6447 - Phone: 410-849-8356

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123402V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000067358	80698-1-1	BEAIRD	1959	02/05/2021	Recurring Cert	Active	Basement Garage
<b>Total Objects at this Location:</b>				1							

---

**Location:** Ultimate Small Engines Sales and Service Inc.  
**Address:** 46 Wishing Rock Rd - Pasadena, MD 21122-3913  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 727511  
**Phone:** 410-421-8050  
**NOB/SIC:** Nonclassifiable Establishments  
**Primary Contact:** Rick Phillips - Phone: 410-684-0290 - Cell: 443-510-1810 - Email: rick@ultimatesmallengines.com  
**Billing Contact:** Rick Phillips - 46 Wishing Rock Rd Pasadena, MD 21122-3913 - Phone: 410-684-0290 - Cell: 443-510-1810 - Email: rick@ultimatesmallengines.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159846H		Cast Iron	H - Hot Water Heat (Water <= 160 psig, 250 F)	CI		SRC	2017	06/21/2022	Recurring Cert	Active	Boiler Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Ultra Gloss Collision Repair, Inc.  
**Address:** 200 Arundel Corporation Rd - Glen Burnie, MD 21060-6306  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1867604  
**Phone:** 410-609-0232  
**NOB/SIC:** Automotive Transmission Repair Shops  
**Primary Contact:** Vincent Cucina - Phone: 410- 609-0232 - Email: vincentcucina@comcast.net  
**Billing Contact:** Vincent Cucina - 200 Arundel Corporation Rd Glen Burnie, MD 21060-6306 - Phone: 410- 609-0232 - Email: vincentcucina@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125647V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	0164724		Wayne	1965	08/04/2021	Recurring Cert	Active	Shop Rear
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Uncle Julio's  
**Address:** 181 Jennifer Rd - Annapolis, MD 21401-3043  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Uncle Julio's  
**Location ID:** 3885648  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Billing Contact:** April West - 1101 N Union Bower Rd Ste 160 Irving, TX 75061-5850 - Phone: 972-554-3624 - Email: permits@unclejulios.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159805H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000239626		A O Smith	2018	07/19/2022	Recurring Cert	Active	Sprinkler Room

**Total Objects at this Location:** 1

---

**Location:** Union Jacks (Arc3)  
**Address:** 2072 Somerville Rd - Annapolis, MD 21401-3711  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Location ID:** 3963633  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD163928V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000124062		MVE Inc	2000	07/11/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

---

**Location:** Valvoline Instant Oil Change BA0036  
**Address:** 8267 Veterans Hwy - Millersville, MD 21108-1411  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Jose Herrera - Phone: 617 243 0404 Ext 1303 - Email: licensing@vioc.net  
**Location ID:** 4062226  
**Phone:** 410 694 7709  
**NOB/SIC:**  
**Billing Contact:** Jose Herrera - 54 Jaconnet St Newton Highlands, MA 02461-1952 - Phone: 617 243 0404 Ext 1303 - Email: licensing@vioc.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD169137V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	002229222	5 35 Z20	Manchester	2020	04/24/2021	Recurring Cert	Active	BASEMENT

**Total Objects at this Location:** 1

---

**Location:** Vulcan Materials-Brooklyn Terminal  
**Address:** 500 Frankfurst Ave - Curtis Bay, MD 21226-1071  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Bob Walker - Phone: 410-937-3815  
**Billing Contact:** Bob Walker - 500 Frankfurst Ave Curtis Bay, MD 21226-1071 - Phone: 410-937-3815

**Location ID:** 705264  
**Phone:**  
**NOB/SIC:** Manufacturing Industries, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD159871V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000040565		Manchester	1984	01/08/2022	Recurring Cert	Active	Plant

**Total Objects at this Location:** 1

**Location:** Wal-Mart Store - 5382  
**Address:** 8107 Ritchie Hwy - Pasadena, MD 21122-6917  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

**Location ID:** 3601202  
**Phone:**  
**NOB/SIC:** Department Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD151689V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000046232		HENRY	2014	05/14/2021	Recurring Cert	Active	Roof Unit
MD151690V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000044974		HENRY	2014	05/14/2021	Recurring Cert	Active	Roof Unit

**Total Objects at this Location:** 2

**Location:** Wal-Mart Store 1875  
**Address:** 407 George Claus Blvd - Severn, MD 21144-1317  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

**Location ID:** 2450882  
**Phone:** 410-582-9990  
**NOB/SIC:** Groceries and Related Products, NEC

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132067V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000882200		Manchester	2007	04/15/2023	Recurring Cert	Active	Auto Shop



Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD132068V	F	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000047531		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top
MD132069V	A	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000462519		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top
MD132070V	D	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000463631		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top
MD132071V	C	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000463506		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top
MD132072V	B	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000074445		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top
MD132073V	E	Horizontal Unfired Pressure Vessel w/comment	V - Process-Heat Transfer-Other w/comment	000074530		Standard	2008	04/15/2023	Recurring Cert	Active	Roof Top

**Total Objects at this Location:** 7

**Location:** Wal-Mart Store 1985  
**Address:** 3549 Russet Greene - Laurel, MD 20724  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

**Location ID:** 2929743

**Phone:**

**NOB/SIC:** Miscellaneous General Merchandise Stores

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD138412V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004707		Westermeyer Ind	2009	09/26/2022	Recurring Cert	Active	Motor Room
MD138413V	Rack B	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001909		Westermeyer Ind	2009	09/26/2022	Recurring Cert	Active	Motor Room
MD138414V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004954		Westermeyer Ind	2009	09/26/2022	Recurring Cert	Active	Motor Room
MD138415V	Rack C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000004782		Westermeyer Ind	2009	09/26/2022	Recurring Cert	Active	Motor Room

**Total Objects at this Location:** 4

**Location:** Wal-Mart Store 2279  
**Address:** 6721 Chesapeake Center Dr - Glen Burnie, MD 21060-6572  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2651475  
**Phone:** 410-863-1280  
**NOB/SIC:** Operators of Nonresidential Buildings  
**Primary Contact:** APTIM (MD) - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142101V	Rack C	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013047		Westermeyer	2011	03/15/2022	Recurring Cert	Active	Outside Motor room
MD142102V	Rack A	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000012602		Westermeyer	2011	03/15/2022	Recurring Cert	Active	Outside Motor room
MD142103V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000013067		Westermeyer	2011	03/15/2022	Recurring Cert	Active	Outside Motor room
MD142104V	Rack D	Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000011985		Westermeyer	2011	03/15/2022	Recurring Cert	Active	Outside Motor room

**Total Objects at this Location:** 4

**Location:** Wal-Mart Store 3490  
**Address:** 7081 Arundel Mills Cir - Hanover, MD 21076-1387  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1740884  
**Phone:**  
**NOB/SIC:** Miscellaneous Retail Stores, NEC  
**Primary Contact:** Wal-Mart Store 3490  
**Billing Contact:** Licensing Department - 8725 Rosehill Rd Ste 450 Lenexa, KS 66215-4611 - Phone: 877-829-5505 - Email: walmartepmsupport@aptim.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD123434V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000577101		Manchester	2001	02/10/2022	Recurring Cert	Active	Compressor Room
MD141641V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000028718		HENRY	2006	02/10/2022	Recurring Cert	Active	Roof

**Total Objects at this Location:** 2

**Location:** Walk Enterprises  
**Address:** 930 Galesville Road - Galesville, MD 20765-3100  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Theadore Walk Sr. - Phone: (410) 867-6002 - Email: walkenterprises@comcast.net  
**Billing Contact:**

**Location ID:** 709024  
**Phone:**  
**NOB/SIC:** Automotive dealers and gasoline service stations

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD125822V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000544679		Trinity	2005	03/07/2021	Recurring Cert	Active	Outside Compressor Shed
<b>Total Objects at this Location:</b>				1							

**Location:** Watergate Pointe Apartments  
**Address:** 1015 Normans Drive - Annapolis, MD 21403-3069  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

**Location ID:** 728518  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127393H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000072208		Bradford White	2006	08/18/2021	Recurring Cert	Active	1015 Normans Drive
<b>Total Objects at this Location:</b>				1							

**Location:** Watergate Pointe Apartments  
**Address:** 1035 Normans Drive - Annapolis, MD 21403-3070  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

**Location ID:** 728519  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD079691H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000022187	2411	Bradford White	1990	08/18/2021	Recurring Cert	Active	1035 Normans
<b>Total Objects at this Location:</b>				1							

**Location:** Watergate Pointe Apartments  
**Address:** 1055 Norman Dr - Annapolis, MD 21403-3009  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728520  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139185H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086654		Bradford White	2009	08/18/2021	Recurring Cert	Active	1055 Norman Dr
MD139186H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086667		Bradford White	2009	08/18/2021	Recurring Cert	Active	1055 Norman Dr

**Total Objects at this Location:** 2

**Location:** Watergate Pointe Apartments  
**Address:** 1065 Normans Drive - Annapolis, MD 21403-3072  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728521  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD146797H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000100831		Bradford White	2012	08/18/2021	Recurring Cert	Active	1065 Normans Dr

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 610 Americana Dr - Annapolis, MD 21403-3100  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728516  
**Phone:**  
**NOB/SIC:** Business Services, NEC  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104123H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000048591		Bradford White	1999	08/19/2021	Recurring Cert	Active	Boiler Rm

Total Objects at this Location: 1

**Location:** Watergate Pointe Apartments  
**Address:** 620 Americana Dr - Annapolis, MD 21403-3102  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728522  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065949H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000017087		Bradford White	1993	08/19/2021	Recurring Cert	Active	Bldg 620
MD088001H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000031625		Bradford White	1993	08/19/2021	Recurring Cert	Active	Bldg 620

Total Objects at this Location: 2

**Location:** Watergate Pointe Apartments  
**Address:** 630 Americana Dr - Annapolis, MD 21403-3118  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2158507  
**Phone:** 301 263 2361  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118553H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061952		Bradford White	2003	08/19/2021	Recurring Cert	Active	630 American

Total Objects at this Location: 1

**Location:** Watergate Pointe Apartments  
**Address:** 640 Americana Dr - Annapolis, MD 21403-3113  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728523  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072008H		Water Heater (HLW)	H - Hot Water Supply (Water <=	000018809	2809	Bradford White	1988	08/19/2021	Recurring Cert	Active	Bldg 640

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
			160 psig, 210 F)								

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 650 Americana Dr - Annapolis, MD 21403-3114  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147100H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000102698		Bradford White	2013	08/19/2021	Recurring Cert	Active	Bldg 650

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 655 Americana Dr - Annapolis, MD 21403-3158  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD118552H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000078202		State Industries	2003	08/19/2021	Recurring Cert	Active	655 Americana Dr

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 660 Americana Dr - Annapolis, MD 21403-3125  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 1434306  
**Phone:**  
**NOB/SIC:** Hotels and Motels  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139183H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000093556		Bradford White	2010	08/19/2021	Recurring Cert	Active	660 Americana Dr
MD139184H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000093562		Bradford White	2010	08/19/2021	Recurring Cert	Active	660 Americana Dr

**Total Objects at this Location:** 2

**Location:** Watergate Pointe Apartments  
**Address:** 670 Americana Dr - Annapolis, MD 21403-3126  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728525  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104124H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000041475		Bradford White	1996	08/19/2021	Recurring Cert	Active	670 Americana Dr
MD165026H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126209		Jet Glass	2018	08/06/2021	Recurring Cert	Active	670 Americana Dr

**Total Objects at this Location:** 2

**Location:** Watergate Pointe Apartments  
**Address:** 680 Americana Dr - Annapolis, MD 21403-3127  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728526  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD158412H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000212979		A O Smith	2016	09/05/2021	Recurring Cert	Active	655 Americana Dr
MD165027H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126635		Bradford White	2018	08/06/2021	Recurring Cert	Active	655 Americana Dr
<b>Total Objects at this Location:</b>				2							

**Location:** Watergate Pointe Apartments  
**Address:** 695 Americana Dr - Annapolis, MD 21403-3128  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728527  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD072007H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000036431	3584	Bradford White	1989	08/18/2021	Recurring Cert	Active	Bldg 695
MD112571H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000054062		Bradford White	2001	08/18/2021	Recurring Cert	Active	695
<b>Total Objects at this Location:</b>				2							



---

**Location:** Watergate Pointe Apartments  
**Address:** 700 Americana Dr - Annapolis, MD 21403-3129  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728528  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127394H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000071138		Bradford White	2005	08/19/2021	Recurring Cert	Active	700 Americana Dr
MD146798H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000097478		Bradford White	2011	08/19/2021	Recurring Cert	Active	700 Americana Dr
Total Objects at this Location:				2							

---

**Location:** Watergate Pointe Apartments  
**Address:** 705 Americana Dr - Annapolis, MD 21403-3130  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728529  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD104120H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000048192		Bradford White	1999	08/18/2021	Recurring Cert	Active	705 Americana Dr
MD104121H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000047974		Bradford White	1999	08/18/2021	Recurring Cert	Active	705 Americana Dr
Total Objects at this Location:				2							

**Location:** Watergate Pointe Apartments  
**Address:** 710 Americana Dr - Annapolis, MD 21403-3131  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728530  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD065875H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000013422	3348	Bradford White	1985	08/18/2021	Recurring Cert	Active	710 Americana Dr
MD104119H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000043620		Bradford White	1997	08/18/2021	Recurring Cert	Active	710 Americana Dr

**Total Objects at this Location:** 2

**Location:** Watergate Pointe Apartments  
**Address:** 810 Monroe St - Annapolis, MD 21403-3045  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2158398  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Bernstein Management Corp - Phone: 410 263 2361  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127392H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000069106		Bradford White	2005	08/18/2021	Recurring Cert	Active	810 Monroe St

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 830 Monroe St - Annapolis, MD 21403-3027  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2158409  
**Phone:** 301 263 2361  
**NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Bernstein Management Corp - Phone: 410 263 2361  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD127391H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000061045		Bradford White	2003	08/18/2021	Recurring Cert	Active	830 Monroe St

**Total Objects at this Location:** 1

**Location:** Watergate Pointe Apartments  
**Address:** 840 Monroe St - Annapolis, MD 21403-3003  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 728517  
**Phone:**  
**NOB/SIC:** Business Services, NEC  
**Primary Contact:** Watergate Village Apartments - Phone: 855-507-0382  
**Billing Contact:** Dennis Skarda - 655 Americana Dr Annapolis, MD 21403-3158 - Phone: dskarda@allresco.com - Email: dskarda@allresco.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165025H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000126814		Bradford White	2019	08/18/2021	Recurring Cert	Active	840 Basement

**Total Objects at this Location:** 1

**Location:** Waterman's Tavern (Arc3)  
**Address:** 145 Mayo Rd - Edgewater, MD 21037-1809  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3965291  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Charlie Patterson - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com  
**Billing Contact:** Charlie Patterson - PO Box 26269 Richmond, VA 23260-6269 - Phone: 804-644-4521 - Email: charliepatterson@arc3gases.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165045V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000002362		Taylor-Wharton	1989	07/29/2021	Recurring Cert	Active	Outside

**Total Objects at this Location:** 1

**Location:** Waugh Chapel Stadium  
**Address:** 1419 S Main Chapel Way - Gambrills, MD 21054-1843  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3635590  
**Phone:**  
**NOB/SIC:** Miscellaneous Personal Services, NEC  
**Primary Contact:** Village So. @ Waugh Chapel - Phone: 844-462-7342  
**Billing Contact:** - 101 E Blount Ave Knoxville, TN 37920-1632 - Phone: 844-462-7342

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD154192V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000231482		CHART	2012	04/12/2020	Recurring Cert	Active	Sprinkler room

**Total Objects at this Location:** 1

---

**Location:** Wawa - 572 (Roberts) **Location ID:** 3898857  
**Address:** 8300 Veterans Hwy - Millersville, MD 21108-1409 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Wawa - 572 (Roberts)  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD162344V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000300227		CHART	2017	08/05/2022	Recurring Cert	Active	Outside /Closet
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wawa - 595 (Roberts) **Location ID:** 3898855  
**Address:** 701 Annapolis Rd - Gambrills, MD 21054-1309 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166892V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000093516		Taylor-Wharton	2011	07/07/2022	Recurring Cert	Active	Outside/Dumpster Area
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wawa - 8507 (Roberts) **Location ID:** 3898856  
**Address:** 7800 Parke West Dr - Glen Burnie, MD 21061-4708 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Gasoline Service Stations  
**Primary Contact:** Wawa - 8507 (Roberts)  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD161764V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000262562		CHART	2014	08/05/2022	Recurring Cert	Active	Store Rm
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wee Heart Auto Body  
**Address:** 223 Mayo Rd - Edgewater, MD 21037-2950  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Wee Heart Auto Body  
**Billing Contact:**

**Location ID:** 703450  
**Phone:**  
**NOB/SIC:** Top, Body, and Upholstery Repair Shops and Paint Shops

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD066973V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000142638		Melben	1979	09/19/2022	Recurring Cert	Active	OUTSIDE SHED
MD125330V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000101987		Manchester	2002	09/19/2022	Recurring Cert	Active	OUTSIDE SHED

**Total Objects at this Location:** 2

**Location:** Wendy's (Roberts Oxygen)  
**Address:** 100 Central Ave E - Edgewater, MD 21037-1491  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

**Location ID:** 3971828  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165041V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000005466		Taylor-Wharton	1989	09/13/2021	Recurring Cert	Active	Outside Store Room

**Total Objects at this Location:** 1

**Location:** Wendy's (Roberts Oxygen)  
**Address:** 1064 State Route 3 N - Gambrills, MD 21054-1712  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

**Location ID:** 3987506  
**Phone:**  
**NOB/SIC:** Eating and Drinking Places

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166409V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000326619		CHART	2019	02/05/2022	Recurring Cert	Active	kitchen

**Total Objects at this Location:** 1

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3972743  
**Address:** 1454 Whitehall Rd - Annapolis, MD 21409-5628 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165917V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000007152		CRYOGENIC SERVICES	1990	09/19/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3972751  
**Address:** 153 Defense Hwy - Annapolis, MD 21401-7004 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165941V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000027036		MVE Inc	1989	09/19/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3972746  
**Address:** 1949 West St - Annapolis, MD 21401-3906 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165937V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000021465		Taylor-Wharton	1995	09/19/2021	Recurring Cert	Active	Kitchen

**Total Objects at this Location:** 1

---

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3974820  
**Address:** 3563 Russett Grn E - Laurel, MD 20724-1810 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165690V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000061799		Taylor-Wharton	2002	10/09/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3974873  
**Address:** 6910 Ritchie Hwy - Glen Burnie, MD 21061-2304 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164461V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000024581		Taylor-Wharton	1995	10/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3974866  
**Address:** 7399 B + A Blvd - Glen Burnie, MD 21061 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranovich@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164453V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000015285		Taylor-Wharton	1993	10/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3974865  
**Address:** 7905 Ritchie Hwy - Glen Burnie, MD 21061-4339 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD164470V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000075045		MVE Inc	1997	10/10/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Wendy's (Roberts Oxygen) **Location ID:** 3987450  
**Address:** 8203 Veterans Hwy - Millersville, MD 21108-1411 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Eating and Drinking Places  
**Primary Contact:** Roberts Oxygen Company (MD) - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com  
**Billing Contact:** Bulk Tank Service Dept. - PO Box 5507 Rockville, MD 20855-0507 - Phone: 240-493-8405 - Cell: 301-252-0742 - Email: DFranych@RobertsOxygen.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD166022V		Vertical Unfired Pressure Vessel w/comment	V - Storage (Cryogenic)	000004661		Taylor-Wharton	1988	10/17/2021	Recurring Cert	Active	Store Room
<b>Total Objects at this Location:</b>				1							

**Location:** Wilson Tire & Auto Center **Location ID:** 712386  
**Address:** 1108 Route 3 North - Gambrills, MD 21054 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Automotive repair, services, and parking  
**Primary Contact:** Jim Wilson - Phone: 301-642-3826 - Email: WJimWilson@comcast.net  
**Billing Contact:** Jim Wilson - 7107 Moorland Dr Clarksville, MD 21029-1734 - Phone: 301-642-3826 - Email: WJimWilson@comcast.net

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD043128V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000114417		Industrial Comb	1988	07/27/2021	Recurring Cert	Active	Tire Storage
MD158046V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	001691594		Manchester	2016	07/11/2021	Recurring Cert	Active	Tire Storage



**Total Objects at this Location:** 2

**Location:** Wingate by Wyndham  
**Address:** 829 Elkridge Landing Rd - Linthicum Heights, MD 21090-2902  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 713177  
**Phone:** 410-850-0600  
**NOB/SIC:** Hotels, rooming houses, camps, and other lodging places  
**Primary Contact:** Suheiri Rodrigue - Phone: 410-850-0600  
**Billing Contact:** Suheiri Rodrigue - 829 Elkridge Landing Rd Linthicum Heights, MD 21090-2902 - Phone: 410-850-0600

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD042570V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001993		Magna Tank	1986	01/15/2023	Recurring Cert	Active	5th Floor
MD116086H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000179573		Raypak	2001	01/15/2023	Recurring Cert	Active	5th FLR
MD116087H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000187902		Raypak	2001	01/15/2023	Recurring Cert	Active	5th FLR

**Total Objects at this Location:** 3

**Location:** Woodcrest Apartments  
**Address:** 100 S Charter Rd - Glen Burnie, MD 21061-1837  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3660823  
**Phone:**  
**NOB/SIC:**  
**Primary Contact:** Linda Pitetti - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com  
**Billing Contact:** Linda Pitetti - 101 S Charter Rd Glen Burnie, MD 21061-1813 - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147941H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000129896	129896	RHEEM	2011	01/04/2022	Recurring Cert	Active	100 S Laundry

**Total Objects at this Location:** 1

---

**Location:** Woodcrest Apartments **Location ID:** 2252982  
**Address:** 101 N Charter Rd - Glen Burnie, MD 21061-1816 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Linda Pitetti - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com  
**Billing Contact:** Linda Pitetti - 101 S Charter Rd Glen Burnie, MD 21061-1813 - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147940H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094816	109816	Bradford White	2011	01/04/2022	Recurring Cert	Active	Laundry room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Woodcrest Apartments **Location ID:** 729383  
**Address:** 101 S Charter Rd - Glen Burnie, MD 21061-1841 **Phone:** 410-789-9445  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Linda Pitetti - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com  
**Billing Contact:** Linda Pitetti - 101 S Charter Rd Glen Burnie, MD 21061-1813 - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142702H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000094888	109888	Bradford White	2011	01/04/2022	Recurring Cert	Active	Laundry Room
<b>Total Objects at this Location:</b>				1							

---

**Location:** Woodcrest Apartments **Location ID:** 2252989  
**Address:** 109 Governors Ct - Glen Burnie, MD 21061-1867 **Phone:**  
**County:** Anne Arundel **FIPS:** 24003 **NOB/SIC:** Operators of Apartment Buildings  
**Primary Contact:** Linda Pitetti - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com  
**Billing Contact:** Linda Pitetti - 101 S Charter Rd Glen Burnie, MD 21061-1813 - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD142703H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000086250	101250	Bradford White	2009	01/04/2022	Recurring Cert	Active	Laundry Room
<b>Total Objects at this Location:</b>				1							

---

---

**Location:** Woodcrest Apartments  
**Address:** 6508 S Charter Rd - Glen Burnie, MD 21061-1827  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Linda Pitetti - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com  
**Billing Contact:** Linda Pitetti - 101 S Charter Rd Glen Burnie, MD 21061-1813 - Phone: 410-789-9445 - Cell: 410-570-6393 - Email: lindap@mtroyalmgt.com

**Location ID:** 2252977  
**Phone:**  
**NOB/SIC:** Operators of Apartment Buildings

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD147942H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000128654		RHEEM	2011	01/04/2022	Recurring Cert	Active	6508 S Charter Laundry Room

**Total Objects at this Location:** 1

---

**Location:** WSP, Inc.  
**Address:** 7555F Harmans Rd - Harmans, MD 21077-1537  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Shannon Burke - Phone: 703-318-3978 - Email: shannon.burke@wsp.com  
**Billing Contact:** Shannon Burke - 13530 Dulles Technology Dr Ste 300 Herndon, VA 20171-6148 - Phone: 703-318-3978 - Email: shannon.burke@wsp.com

**Location ID:** 3763405  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD157019H	CP-4001	Horizontal Fire Tube	H - Steam Heat (Steam <= 15 psig)	000016379	730861	Cleaver Brooks of Canada	2016	04/15/2021	Recurring Cert	Active	Water Treatment
MD157020V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001965		Steel Pro Inc	2016	04/15/2021	Recurring Cert	Active	WaterTreatment
MD157021V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000001966		Steel Pro Inc	2016	04/15/2021	Recurring Cert	Active	WaterTreatment

**Total Objects at this Location:** 3

**Location:** YMCA  
**Address:** 1209 Ritchie Hwy - Arnold, MD 21012-1802  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** YMCA  
**Billing Contact:** Jim Ford - 1209 Ritchie Hwy ` Arnold, MD 21012-1802 - Phone: 443 534 4405

**Location ID:** 3779780  
**Phone:**  
**NOB/SIC:**

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD165966H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000247413		Raypak	2000	02/07/2022	Recurring Cert	Active	POOL BLRM
MD165967H		Water Heater (HLW)	H - Hot Water Supply (Water <= 160 psig, 210 F)	000012808		PAGET EQUI	2002	10/10/2021	Recurring Cert	Active	LAUNDRY

**Total Objects at this Location:** 2

**Location:** YMCA  
**Address:** 26 Magothy Beach Road - Pasadena, MD 21122-4428  
**County:** Anne Arundel **FIPS:** 24003  
**Primary Contact:** Brent Bauhaus - Phone: 410-437-4242 - Cell: 443-798-8903 - Email: brentbauhaus@ymaryland.org  
**Billing Contact:** Brent Bauhaus - 26 Magothy Beach Rd Pasadena, MD 21122-4428 - Phone: 410-437-4242 - Cell: 443-798-8903 - Email: brentbauhaus@ymaryland.org

**Location ID:** 2943071  
**Phone:** 410-437-4242  
**NOB/SIC:** Physical Fitness Facilities

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD140479H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000108681		A O Smith	2006	09/24/2021	Recurring Cert	Active	WTR HTR RM
MD140481H		Horizontal Water Tube	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109906		A O Smith	2006	09/24/2021	Recurring Cert	Active	WTR HTR RM
MD140482H		Water Tube Coiled (Flueless Hi Efficiency)	H - Hot Water Supply (Water <= 160 psig, 250 F)	000109836		A O Smith	2006	09/24/2021	Recurring Cert	Active	WTR HTR RM
MD149394H		Water Heater (HLW)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000385522	1409385522	Raypak	2014	09/24/2021	Recurring Cert	Active	POOL BLRM
MD165902H		Water Tube Coiled (NOT Flueless Hi Efficiency)	H - Hot Water Heat (Water <= 160 psig, 250 F)	000488616		Raypak	2019	09/10/2021	Recurring Cert	Active	POOL BLRM

**Total Objects at this Location:** 5

**Location:** Zips Dry Cleaners  
**Address:** 33 Magothy Beach Rd - Pasadena, MD 21122-4413  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 2977134  
**Phone:**  
**NOB/SIC:** Coin-Operated Laundries and Drycleaning  
**Primary Contact:** William Forand - Phone: 410-317-5253 - Email: Wforand@pilgrimagedev.com  
**Billing Contact:** William Forand - 7563 Ritchie Hwy Glen Burnie, MD 21061-3716 - Phone: 410-317-5253 - Email: Wforand@pilgrimagedev.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD139192		Vertical Tubeless	S - Power-Ironing (Steam > 15 psig)	000112447		Fulton	2011	09/06/2020	Recurring Cert	Active	BLRM
MD139194V		Horizontal Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000010660		AIR COM	2011	08/05/2020	Recurring Cert	Active	Shop

**Total Objects at this Location:** 2

**Location:** Zoom Dry Cleaning  
**Address:** 574 Ritchie Hwy F - Severna Park, MD 21146-2951  
**County:** Anne Arundel **FIPS:** 24003  
**Location ID:** 3315509  
**Phone:** 443-801-5204  
**NOB/SIC:** Services, NEC  
**Primary Contact:** Mark McInnes - Phone: 443-801-5204 - Email: zoomsevernapark@gmail.com  
**Billing Contact:** Mark McInnes - 574 Ritchie Hwy Ste F Severna Park, MD 21146-2951 - Phone: 443-801-5204 - Email: zoomsevernapark@gmail.com

Juris #	Alt Juris #	Type	Use	NB	Serial	Manufacturer	Year Built	Due Date	Inspect Type	Status	Location
MD145237V		Vertical Unfired Pressure Vessel w/comment	V - Storage (NOT Cryogenic)	000708580		Steel Fab	2012	12/18/2020	Recurring Cert	Active	BLRM

**Total Objects at this Location:** 1

**Total Objects** 857  
**Total Locations** 529  
**Total Active Objects** 857